

FEATURES & SPECIFICATIONS

2 0 0 5

Allure 400

SERIES



COUNTRY COACH

THE WORLD'S FINEST MOTORCOACHES

Allure 400 Series

Introducing the all new Allure 400 Series for 2005. Created by Country Coach, manufacturers of The World's Finest Motorcoaches, the new 400 Series boasts an impressive list of features, all crafted with the attention to detail found only at Country Coach. Experience the all-new interior and exterior styling, single-piece windshield, taller (85" high) interior ceilings, available quad slide floorplans, and the many features and amenities that have made the Allure a Country Coach favorite for a decade.

430
470

Chassis Specifications

- ● **DynoMax® chassis:** semi-monocoque construction of 8" x 3" x 1/4" tube with welded components
 - 10,000 lb. Class III receiver hitch with electrical connector and chrome cover
 - 2-year/unlimited mile chassis warranty
- X 34' chassis: GVWR – 34,200 lbs.; GCWR – 44,200 lbs.
- X ● 37', 40', and 42' tag axle chassis: GVWR – 45,200 lbs.; GCWR – 55,200 lbs.
- X 40' tag axle chassis: GVWR – 45,200 lbs.; GCWR – 55,200 lbs.
- X **Wheelbase:** 34' – 210"; Tag chassis: 40' – 243"
- X ● **Wheelbase:** 37' – 219"; Tag chassis: 40' – 243"; 42' – 279"

Allure 430

A quintessential expression of Country Coach luxury, the 430 showcases the passion for excellence that has always been an Allure trademark. Boasting a 34' and a 40' tag axle floorplan, the 430's exterior and interior are artistic compositions with you in mind.

Allure 470

Upgrade to the 470, and enjoy standard features like hydronic heating, halogen lighting, 37', 40' and 42' quad slide floorplans and much more, not to mention the impressive options list.

430
470

- ● **Engine:** Caterpillar® C-9 8.8L 400HP with 1100 lb/ft torque at 1400 RPM
 - Exhaust brake
 - Electronic Control Module (ECM) for engine diagnostics
 - Alternator: 160 amps
 - 120-volt, 1,000 watt engine block heater
 - 5-year/6,000 operating hours engine warranty
- ○ **Engine:** Cummins® ISL 400HP with 1200 lb/ft torque at 1300 RPM
 - Jacobs® two stage engine compression brake
 - Electronic Control Module (ECM) for engine diagnostics
 - Alternator: 160 amps
 - 5-year/100,000 miles engine warranty

- ● **Transmission:** Allison 3000 MH with PTO
 - Six speed automatic with two overdrive gears
 - Keypad electronic shifter with digital display
 - 5-year/unlimited-mile transmission warranty (with TRANSYND® fluid)
- ● **Driveline:** Dana Spicer® 1710 series (non-tag chassis) or Dana Spicer® SPL 170 series (tag axle chassis)
- ● **Suspension:**
 - *Front* – Holland/Neway® independent front suspension with double wishbone construction and full air suspension system, air drum brakes, IPD anti-sway bar, and Koni adjustable shock absorbers
 - *Rear* – Holland/Neway® (non-tag chassis) or Ridewell drive/tag combination (tag axle chassis) air suspension system with air springs and Koni adjustable shock absorbers
- ● **Drive axle:** ArvinMeritor® with 4.88 differential ratio
- ● **Steering:** Fully-integral, full-time hydraulic power steering gear with tilt telescoping column
- ● Electronic cruise control
- ● Teleflex adjustable electronic throttle and brake pedal
- ● **Service brakes:** Full air brakes with ABS and automatic slack adjusters
 - 16.5" x 5" front axle
 - 16.5" x 7" rear axle
 - 16.5" x 7" tag axle
 - Automatic Traction Control

● Standard ○ Optional x Not Available

- ● **Tires:** Steel-belted radials 12R x 22.5"
- ● **Wheels:**
 - *Front* – two 8.25" x 22.5" aluminum alloy wheels
 - *Rear* – two 8.25" x 22.5" aluminum alloy wheels and two 8.25" x 22.5" inner dual steel wheels
 - *Tag* – two 8.25" x 22.5" aluminum alloy wheels
- ● **Battery:** One heavy duty 8D with 12-volt disconnect
- ● **Fuel capacity:** 135 gallons (dual fuel fills, driver and passenger sides)
- ● **Service center:** Diagnostic reader ports, circuit breakers and chassis battery disconnect
- ● Engine light with remote reel
- ● Emergency Roadside Service (first year paid by Country Coach)

Construction Highlights

- ● 102" wide body
- ● Tube steel cage structure
- ● Vacuum-bonded walls and floor with 1-1/2" expanded polystyrene insulation
- ● R16-value roof insulation
- ● Fiberglass exterior with aluminum skirts and insulated compartment doors
- ● One-piece fiberglass roofcap
- ● Exterior riding height: 12' 10" (including roof air)
- ● Finished interior height: 85"
- ● Interior width: 96-1/2"
- ● Sound and vibration dampening material under floor deck

- ● Laminated composite floor (two forward slides)
- ● Steel framed slide rooms with sloped fiberglass roof for water drainage

Driver Compartment Amenities

- ● 12-volt outlet in dash
- ● 18" SmartWheel® multiplexed steering wheel wrapped in leather. Equipped with controls for horn, head light flash, marker light flash, cruise functions, wiper functions, and high beam light
- ● Two 12-volt dash mounted 2-speed fans
- ● 6-way power-adjustable driver and passenger seats with 3-point restraint and adjustable arms
- ● Driver sliding seat cushion and passenger power footrest
- ○ Massage/heated driver and passenger seats with adjustable headrests
- ● Burlwood dash panels
- X ● Compass with exterior temperature indicator
- X In-dash radio and CD player
- X Color rear-view monitor
- X ● Concealable color rear-view monitor with AM/FM/XM stereo and compact disc controls with remote CD changer and two speakers
- ● XM satellite radio
- X ○ SilverLeaf® VMS 200 EL digital engine monitor/travel information center with auto generator start and auto temp

- X Silverleaf® VMS200 EL travel information center with auto generator start, auto temp, and concealable color back-up monitor
- ● Custom contoured dash and overhead with instrumentation
- ● Driver and passenger side map lights
- ● Electronic power sun visors
- ○ GPS navigation system
- ● Heating/cooling/defrost unit in dash
- ● Manual driver side window visor
- ● Pre-wired for CB radio
- ○ OnStar® System: Satellite technology to provide road assistance, emergency services, accident assistance, route support, ride assistance, information and convenience services and stolen vehicle location
- ● Privacy drape
- ● Passenger side control panels with step slide cover, porch light, ceiling lights, entry step, and domestic battery disconnect switches with battery switch indicator lamp
- ● Radial single-motor windshield wipers with delay and washers
- ● Side view mirror power controls
- ● Teleflex gauges include: speedometer, tachometer, air pressure, oil pressure, transmission temperature, volt meter, water temperature, fuel level, odometer, and trip meter
- ● Interior entry door assist grip
- ● Cup holders
- ● Swing-out valet tray
- ● Tile entry landing
- ● Wrap-around one-piece windshield with shade band

General Conveniences

- ☐ ● Burglar alarm (inside/outside protection) with key fob controlled keyless entry
- ● Carbon monoxide detector
- ● Custom crafted oak cabinetry and woodwork
- ☐ ○ Light cherry cabinetry
- ☐ ○ Maple cabinetry
- ☐ ○ Walnut cabinetry
- ● Stained, lacquered cabinetry
- ● Entry door assist grip (inside)
- ● Euro design recliner with ottoman and occasional table (floorplan dependent)
- ● Fabric-wrapped window boxes in living room, dining area, and bedroom with wood sill (pleated day/night black-out shades)
- ● Fire extinguisher
- X ● Halogen lighting throughout
- X Fluorescent lighting throughout
- X ● Glassware cabinet with drink set
- ● LP gas detector
- ● Padded vinyl ceiling
- ● Power step slide cover
- ● Smoke detector
- ● Stepwell light
- ● Telephone jacks
- X Wall sconce lighting in living room
- X ● Wall sconce lighting in living room with dimmers
- ☐ ○ J-sofa
- ☐ ● Air spring mattress in hide-a-bed
- ☐ ○ Computer table (only available with Euro recliner)
- ☐ ○ Custom interior décor kit (preset)
- X ○ Decorative ceiling treatment
- ☐ ○ Sculpted carpet in living room

- ☐ ○ Tile living room flooring (n/a under forward roadside slide)
- ☐ ○ Washer/dryer
- ☐ ○ Factory delivery

Front Entertainment

- ☐ ○ **Digital Projection Package:**
 - 68" projection screen TV
 - Remote control with one-touch automatic picture adjustment
- ● 27" flat screen remote-control color stereo TV
- ☐ ○ 32" LCD high definition TV in dash overhead
- ● Jamo home theater system with DVD
- ● VCR with remote control
- ☐ ○ KVH® in-motion satellite system and receiver
- ● Pre-wired for satellite dish
- ● Remote operational switching for front and rear TV, VCR and DVD
- ☐ ○ Universal RF Remote (pre-programmed)

Galley Amenities

- ● Solid-surface countertops with edge detail
- X ● Full tile backsplash
- X Solid-surface backsplash with tile inserts
- ● Solid-surface splashguard
- X Beveled strip mirrors (galley)
- ● Large, recessed double stainless steel sink with solid-surface covers and single-lever faucet with pull-out sprayer
- ☐ ○ Single bowl solid-surface galley sink
- ● 12 cu. ft. Norcold® 4-door 2-way refrigerator with icemaker

- ☒ ☐ Residential refrigerator with wood panel doors (2 additional AGM batteries, 200 amp alternator, and 3000 watt Prosine inverter—42' only)
- ☐ ☐ Drop-in 3-burner gas cooktop with 21" gas oven
- ☒ ☒ Recessed 3-burner electronic-ignition gas cooktop with solid-surface cover (storage for cover)
- ☒ ☒ Recessed 3-burner electronic-ignition gas cooktop with solid-surface cover and sealed burners (storage for cover)
- ☐ ☐ Stainless steel appliance package
- ☐ ☐ Advantium® Speedcook microwave/convection oven
- ☒ ☒ Microwave/convection oven with power hood
- ☒ ☒ Wall-mounted solid-surface dining table with leaf and two chairs
- ☒ ☒ Dining area seating choices (varies by floorplan): wall-mounted dining table and four chairs (includes two folding), wall-mounted café dinette, or café dinette sleeper (all choices include a solid-surface dining table except the sleeper café dinette, which comes with a wood dining table)
- ☒ ☒ Dining room wall cabinets with solid-surface top, adjustable shelves, and double doors (tag only)
- ☐ ☒ Sleeper café dinette with wood table
- ☒ ☒ Fantastic Fan® with rain sensor, automatic vent, remote switch and double dome
- ☒ ☒ Fantastic Fan®: Thermostatically-controlled variable speed fan with rain sensor, insulated cover, and dome stop switch
- ☐ ☒ Folding dinette chairs (2)

- ☐ ☐ Radiant floor heating
- ☒ ☒ Tile flooring on main floor, carpet in slide rooms
- ☒ ☒ Wood window box with mini blinds

Bath Amenities

- ☒ ☒ Beveled strip mirror above backsplash in main vanity and second vanity
- ☒ ☒ Decorative vanity bar light
- ☒ ☒ Electric china toilet
- ☒ ☐ Tub/shower combination (floorplan dependant)
- ☒ ☒ Etched glass shower enclosure with coordinating finish
- ☒ ☒ Fantastic Fan® with rain sensor, automatic vent, remote switch and double dome
- ☒ ☒ Fantastic Fan®: Thermostatically-controlled variable speed fan with rain sensor, insulated cover and dome stop switch
- ☒ ☒ Full tile backsplash
- ☒ ☒ Handheld shower unit with pressure-balancing mixer valve
- ☒ ☒ Water pump switch
- ☒ ☒ Hardwood pocket privacy doors
- ☒ ☒ Insulated skylight
- ☒ ☒ Lighted shower
- ☒ ☒ Porcelain vanity sink w/coordinating fixtures
- ☐ ☐ Solid-surface vanity sink(s)
- ☒ ☒ Solid-surface backsplash with tile inserts
- ☒ ☒ Solid-surface countertop with edge detail
- ☒ ☒ Tile flooring

- ● Mini-blinds with fabric valance on bath window
- ● Large vanity overhead with mirrored doors
- ○ Radiant floor heating

Bedroom Amenities

- ● 24" flat screen remote control color TV
- ○ 30" LCD high definition TV in bedroom
- X ○ Satellite receiver in bedroom
- ● Bedroom dresser cabinet
- X ○ Max storage in bedroom
- ● Bedspread with custom accessory pillows
- X ● Ceiling lights controlled by 3-way switches
- ● Fabric-wrapped window boxes with wood sill (pleated day/night black-out shades)
- ● Phone jack
- ● Queen-size bed with upholstered headboard
- X ○ King bed (Siskiyou Summit only)
- ○ Air mattress in bedroom
- ● Two nightstands
- ● Wall sconce lighting
- ● Wardrobe with lighting and cedar panel on wardrobe shelf
- ○ Fire resistant safe with combination lock

Heating and Cooling

- X 35,000 BTU and 20,000 BTU LPG furnaces

- X ● Diesel fired hydronic central heating system (50,000 BTU) with zone control
- ● Evans cab area over-the-road heating/cooling/defrost system with driver controls (40,000 BTU heating, 19,000 BTU cooling)
- X ● Temperature control center for hydronic system and roof A/C's
- X Temperature control center for LPG furnaces and roof A/C's
- X Two 13,500 BTU low profile roof A/C's
- X ● Two 13,500 BTU low profile roof A/C's with heat pumps, remote condensation pump, and drain lines
- ○ 15,000 BTU roof A/C with heat pumps
- X ○ Third roof A/C with heat pumps (must order with 10kW generator)

Power Sources

- ● Onan® 8.0 kW "quiet" liquid-cooled diesel generator with remote start/stop
- X ○ Onan® 10kW generator (comes with third roof A/C w/heat pumps)
- ● 12-volt battery boost system
- ● 2000-watt solid-state inverter and 100-amp solid state converter/charger with 15-amp chassis battery charge system
- ● 50-amp shore service surge protector
- X 50-amp shore service with cord and 30-amp adapter with manual reel
- X ● 50-amp shore service with cord and 30-amp adapter with power reel
- ● Automatic low-voltage generator start
- ● Digital power package (battery monitoring system)

- X Four 6-volt domestic batteries with interior disconnect switch
- X ● Two 8D domestic deep cycle batteries with 12-volt interior disconnect switch
- X ○ Two AGM house batteries

Plumbing Features

- X 10 gallon gas/electric water heater
- ● 12-volt on-demand water pump
- ● Black water tank flush system
- ● City water to water tank fill located in plumbing bay
- ● Exterior hot/cold running water with spray fixture (plumbing bay)
- ● Heated plumbing bay
- ● Low-point drain valve for fresh water plumbing
- X ● On-demand hydronically heated hot water system with electric back-up
- ● Pre-plumbed and pre-wired for washer/dryer
- ● Water filtration system
- ● Water pump switch located on monitor panel

Tank Capacities

- ● 104 gallon fresh water tank
- ● 43 gallon black water storage tank
- ● 66 gallon gray water storage tank
- X ● 19 gallon LP tank
- X 31 gallon LP tank
- ● 135 gallon diesel fuel

Exterior Conveniences

- ● 120-volt receptacle, 12-volt receptacle, coaxial cable, and phone jack (storage bay)
- ● Bronze tone reflective dual-pane insulated windows
- ● Chip-guard paint protection coating on wheel well flare
- ● High quality gelcoat exterior
- ● Exterior graphic package (four color themes)
- ● Chrome air horns
- ● Compressed air supply hook-up
- ● Electric entry doorstep with automatic override at ignition
- ● Fog lights
- ● Four curb lights
- ● Full awning packages: patio is automatic with wind sensor; entry door is automatic
- ○ Girard electric patio box awning and door awning with wind sensor
- ● Full rear mud flap with stainless steel trim
- ● HWH® CAN automatic air leveling system
- ● Large halogen headlights
- ● Lighted entry door assist grip
- ● Lighted, pass-through exterior storage bays with carpeted liners and insulated doors
- ● Patio light
- X Polished stainless steel exhaust pipe tips for generator and engine




430	470	
X	●	Polished stainless steel exhaust pipe tips for generator, hydraulics, and engine
●	●	Powder-coated steel frame structure entry door with auto-hold, deadbolt, key fob keyless entry, and screen door
●	●	Telephone and cable TV hook-up
●	●	Thermostatically-controlled/heated remote control chrome cab mirrors with turn signals and adjustable arms
●	●	Trailer hitch receiver with wiring and chrome cover
●	●	TV antenna with coaxial cable and 12-volt boost
●	●	Undercoating
X	○	Bay entertainment center with 30" LCD high definition TV
○	○	3M nose protectant
○	○	Ladder on rear of coach
○	○	Dual-directional roll-out storage tray
○	○	SmarTire® II tire monitoring system (requires travel information center)
○	○	Sunscreen windshield cover

Slide-Out Room Special Features

X	●	Bedroom (DS): HWH® single cylinder slide room-extension mechanism
●	X	Bedroom (DS): Power Gear slide room-extension mechanism
●	●	Bedroom (PS): HWH® lateral arm slide room-extension mechanism
X	●	Curbside: HWH® X-slide room-extension mechanism

430	470	
●	X	Curbside: Power Gear slide room-extension mechanism
●	●	Roadside: Power Gear flush-floor room-extension mechanism
●	●	Fiberglass vacuum-laminated exterior slide room wall
●	●	Push-button slide-activation control panels
●	●	Slide-out room topper/window awning

2005 Allure 430 Floorplans





SEATING 1

Seating choice for slide B, available on the Alder Lake floorplan only



SEATING 2

Seating choice for slide A, all models except Alder Lake



SEATING 3

Seating choice for slide A,
all models except
Alder Lake




34' Alder Lake

Experience the ingenious livability of this engineering marvel. A Country Coach full of luxury amenities an astounding spacious living, the Alder Lake's three available slides and well-placed expand this 34' motorcoach to the ideal home for lovers of exploring off the interstates.

40' Hood River

Welcome to quad slide luxury. Supported by Country Coach engineering and a robust tag axle, the Hood River floorplan is available from two to four slide out rooms in a modular platform. Design your space to meet your motorcoaching lifestyle! And measuring two inches under 40' from nose to tail, this forty-footer is made for the back roads, too!

2005 Allure 470 Floorplans





SEATING 1

Seating choice for slide B, available on the Alder Lake floorplan only



SEATING 2

Seating choice for slide A, all models except Alder Lake



SEATING 3

Seating choice for slide A,
all models except
Alder Lake



37' *Sunset Bay*

Welcome to the easy elegance of the Sunset Bay, the shortest floorplan offered in the Allure 470. Also the shortest floorplan from Country Coach featuring a tag axle, the Sunset Bay offers unparalleled quad slide living in 37 feet, plus amazing carrying capacity.

40' *McKenzie Bridge*

Immerse yourself in the abundant luxury of the McKenzie Bridge. Measuring two inches under 40' from nose to tail, this forty-footer is ready for the rural by ways, as well as the interstate! Four available slide rooms and multiple seating arrangements let you customize your dream coach to fit your style. This floorplan features the bedroom suite slide. Just push the button, and watch your world expand!

2005 Allure 470 Floorplans



SEATING 1

Seating choice for slide B, available on the Alder Lake floorplan only



SEATING 2

Seating choice for slide A, all models except Alder Lake



SEATING 3

Seating choice for slide A, all models except Alder Lake


ALLURE 430 SLIDE-OUT ROOM DIMENSIONS

FLOORPLAN	SLIDE-OUT	WIDTH	DEPTH	HEIGHT
34' Alder Lake	Living room	12'-3"	2'-8"	6'-4"
	PS Bedroom	4'-1"	1'-2"	5'-6"
	DS Bedroom	6'-1"	2'-0"	5'-1"
40' Hood River	Living room	12'-3"	2'-8"	6'-4"
	Galley	11'-7"	1'-8"	6'-3"
	PS Bedroom	9'-0"	2'-0"	5'-1"
	DS Bedroom	6'-1"	2'-0"	5'-1"

PS Bedroom = Passenger Side Bedroom • DS Bedroom = Driver Side Bedroom

42' Siskiyou Summit

Welcome to the Siskiyou Summit, the most expansive Allure 400 Series floorplan. More room means more storage space, more relaxing space, more living space. And with four available slide rooms and an even longer bedroom suite slide, this floorplan is the luxury home you've always wanted, wherever you want it to be.



ALLURE 470 SLIDE-OUT ROOM DIMENSIONS

FLOORPLAN	SLIDE-OUT	WIDTH	DEPTH	HEIGHT
37' Sunset Bay	Living room	12'-3"	2'-8"	6'-5"
	Galley	12'-8"	1'-8"	5'-8"
	PS Bedroom	5'-10"	2'-0"	5'-1"
	DS Bedroom	4'-7"	1'-2"	5'-6"
40' McKenzie Bridge	Living room	12'-3"	2'-8"	6'-5"
	Galley	12'-8"	1'-8"	5'-8"
	PS Bedroom	4'-7"	1'-2"	5'-6"
	DS Bedroom	9'-0"	2'-0"	5'-1"
42' Siskiyou Summit	Living room	12'-3"	2'-8"	6'-5"
	Galley	12'-8"	1'-8"	5'-8"
	PS Bedroom	7'-2"	1'-2"	5'-6"
	DS Bedroom	9'-0"	2'-0"	5'-1"

PS Bedroom = Passenger Side Bedroom • DS Bedroom = Driver Side Bedroom



COUNTRY COACH

210 East Sixth Avenue
Junction City, Oregon 97448

800-654-0223
www.countrycoach.com

IMPORTANT NOTICE: Country Coach does not represent or warrant that its motorcoaches can lawfully be operated on all roads or in all states. Laws restricting the length, width, and/or weight of vehicles vary from state to state. Depending on the model, some Country Coach motorcoaches (as well as similar sized motorcoaches used on such roads or in such states with special permits or license endorsements). It is the responsibility of each prospective purchaser of a motorcoach to determine any limitations or restriction on the use of the motorcoach in the states in which the purchaser intends to use it.

Due to constant product improvements, styling, design, equipment and construction are subject to change without notice or obligation. We reserve the right to make changes, but are happy to verify any item on request. **Some items featured may be optional.**

8.5K/0704