LEGEND
PREMIUM TRAILERS

Aluminum Enclosed Cargo

Models: TV | EV | FTV | LD | DVN | TMF | TMR

LEGEND

Since incorporation in 2002, Legend has had one goal that stands the test of time…Build a trailer that lasts. Headquartered in Michigan, we understand that harsh climates require superior raw materials, smart design, and a higher level of craftsmanship than most of our industry peers are willing to put forth. We are passionate about our products, our people, and the loyal family of trailer buyers that have owned and operated our units for many years. Let us show you how the details matter when it comes to performance, longevity, and total cost of ownership on your next trailer purchase.

DETAILS THAT MAKE A LEGEND

Aluminum Enclosed Cargo Standard Features

1. Radius RV Style Door

2. Radius Tube Roof Bows and One-Piece Aluminum Roof

3. 3/4" Engineered Wood Decking

4. Bonded, Screwless Exterior .030 or Thicker Aluminum Skin

5. ATP Fenders

6. Nitrogen Filled Radial Tires

7. E-Z Lube Torsion Axles



Thunder V-Nose

Warranty	2 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	5' Wide Includes a 1' V-Nose	6' Wide Includes a 1' V-Nose	7' Wide Includes a 2' V-Nose	8.5' Wide Includes a 2' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	9' N/A	11', 13' N/A	14' 14', 16', 18', 20'	N/A 18', 20', 22', 26'
GVWR (Single) **GVWR (Tandem)**	2,200# N/A	2,990# N/A	2,990# 7,000#	N/A 7,000#
***Axles**	2,200# Torsion	3,500# Torsion	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem)**	2" A-Frame N/A	2" A-Frame N/A	2" A-Frame 2 5/16" A-Frame	N/A 2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x3" Tube	2"x4" Tube	2"x4" Tube	2"x6" Tube
Interior Height	58"	78"	78"	78"
Interior Width	57"	69"	79"	98"
Rear Door Opening	52" Wide x 57" High	64" Wide x 76" High	74" Wide x 76" High	90" Wide x 73" High
Rear Door Hardware	Zinc	Zinc	Zinc	Zinc
Roof Bows	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x2" Tube 16" OC
Side Door	N/A	30"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)	36"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)
Tie Downs	Optional	Optional	Optional	Optional
Tires/Wheels	ST185/80R13 Silver Mod Steel	ST205/75R14 Silver Mod Steel	ST205/75R14 Silver Mod Steel	ST225/75R15 Silver Mod Steel
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Explorer V-Nose

Warranty	3 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	5' Wide Includes a 1' V-Nose	6' Wide Includes a 1' V-Nose	7' Wide Includes a 2' V-Nose	8.5' Wide Includes a 2' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	9' N/A	11', 13' N/A	14' 14', 16', 18', 20'	N/A 18', 20', 22', 26'
GVWR (Single) **GVWR (Tandem)**	2,200# N/A	2,990# N/A	2,990# 7,000#	N/A 7,000#
***Axles**	2,200# Torsion	3,500# Torsion	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem)**	2" A-Frame N/A	2" A-Frame N/A	2" A-Frame 2 5/16" A-Frame	N/A 2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x3" Tube	2"x4" Tube	2"x4" Tube	2"x6" Tube
Interior Height	58"	78"	78"	78"
Interior Width	57"	69"	79"	98"
Rear Door Opening	52" Wide x 57" High	64" Wide x 76" High	74" Wide x 76" High	90" Wide x 73" High
Rear Door Hardware	Zinc	Zinc	Zinc	Zinc
Roof Bows	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x2" Tube 16" OC
Side Door	N/A	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	36"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 1,000# D-Rings Loose	4 - 1,000# D-Rings Loose	4 - 1,000# D-Rings Loose	Optional
Tires/Wheels	ST185/80R13 Silver Mod Steel	ST205/75R14 Silver Mod Steel	ST205/75R14 Silver Mod Steel	ST225/75R15 Silver Mod Steel
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Flat Top V-Nose

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	6' Wide Includes a 3' V-Nose	7' Wide Includes a 3' V-Nose	8' Wide Includes a 3' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	13' 15' 15'	15' 15', 17', 19', 21', 23'	N/A 17', 19', 21', 23'
GVWR (Single) **GVWR (Tandem)**	2,990# 7,000#	2,990# 7,000#	N/A 7,000#
***Axles**	3,500# Torsion	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem)**	2" Straight 2 5/16" Straight	2" Straight 2 5/16" Straight	N/A 2 5/16" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x4" Tube	2"x4" Tube	2"x4" Tube
Interior Height	78"	78"	78"
Interior Width	69"	79"	93"
Rear Door Opening	61" Wide x 73" Tall	71" Wide x 73" Tall	85" Wide x 73" Tall
Rear Door Hardware	Stainless Steel	Stainless Steel	Stainless Steel
Roof Bows	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC
Side Door	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 1,000# D-Rings Loose	4 - 1,000# D-Rings Loose	4 - 1,000# D-Rings Loose
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Deluxe V-Nose

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	6' Wide Includes a 3' V-Nose	7' Wide Includes a 3' V-Nose	8' Wide Includes a 3' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	13' 15' 15'	15' 15', 17', 19', 21', 23'	N/A 17', 19', 21', 23'
GVWR (Single) **GVWR (Tandem)**	2,990# 7,000#	2,990# 7,000#	N/A 7,000#
***Axles**	3,500# Torsion	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem)**	2" Straight 2 5/16" Straight	2" Straight 2 5/16" Straight	N/A 2 5/16" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum. w/ Divider Stripe	Bonded, Screwless .030 Alum. w/ Divider Stripe	Bonded, Screwless .030 Alum. w/ Divider Stripe
Frame	2"x4" Tube	2"x4" Tube	2"x4" Tube
Interior Height	78"	78"	78"
Interior Width	69"	79"	93"
Rear Door Opening	61" Wide x 73" Tall	71" Wide x 73" Tall	85" Wide x 73" Tall
Rear Door Hardware	Stainless Steel + Black Locking Hasps	Stainless Steel + Black Locking Hasps	Stainless Steel + Black Locking Hasps
Roof Bows	1"x1" Tube 24" OC	1"x1" Tube 24" OC	1"x1" Tube 24" OC
Side Door	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 1,000# D-Rings Installed	4 - 1,000# D-Rings Installed	4 - 1,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Legend Deluxe



Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	6' Wide	7' Wide
Available Lengths (Single) **Available Lengths (Tandem)**	10', 12' 12'	12' 12', 14', 16', 18', 20'
GVWR (Single) **GVWR (Tandem)**	2,990# 7,000#	2,990# 7,000#
***Axles**	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem)**	2" Straight 2 5/16" Straight	2" Straight 2 5/16" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC
Exterior Skin	Bonded, Screwless .030 Alum. w/ Divider Stripe	Bonded, Screwless .030 Alum. w/ Divider Stripe
Frame	2"x4" Tube	2"x4" Tube
Interior Height	78"	78"
Interior Width	69"	79"
Rear Door Opening	61" Wide x 73" Tall	71" Wide x 73" Tall
Rear Door Hardware	Stainless Steel + Black Locking Hasps	Stainless Steel + Black Locking Hasps
Roof Bows	1"x1" Tube 24" OC	1"x1" Tube 24" OC
Side Door	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 1,000# D-Rings Installed	4 - 1,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Trailmaster Flat Front

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide
Available Lengths (Tandem)	16', 18', 20', 24', 26', 28', 30', 32'
GVWR	7,000# (16'-26') 9,990# (28'-32')
Axles	3,500# Torsion (16'-26') 5,200# Torsion (28'-32')
Coupler	2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .040 Alum. w/ Divider Stripe
Frame	2"x6" Tube
Interior Height	78"
Interior Width	98"
Rear Door Opening	90" Wide x 73" High
Rear Door Hardware	Stainless Steel + Black Locking Hasps
Roof Bows	1"x2" Tube 16" OC
Side Door	36"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 5,000# D-Rings Loose
Tires/Wheels	ST225/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Finished 3/8" Wood w/ White Vinyl Walls 24" Tall 3/4" Wood Kick Plate Finished White Vinyl Ceiling
Wall Structure	1"x1.5" Tube 16" OC

Trailmaster Race Series

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide
Available Lengths (Tandem)	20', 22', 24', 26', 28', 30', 32'
GVWR	7,000# (20'-22') 9,990# (24'-32')
Axles	3,500# Spread Torsion (20'-22') 5,200# Spread Torsion (24'-32')
Coupler	2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.
Frame	2"x6" Tube
Interior Height	78"
Interior Width	98"
Rear Door Opening	90" Wide x 77" High
Rear Door Hardware	Stainless Steel + Black Locking Hasps
Roof Bows	1"x2" Tube 16" OC
Side Door	36"x74" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 5,000# D-Rings Installed
Tires/Wheels	ST225/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC

SKIN COLOR & WHEELS

Standard Colors

Black

Chystal White

Light Pewter

Medium
Charcol Gray

Victory Red

Windstar
Silver Frost

Premium Colors

Champagne Beige

Matte Black

Metallic Bronze

Orange

Brandy Wine

Yellow

Pearl Cat

Cargo Green

Royal Blue

Steel

Aluminum Gunmetal Gray

Aluminum Black

POPULAR OPTIONS CUSTOMIZE YOUR LEGEND TRAILER



LEGEND

PREMIUM TRAILERS

© Legend Manufacturing Inc. All illustrations, specifications, standard features, options, components, colors and other manufacturing specs contained in this brochure are based on the latest product information available at the time of printing. Legend reserves the right to change any and all specifications noted within this brochure without prior notice. Please contact your authorized Legend dealer to ensure the most up to date information available.

www.legendmfginc.com

LEGEND
PREMIUM TRAILERS

Aluminum Enclosed Sport

Models: SL | AS/ASD | TS | E | EDO | TM | LS

LEGEND

Since incorporation in 2002, Legend has had one goal that stands the test of time…Build a trailer that lasts. Headquartered in Michigan, we understand that harsh climates require superior raw materials, smart design, and a higher level of craftsmanship than most of our industry peers are willing to put forth. We are passionate about our products, our people, and the loyal family of trailer buyers that have owned and operated our units for many years. Let us show you how the details matter when it comes to performance, longevity, and total cost of ownership on your next trailer purchase.

DETAILS THAT MAKE A LEGEND

Aluminum Enclosed Sport Standard Features

1. Radius RV Style Door

2. Radius Tube Roof Bows and One-Piece Aluminum Roof

3. 3/4" Engineered Wood Decking

4. Bonded, Screwless Exterior .030 or Thicker Aluminum Skin

5. ATP Fenders

6. Nitrogen Filled Radial Tires

7. E-Z Lube Torsion Axles

Sportlite

Warranty	3 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide (Deckover)
Available Lengths	13'
GVWR	2,990#
Axles	3,500# Torsion
Coupler	2" Straight
Cross Members	1.5"x3" Tube 24" OC
Exterior Skin	Bonded, Screwless .030 Alum.
Frame	2"x3" Tube
Interior Height	63"
Interior Width	98"
Rear Door Opening	93" Wide x 62" High
Rear Door Hardware	Stainless Steel
Roof Bows	1"x1.5" Tube 16" OC
Side Door	30"x54" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	2 - 1,000# D-Rings Installed
Tires/Wheels	ST145/R12 Silver Mod Steel
Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Unfinished Wall/Ceiling with 12" Tall 3/8" Wood Kick Plate
Wall Structure	1"x1.5" Tube 24" OC

All Sport & All Sport Deluxe



Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Standard	7' Wide Deluxe
Available Lengths (Tandem)	17'	17'
GVWR	7,000#	7,000#
Axles	3,500# Torsion	3,500# Torsion
Coupler	2 5/16" Straight	2 5/16" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum. w/ Divider Stripe & Mesa Siding
Frame	2"x4" Tube	2"x4" Tube
Interior Height	78"	78"
Interior Width	79"	79"
Rear Door Opening	74" Wide x 75" Tall	74" Wide x 75" Tall
Rear Door Hardware	Stainless Steel	Stainless Steel + Black Locking Hasps
Roof Bows	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC
Side Door	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 1,000# D-Rings Loose	4 - 1,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	3/8" Engineered Wood Panel Walls Unfinished Ceiling	3/8" Engineered Wood Panel Walls Unfinished Ceiling
Wall Structure	1"x1.5" Tube 24" OC	1"x1.5" Tube 16" OC

Thunder Snow/ATV

Warranty	2 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Includes a 5' V-Nose	7.5' Wide (Coming Soon) Includes a 5' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)** **Available Lengths (Triple)**	17', 19' 17', 19', 23', 27', 29' 31'	17', 19' 17', 19', 23', 27', 29' 31'
GVWR (Single) **GVWR (Tandem)** **GVWR (Triple)**	2,990# 7,000# 8,500#	2,990# 7,000# 8,500#
***Axles**	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem/Triple)**	2" Straight 2 5/16" Straight	2" Straight 2 5/16" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x6" Tube	2" x 6" Interior Tube and 3"x6" Perimeter Tube
Interior Height	78"	78"
Interior Width	79"	84"
Rear Door Opening	74" Wide x 76" High	80" Wide x 76" High
Rear Door Hardware	Zinc	Zinc
Roof Bows	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC
Side Door	30"x68" Roadside RV w/ Flush Lock & Plastic Holdback (Black Frame)	30"x68" Roadside RV w/ Flush Lock & Plastic Holdback (Black Frame)
Tie Downs	Optional	Optional
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Unfinished Wall/Ceiling with 16" Tall 3/4" Wood Kick Plate	Unfinished Wall/Ceiling with 16" Tall 3/4" Wood Kick Plate
Wall Structure	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes / Triple Axles Standard with 3 Brakes

Explorer Snow/ATV

Warranty	3 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Includes a 5' V-Nose	7.5' Wide Includes a 5' V-Nose
Available Lengths (Single) **Available Lengths (Tandem)** **Available Lengths (Triple)**	17', 19' 17', 19', 23', 27', 29', 31' 31'	17', 19' 17', 19', 23', 27', 29', 31' 31'
GVWR (Single) **GVWR (Tandem)** **GVWR (Triple)**	2,990# 7,000# 8,500#	2,990# 7,000# 8,500#
***Axles**	3,500# Torsion	3,500# Torsion
Coupler (Single) **Coupler (Tandem/Triple)**	2" Straight 2 5/16" Straight	2" Straight 2 5/16" Straight
Cross Members	2"x3" Tube 16" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum. 2-Tone w/ Divider Stripe	Bonded, Screwless .030 Alum. 2-Tone w/ Divider Stripe
Frame	2"x6" Tube	2" x 6" Interior Tube and 3"x6" Perimeter Tube
Interior Height	78"	78"
Interior Width	79"	84"
Rear Door Opening	74" Wide x 76" High	80" Wide x 76" High
Rear Door Hardware	Stainless Steel	Stainless Steel
Roof Bows	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC
Side Door	30"x68" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	Optional	Optional
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Finished White Vinyl Walls w/ 24" Tall 3/4" Wood Kick Plate Finished White Vinyl Ceiling	Finished White Vinyl Walls w/ 24" Tall 3/4" Wood Kick Plate Finished White Vinyl Ceiling
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes / Triple Axles Standard with 3 Brakes

Explorer Deck Over

Warranty	3 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide (Deckover) Includes a 6' V-Nose
Available Lengths (Tandem)	22', 24', 26', 28', 30'
GVWR	7,000#
Axles	3,500# Torsion
Coupler	2 5/16" Straight
Cross Members	2"x3" Tube 24" OC
Exterior Skin	Bonded, Screwless .030 Alum. 2-Tone w/ Divider Stripe
Frame	2"x6" Tube
Interior Height	78"
Interior Width	97.5"
Rear Door Opening	93" Wide x 76" High
Rear Door Hardware	Stainless Steel
Roof Bows	1"x1.5" Tube 16" OC
Side Door	30"x68" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	Optional
Tires/Wheels	ST205/75R14 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Finished White Vinyl Walls w/ 24" Tall 3/4" Wood Kick Plate Finished White Vinyl Ceiling
Wall Structure	1"x1.5" Tube 16" OC

Trailmaster

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Includes a 5' V-Nose	8.5' Wide Includes a 6' V-Nose
Available Lengths (Tandem) **Available Lengths (Triple)**	17', 19', 23', 27', 29', 31' 31'	26', 28', 30', 32' Optional
GVWR (Tandem) **GVWR (Triple)**	7,000# 8,500#	7,000# - 9,990# 9,990#
***Axles**	3,500# Torsion	3,500# Torsion (26'-28') 5,200# Torsion (30'-32')
Coupler	2 5/16" Straight	2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum. w/ Divider Stripe	Bonded, Screwless .040 Alum. w/ Divider Stripe
Frame	2"x6" Tube	2"x6" Tube
Interior Height	78"	78"
Interior Width	79"	98"
Rear Door Opening	71" Wide x 73" High	90" Wide x 73" High
Rear Door Hardware	Stainless Steel + Black Locking Hasps	Stainless Steel + Black Locking Hasps
Roof Bows	1"x1.5" Tube 16" OC	1"x2" Tube 16" OC
Side Door	30"x68" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)	36"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	Optional	9 - 1,000# D-Rings Loose 4 - 5,000# D-Rings Loose
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)	ST225/75R15 Aluminum (Gunmetal or Black)
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall/Ceiling Interior	Finished White Vinyl Walls w/ 24" Tall 3/4" Wood Kick Plate Finished White Vinyl Ceiling	Finished 3/8" Wood w/ White Vinyl Walls 24" Tall 3/4" ATP Covered Wood Kick Plate Finished White Vinyl Ceiling
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Tandem Axles Standard with 2 Brakes / Triple Axles Standard with 3 Brakes

Trackmaster

Warranty	Limited Lifetime Structural	25 Year Roof	25 Year Wood Floor	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Includes a 5' V-Nose
Available Lengths (Tandem) **Available Lengths (Triple)**	19', 23', 27', 29', 31' 31'
GVWR (Tandem) **GVWR (Triple)**	7,000# 8,500#
***Axles**	3,500# Torsion
Coupler	2 5/16" Straight
Cross Members	2"x3" Tube 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.
Frame	2"x6" Tube
Interior Height	78"
Interior Width	79"
Rear Door Opening	71" Wide x 74" High
Rear Door Hardware	Stainless Steel + Black Locking Hasps
Roof Bows	1.5"x1.5" Tube 16" OC
Side Door	30"x68" Roadside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	6 - 1,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)
Vents	2 Salem 2-Way Side Air Vents
Wall/Ceiling Interior	Finished White Vinyl Walls w/ 24" Tall 3/4" ATP Covered Wood Kick Plate Finished White Vinyl Ceiling
Wall Structure	1.5"x1.5" Tube 16" OC

* Tandem Axles Standard with 2 Brakes / Triple Axles Standard with 3 Brakes

SKIN COLOR & WHEELS

Standard Colors

Black

Chystal White

Light Pewter

Medium
Charcol Gray

Victory Red

Windstar
Silver Frost

Premium Colors

Champagne Beige

Matte Black

Metallic Bronze

Orange

Brandy Wine

Yellow

Pearl Cat

Cargo Green

Royal Blue

Steel

Aluminum Gunmetal Gray

Aluminum Black

POPULAR OPTIONS CUSTOMIZE YOUR LEGEND TRAILER





LEGEND

PREMIUM TRAILERS

© Legend Manufacturing Inc. All illustrations, specifications, standard features, options, components, colors and other manufacturing specs contained in this brochure are based on the latest product information available at the time of printing. Legend reserves the right to change any and all specifications noted within this brochure without prior notice. Please contact your authorized Legend dealer to ensure the most up to date information available.

www.legendmfginc.com

LEGEND
PREMIUM TRAILERS

Aluminum Open

Models: ALLS/ALHS | ATV | OD | TU | UG | OCH | TCH | MDO/HDO | MEQ/HEQ

LEGEND

Since incorporation in 2002, Legend has had one goal that stands the test of time…Build a trailer that lasts. Headquartered in Michigan, we understand that harsh climates require superior raw materials, smart design, and a higher level of craftsmanship than most of our industry peers are willing to put forth. We are passionate about our products, our people, and the Legend Family of trailer buyers that have owned and operated our units for many years. Let us show you how the details matter when it comes to performance, longevity, and total cost of ownership on your next trailer purchase.

DETAILS THAT MAKE A LEGEND

Aluminum Open Standard Features

1. ATP Fenders

2. Nitrogen Filled Tires

3. E-Z Lube Axles

4. LED Lighting

5. Wood Deck Models Infused with Dura Color and Kiln Dried After Treatment



Aluminum Low & High Side

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	6' Wide Low Side	6' Wide High Side
Available Lengths (Single)	10', 12'	10', 12'
GVWR	2,990#	2,990#
Axles	3,000# Spring	3,000# Spring
Coupler	2" A-Frame	2" A-Frame
Cross Members	2"x3" Angle 24" OC	2"x3" Angle 24" OC
Deck Height	16"	16"
Floor	5/4"x6" Radius Edge Deck	5/4"x6" Radius Edge Deck
Frame	2"x3" Angle	2"x3" Angle
Interior Width	71.5"	71.5"
Jack	2,000# Top-Wind w/ Foot	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	48" Radius Ramp Gate	48" Radius Ramp Gate
Stake Pockets	Optional	Optional
Tie Downs	Optional	Optional
Tires/Wheels	ST205/75R14 Silver Mod Steel	ST205/75R14 Silver Mod Steel
Top Rail	1"x2" Tube - 16" Tall	1"x2" Tube - 22" Tall

ATV Master

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide
Available Lengths (Single) **Available Lengths (Tandem)**	8', 12' 16'
GVWR (Single) **GVWR (Tandem)**	2,990# 4,000#
***Axles**	3,500# Torsion
Coupler	2" Straight
Cross Members	2"x3" Tube 24" OC
Deck Height	27"
Floor	5/8" Treated Plywood
Frame	Extruded F-Channel
Interior Width	83.5"
Jack	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	84" Front Mounted Ramps
Stake Pockets	Standard (# Varies by Length)
Tie Downs	1,000# D-Rings (# Varies by Length)
Tires/Wheels	ST185/80R13 Silver Mod Steel
Top Rail	N/A

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 1 Idler & 1 Brake

Open Deluxe

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	5' Wide	6' Wide	7' Wide
Available Lengths (Single) **Available Lengths (Tandem)**	8' N/A	10', 12' N/A	12', 14' 14', 16', 18'
GVWR (Single) **GVWR (Tandem)**	2,200# N/A	"2,990# N/A"	2,990# 5,000#
***Axles**	2,200# Spring	3,000# Spring	3,500# Spring
Coupler (Single) **Coupler (Tandem)**	2" A-Frame N/A	2" Straight N/A	2" Straight 2" Straight
Cross Members	2"x3" Tube 24" OC	2"x3" Tube 24" OC	2"x3" Tube 24" OC
Deck Height	16"	17"	17"
Floor	5/4"x6" Radius Edge Deck	5/4"x6" Radius Edge Deck	5/4"x6" Radius Edge Deck
Frame	2"x3" Tube	2"x3" Tube	2"x4" Tube
Interior Width	60"	72"	82"
Jack	2,000# Top-Wind w/ Foot	2,000# Top-Wind w/ Foot	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	48" Radius Ramp Gate	48" Radius Ramp Gate	48" Radius Ramp Gate
Stake Pockets	Included by Length	Included by Length	Included by Length
Tie Downs	Optional	Optional	Optional
Tires/Wheels	ST185/80R13 Silver Mod Steel	ST205/75R14 Silver Mod Steel	ST205/75R14 Silver Mod Steel
Top Rail	2"x2" Tube - 15" Tall	2"x2" Tube - 15" Tall	2"x2" Tube - 15" Tall

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 1 Idler & 1 Brake

Tilt Utility

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide
Available Lengths (Single)	12', 14'
GVWR	2,990#
Axles	3,500# Torsion
Coupler	2" Straight
Cross Members	Tube Runners
Deck Height	16"
Floor	Extruded Aluminum
Frame	Extruded F-Channel
Interior Width	79.5"
Jack	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	Hydraulically Dampened Tilt Deck
Stake Pockets	4 - Stake Pockets
Tie Downs	4 - 2 Hole Tie Downs
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)
Top Rail	1.5"x1.5" Tube

Utility Gate

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide
Available Lengths (Single)	12', 14'
GVWR	2,990#
Axles	3,500# Torsion
Coupler	2" Straight
Cross Members	Tube Runners
Deck Height	16"
Floor	Extruded Aluminum
Frame	Extruded F-Channel
Interior Width	79.5"
Jack	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	48" Bi-Fold Ramp Gate
Stake Pockets	4 - Stake Pockets
Tie Downs	4 - 2 Hole Tie Downs
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)
Top Rail	1.5"x1.5" Tube

Open Car Hauler

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide
Available Lengths (Tandem)	16', 18', 20', 22', 24'
GVWR	7,000# (16'-22') 9,990# (24')
Axles	3,500# Torsion (16'-22') 5,200# Torsion (24')
Coupler	2 5/16" A-Frame w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC
Deck Height	24"
Floor	2"x6" Treated Pine
Frame	2"x6" Tube
Interior Width	82.5"
Jack	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	82" Front Mounted or Rear Slide-In Ramps
Stake Pockets	Included by Length
Tie Downs	4 - 5,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Silver Mod Steel (16' - 22') ST225/75R15 Silver Mod Steel (24')
Top Rail	2" Tube Bump Rail

Tilt Car Hauler

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide
Available Lengths (Tandem)	18', 20', 22', 24' (Includes 18" Stationary Deck)
GVWR	7,000#
Axles	3,500# Torsion
Coupler	2 5/16" Straight
Cross Members	Tube Runners
Deck Height	21"
Floor	Extruded Aluminum
Frame	Extruded F-Channel
Interior Width	81"
Jack	2,000# Top-Wind w/ Foot
Ramps/Ramp Gate	Hydraulically Dampened Tilt Deck
Stake Pockets	8 - Stake Pockets
Tie Downs	4 - 6,000# SS Swivel D-Rings
Tires/Wheels	ST205/75R15 Aluminum (Gunmetal or Black)
Top Rail	1.5" Tube Bump Rail

Medium & Heavy Equipment Hauler

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	7' Wide Medium Duty	7' Wide Heavy Duty
Available Lengths (Tandem)	18', 20', 22', 24'	18', 20', 22', 24'
GVWR	9,990#	14,000#
Axles	5,200# Torsion	7,000# Torsion
Coupler	2 5/16" Adjustable w/ Steel Reinforcement	2 5/16" Adjustable w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC	2"x3" Tube 16" OC
Deck Height	24"	25.75"
Floor	2"x6" Treated Pine	2"x6" Treated Pine
Frame	2"x6" Tube	2"x7" Tube
Interior Width	82.5"	82.5"
Jack	7,000# Drop-Leg w/ Foot	7,000# Drop-Leg w/ Foot
Ramps/Ramp Gate	Flip Knee Ramps	Flip Knee Ramps
Stake Pockets	Included by Length	Included by Length
Tie Downs	Optional	Optional
Tires/Wheels	ST225/75R15 6-Bolt Silver Mod Steel	ST235/80R16 8-Bolt Silver Mod Steel
Top Rail	2" Tube Bump Rail	2" Tube Bump Rail

Medium Deck Over

Warranty	2 Year Structural	10 Year Torsion Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide Medium Deck Over
Available Lengths (Tandem)	18', 20', 22', 24'
GVWR	7,000#
Axles	3,500# Torsion
Coupler	2 5/16" Adjustable w/ Steel Reinforcement
Cross Members	2"x3" Tube 16" OC
Deck Height	33"
Floor	2"x6" Treated Pine
Frame	2"x6" Tube
Interior Width	98"
Jack	2,000# Top-Wind w/ Drop-Leg Foot
Ramps/Ramp Gate	96" Rear Slide-In Ramps
Stake Pockets	Included by Length
Tie Downs	Optional
Tires/Wheels	ST205/75R15 Silver Mod Steel
Top Rail	2" Tube Bump Rail

POPULAR OPTIONS CUSTOMIZE YOUR LEGEND TRAILER



LEGEND

PREMIUM TRAILERS

© Legend Manufacturing Inc. All illustrations, specifications, standard features, options, components, colors and other manufacturing specs contained in this brochure are based on the latest product information available at the time of printing. Legend reserves the right to change any and all specifications noted within this brochure without prior notice. Please contact your authorized Legend dealer to ensure the most up to date information available.

www.legendmfginc.com

LEGEND
PREMIUM TRAILERS
CYCLONE
Steel Enclosed
Models: CES | STV | STF

LEGEND

Since incorporation in 2002, Legend has had one goal that stands the test of time…Build a trailer that lasts. Headquartered in Michigan, we understand that harsh climates require superior raw materials, smart design, and a higher level of craftsmanship than most of our industry peers are willing to put forth. We are passionate about our products, our people, and the Legend Family of trailer buyers that have owned and operated our units for many years. Let us show you how the details matter when it comes to performance, longevity, and total cost of ownership on your next trailer purchase.

DETAILS THAT MAKE A LEGEND

Aluminum Enclosed Cargo Standard Features

1. Radius RV Style Door

2. Tube Roof Bows and One-Piece Aluminum Roof

3. 3/4" Engineered Wood Decking

4. Bonded, Screwless Exterior .030 Aluminum Skin

5. ATP Fenders

6. Nitrogen Filled Radial Tires

7. E-Z Lube Spring Axles

Cyclone Economy Steel

Warranty	2 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Spring Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	5' Wide Includes a 18" V-Nose	6' Wide Includes a 18" V-Nose	7' Wide Includes a 2' V-Nose	8.5' Wide Includes a 30" V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	9', 11' N/A	11', 13', 15' 13', 15'	14' 14', 16', 18', 20'	N/A 18', 20', 22', 24', 26'
GVWR (Single) **GVWR (Tandem)**	2,990# N/A	2,990# 7,000#	2,990# 7,000#	N/A 7,000#
***Axles**	3,000# Spring	3,500# Spring	3,500# Spring	3,500# Spring
Coupler (Single) **Coupler (Tandem)**	2" A-Frame N/A	2" A-Frame 2 5/16" A-Frame	2" A-Frame 2 5/16" A-Frame	N/A 2 5/16" A-Frame
Cross Members	2.75" Z-Bar 24" OC	2.75" Z-Bar 24" OC	3.75" Z-Bar 24" OC	5.5" Z-Bar 24" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x3" Tube	2"x3" Tube	2"x4" Tube	2"x6" Tube
Interior Height	66"	72"	72"	72"
Interior Width	56"	68"	78.5"	96"
Rear Door Opening	51" Wide x 60" Tall (Swing out)	66" Wide x 68" Tall	76" Wide x 68" Tall	94" Wide x 68" High
Rear Door Hardware	Zinc	Zinc	Zinc	Zinc
Roof Bows	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC
Side Door	N/A	30"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Plastic Holdback (Black Frame)
Tie Downs	Optional	Optional	Optional	Optional
Tires/Wheels	ST205/75R15 Silver Mod Steel	ST205/75R15 Silver Mod Steel	ST205/75R15 Silver Mod Steel	ST205/75R15 Silver Mod Steel
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Steel V-Nose

Warranty	2 Year Structural	25 Year Roof	25 Year Wood Floor	10 Year Spring Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	5' Wide Includes a 18" V-Nose	6' Wide Includes a 18" V-Nose	7' Wide Includes a 2' V-Nose	8.5' Wide Includes a 30" V-Nose
Available Lengths (Single) **Available Lengths (Tandem)**	9', 11' N/A	11', 13', 15' 13', 15'	14' 14', 16', 18', 20'	N/A 18', 20', 22', 24', 26', 28', 30'
GVWR (Single) **GVWR (Tandem)**	2,990# N/A	2,990# 7,000#	2,990# 7,000#	N/A 7,000#-9,990#
***Axles**	3,000# Spring	3,500# Spring	3,500# Spring	3,500# Spring (18'-26') 5,200# Spring (28'-30')
Coupler (Single) **Coupler (Tandem)**	2" A-Frame N/A	2" A-Frame 2 5/16" A-Frame	2" A-Frame 2 5/16" A-Frame	N/A 2 5/16" A-Frame
Cross Members	2.75" Z-Bar 24" OC	2.75" Z-Bar 24" OC	3.75" Z-Bar 16" OC	5.5" Z-Bar 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.	Bonded, Screwless .030 Alum.
Frame	2"x3" Tube	2"x3" Tube	2"x4" Tube	2"x6" Tube
Interior Height	66"	78"	78"	78"
Interior Width	56"	68"	78.5"	96"
Rear Door Opening	51" Wide x 60" Tall (Swing out)	66" Wide x 74" Tall	76" Wide x 74" Tall	94" Wide x 76" High
Rear Door Hardware	Zinc	Zinc	Zinc	Zinc
Roof Bows	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 24" OC	1"x1.5" Tube 16" OC
Side Door	N/A	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	30"x68" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)	36"x74" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	Optional	Optional	Optional	4 - 5,000# D-Rings Installed
Tires/Wheels	ST205/75R15 Silver Mod Steel	ST205/75R15 Silver Mod Steel	ST205/75R15 Silver Mod Steel	ST225/75R15 Silver Mod Steel
Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

Steel Flat Front

Warranty	2 Year Structural	25 Year Roof	25 Year Wood Floor	5 Year Spring Axle	5 Year Tire & Wheels

* Trailers may be shown with options

	8.5' Wide
Available Lengths (Tandem)	16', 18', 20', 22', 24', 26', 28'
GVWR	7,000# (16'-24') 9,990# (26'-28')
Axles	3,500# Spring (16'-24') 5,200# Spring (26'-28')
Coupler	2 5/16" A-Frame
Cross Members	5.5" Z-Bar 16" OC
Exterior Skin	Bonded, Screwless .030 Alum.
Frame	2"x6" Tube
Interior Height	78"
Interior Width	96"
Rear Door Opening	94" Wide x 76" High
Rear Door Hardware	Zinc
Roof Bows	1"x1.5" Tube 16" OC
Side Door	36"x74" Curbside RV w/ Flush Lock & Alum. Holdback (Black Frame)
Tie Downs	4 - 5,000# D-Rings Installed
Tires/Wheels	ST225/75R15 Silver Mod Steel
Vents	2 Plastic Side Air Vents
Wall Interior	3/8" Engineered Wood Panel
Wall Structure	1"x1.5" Tube 16" OC

* Single Axles Standard with 1 Idler / Tandem Axles Standard with 2 Brakes

SKIN COLOR & WHEELS

Standard Colors

Black

Chystal White

Light Pewter

Medium
Charcol Gray

Victory Red

Windstar
Silver Frost

Premium Colors

Champagne Beige

Matte Black

Metallic Bronze

Orange

Brandy Wine

Yellow

Pearl Cat

Cargo Green

Royal Blue

Steel

Aluminum Gunmetal Gray

Aluminum Black

POPULAR OPTIONS CUSTOMIZE YOUR LEGEND TRAILER

LEGEND

PREMIUM TRAILERS

© Legend Manufacturing Inc. All illustrations, specifications, standard features, options, components, colors and other manufacturing specs contained in this brochure are based on the latest product information available at the time of printing. Legend reserves the right to change any and all specifications noted within this brochure without prior notice. Please contact your authorized Legend dealer to ensure the most up to date information available.

www.legendmfginc.com