





38J Seaglass Slate with Concert Cherry

05 Sunrise | On the rise.

Feast your eyes on the 2005 Itasca Sunrise and you will see more features than ever before, including dual-glazed, thermo-insulated windows and the BenchMark™ full comfort dinette. You'll also benefit from our SmartSpace™, a design philosophy that makes the most of interior living areas by maximizing functionality and focusing on user friendly features. Pick your perfect Sunrise by selecting from six distinct floorplans, including two with triple slideouts™, and three fabric and wood choices. Top it off with StoreMore® and flat-floor slideouts on the 38J and the Sunrise will quickly rise to the top of your list.



Stonehenge Taupe



Willow Green



Seaglass Slate



Portsmouth Oak



Concert Cherry



Washed Maple

➤ **Relax in spacious comfort with innovative features** like the Rest Easy® multi-position lounge (NA 31W) and the hoop-base chair, which can be moved within the coach when you're not traveling. The Sunrise features more belted seating positions in 2005 to give you extra seating flexibility while traveling. Beautiful cabinetry in your choice of three woodgrains is protected with a catalyzed finish for a luxurious appearance and added durability. A single, wall-mounted thermostat controls both the ceiling-ducted air conditioning and floor-ducted heating. A heat pump can be added for LP-free heat on cool mornings.



Cooking dinner is a breeze in this full-featured galley with beautiful solid-surface countertops, a Magic Chef® three-burner range with oven and a double-door refrigerator/freezer. For an added touch of elegance, choose the available stainless steel appliance package

(shown here). It includes an Amana® range, a Sharp® microwave/convection oven with range fan and a 2- or 4-door refrigerator/freezer with icemaker on selected models. A pullout pantry with adjustable wire shelves is perfect for storing dry goods. A second pantry is included on the 31W, 33V and 35D.



Take in a movie or your favorite show on the 24" flat-screen TV. A 27" flat-screen TV is standard on the 38J. Additional entertainment features include an amplified antenna, video selection system, available stereo DVD/VCR and available digital satellite dish. Select the available Home Theater Sound System for premium enjoyment. It includes a receiver, amplifier, DVD/VCR combo, five recessed speakers and a subwoofer. You can even enjoy this advanced system without the need for a 110-volt power source by choosing the available 300-watt inverter.




Get more done when you add the available workstation to the passenger-side dashboard. Reclining captain's chairs keep you comfortable on long rides, swivel when you're at the

campsite and have adjustable lumbar support for extra comfort. The cab seats are available in UltraLeather HP.™



Each Sunrise model features a rear slideroom, creating a spacious and comfortable bedroom with a walkaround queen-size bed. A large, mirrored wardrobe with drawers holds all your clothes and you have additional storage in the underbed compartment. Eliminate trips to the laundromat by adding the washer/dryer (NA 31W & 33V). The available 20" TV is connected to the video selection system so you can choose between all available entertainment options. A special remote sensor in the bedroom allows remote operation of the available DVD/VCR, located in the front entertainment center.

The Sunrise features the versatile BenchMark™ full comfort dinette. The seats in this innovative dinette have innerspring cushions for residential style and comfort. Simply flip up the seats to access the large storage areas or fold down the table to create a comfortable bed (NA 38J). A child seat tether anchor is located in the forward facing dinette seat.



The Rest Easy® multi-position lounge offers maximum seating flexibility and comfort. At the touch of a button it converts from a couch into a recliner with a pullout ottoman. Touch the button again and you're ready to sleep in the 75" x 60" bed (NA 31W).





Controls are conveniently at your fingertips while driving, including the available Sony® color radio, AM/FM stereo, CD player, cassette deck and a weather band. You'll find the trim panel and convenient map lights for easy access to automotive fuses.




Keep your electrical systems running smoothly, even while operating the central air conditioning on 30-amp. shoreline power. The PowerLine® energy management system monitors electrical usage and restricts operation of select appliances during periods of heavy usage to prevent tripped circuits. PowerLine automatically restores power to these systems when demand subsides.



Enjoy your favorite music outside with the available exterior entertainment center. AM/FM stereo, CD player with remote,

12-volt DC receptacle, TV jack, 110-volt outlet and speakers are all included in a lockable compartment. A hookup for a portable satellite dish is located in the electrical service compartment (portable satellite dish not included).



TRUELEVEL
HOLDING TANK MONITORING SYSTEM

Winnabago Industries exclusive TrueLevel™ holding tank monitoring system incorporates Mirus™ detector cell technology to ensure accurate fresh and waste water tank level readings. Mirus detector cells produce a micro-electrical field that detects liquid levels from outside the tank. No more probes to corrode or clog. Just true, accurate readings time after time.



QuickPort

Creating a user-friendly service center was a top priority, which is why we put an exterior wash station along with the plumbing functions for

quick cleanups. You can forget about wrestling cords and hoses through small access holes, too. The QuickPort™ service connection hatch provides a convenient slot for cords and hoses while allowing the bay door to fully close even when connected to electrical and sewer hookups.



RV-RADIO

Stay informed and entertained.

Winnabago Industries® engineers worked with the radio manufacturer to create a radio

specifically for motor home application with large buttons and knobs that are easy to use. The RV Radio® includes an AM/FM stereo, CD player, cassette deck and a weather band. Save the coach batteries by flipping the radio power switch and running it off house power. Two remotes – one handheld, one steering wheel (shown) – are provided for your convenience.



SIRIUS

Get connected to the available Sirius® Satellite

Radio programming and start listening to 100 channels of digital entertainment. High-altitude satellites deliver crystal-clear programming anywhere in the U.S. with no signal fades. Includes a Sirius programming subscription with your first year of ownership (requires available Kenwood Sirius Satellite receiver, shown).




Everyone loves the convenience of two-way radios and a set of four is available with every Sunrise. Each radio has up to a five mile range and recharges from the house

batteries in a built-in charging station. Nickel-metal hydride batteries hold a charge for 90-minutes of talk time and 15-hours of standby.




Access stored gear with ease. With the StoreMore slideout system, interior cabinets and exterior compartments extend with the slideroom so they are readily accessible. Single-paddle latches and gas struts allow compartment doors to open easily and stay open. The 38J features StoreMore on both front slideouts of the coach for added convenience.


05 Sunrise | FLOORPLANS



31W



33V



35A **NEW**

Available November 2004




Vinyl
Floorcovering




Seat
Belts

Note: Dimensions shown are for sleeping space only and may vary due to styling differences. Dashed lines denote overhead storage areas.



35D



36M



38J **NEW**

EXTERIOR DESIGN

Your Sunrise will look great for years thanks to one-piece, high-gloss fiberglass sidewalls and glossy, chip-resistant valance panels with a Dupont® Flexshield™ basecoat/clear-coat finish. Stainless steel wheel liners provide a corrosion-resistant shine. For additional stability when parked, leveling jacks with a touchpad control are standard.



Light Bronzemist Metallic



Glacier Green Metallic



05 Sunrise | SPECIFICATIONS

Weights & Measures	31W	33V	35A NEW	35D	36M	38J NEW
Length	31'5"	33'5"	35'8"	35'5"	36'4"	38'8"
Exterior Height ¹ w/AC	12'3" ■ / 12'2" ●	12'1" ■ / 12'2" ●	12'2" + / 12'2" ○	12'2" ■ / 12'1" ●	12'1" ■ / 12'0" □ / 12'1" ● / 12'1" +	12'1" ○
Exterior Width ²	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
Exterior Storage ³ (cu. ft.)	74.9	82.0	90.4	90.4	120.6	90.4
Interior Height	6'8"	6'8"	6'8"	6'8"	6'8"	6'8"
Interior Width	8'0.5"	8'0.5"	8'0.5"	8'0.5"	8'0.5"	8'0.5"
Fresh Water Capacity w/Heater ⁴ (gal.)	82	86	87	86	79	88
Holding Tank Capacity ⁵ – Black / Gray (gal.)	45 / 50	55 / 44	55 / 75	55 / 44	41 / 61	51 / 54
LP Capacity ⁴ (gal.)	23	28	28	28	28	28
Fuel Capacity (gal.)	75	75	75	75	75	75
GCWR (lbs.) ⁶	26,000 ■ / 26,000 ●	26,000 ■ / 26,000 ●	26,000 + / 30,000 ○	26,000 ■ / 26,000 ●	26,000 ■ / 26,000 □ / 26,000 ● / 26,000 +	30,000 ○
GVWR (lbs.)	20,500 ■ / 20,700 ●	20,500 ■ / 20,700 ●	22,000 + / 24,000 ○	20,500 ■ / 20,700 ●	20,500 ■ / 22,000 □ / 20,700 ● / 22,000 +	24,000 ○
GAWR – Front (lbs.)	7,000 ■ / 7,500 ●	7,000 ■ / 7,500 ●	8,500 + / 9,000 ○	7,000 ■ / 7,500 ●	7,000 ■ / 7,500 □ / 7,500 ● / 8,500 +	9,000 ○
GAWR – Rear (lbs.)	13,500 ■ / 13,500 ●	13,500 ■ / 13,500 ●	15,000 + / 15,500 ○	13,500 ■ / 13,500 ●	13,500 ■ / 14,500 □ / 13,500 ● / 15,000 +	15,500 ○
Wheelbase	190"	208"	228"	220"	228"	248"
■ Chassis A □ Chassis B ● Chassis C ○ Chassis D + Chassis E						

31W	33V	35A	35D	36M	38J	Automotive
S	S		S	S		Chassis A – Ford® 6.8L SOHC Triton® V10 310-hp, 4-speed overdrive transmission, 4-wheel anti-lock brake system, 130-amp. alternator, 19.5" tires
					0	Chassis B – Ford® 6.8L SOHC Triton® V10 310-hp, 4-speed overdrive transmission, 4-wheel anti-lock brake system, 130-amp. alternator, 19.5" tires
0	0		0	0		Chassis C – Workhorse™ 8.1L Vortec V8 340-hp, Allison® LCT 1000 5-speed overdrive transmission, 4-wheel anti-lock brakes, 145-amp. alternator, 19.5" tires
		0			S	Chassis D – Workhorse™ 8.1L Vortec V8 340-hp, Allison® LCT 1000 5-speed overdrive transmission, 4-wheel anti-lock brakes, 145-amp. alternator, 22.5" tires
		S		0		Chassis E – Workhorse™ 8.1L Vortec V8 340-hp, Allison® LCT 1000 5-speed overdrive transmission, 4-wheel anti-lock brakes, 145-amp. alternator, 22.5" tires
S	S	S	S	S		Leveling Jacks (front & rear) Kwikee® hydraulic, manual touchpad, indicator light
					S	Leveling Jacks (front & rear) HWH® manual touchpad, chime
S	S		S	S		Tire spare (19.5" tires only)
S	S	S	S	S	S	Tire Tools wrench, leverage bar, Trailer Hitch ² 5,000-lbs. draw bar/500-lbs. maximum vertical tongue weight & wiring, Wheel Liners stainless steel

31W	33V	35A	35D	36M	38J	Cab Area & Driver Conveniences
S	S	S	S	S	S	Cab Seats manual lumbar support, 3-point adjustable seat belts, armrests, multi-adjustable swivel/slide/recline, fabric covered, Cigarette Lighter/12-Volt DC Powerpoint , Convenience Tray , Cruise Control , Door (driver) entry, assist bar, courtesy light, TriMark® KeyOne™ System, Floor Mats carpet, driver & passenger, Map Lights (2) individual driver & passenger, Steering Wheel tilt w/power assist, Sunvisors (2), Trim Panels driver & passenger sides (12-volt DC powerpoint passenger side), Window (driver) power, Window (passenger) fullslider w/screen, Windshield Wipers intermittent
0	0	0	0	0	0	Cab Seats (UltraLeather HP™)
0	0	0	0	0	0	Cab Seat Pedestal 6-way power assist (driver)
0	0	0	0	0	0	Defroster Fans (2) auxiliary 2-speed w/instrument panel switch



31W	33V	35A	35D	36M	38J	Cab Area & Driver Conveniences
0	0	0	0	0	0	GPS Navigation System
0	0	0	0	0	0	Monitor System rearview, color, single camera & one-way audio, Sony®
0	0	0	0	0	0	Workstation in-dash, passenger
31W	33V	35A	35D	36M	38J	Entertainment
S	S	S	S	S	S	 (Cab) AM/FM/stereo cassette/CD player w/remote controls & weather band, roof-mounted flexible rubber antenna, speakers (4), Radio Power Switch main/auxiliary battery, Satellite System Ready , Telephone input & interior jack, TV Enhancement Package antenna (amplified), 12-volt DC powerpoint, interior jack(s), coax wiring, cable input, antenna check reminder light, TV shelf, Video Selection System
					S	TV 24" flat screen, color AC stereo w/remote, RCA®
					S	Entertainment Center TV 27" flat screen, color AC stereo w/remote
0	0	0	0	0	0	CB Prep antenna, antenna lead, 12-volt DC powerpoint
0	0	0	0	0	0	CD Player compact multi-disc changer
0	0	0	0	0	0	Entertainment Center (Exterior) DC receptacle, AC duplex receptacle, AM/FM radio w/CD player & remote, TV jack, radio antenna, speakers (2), lockable compartment, removable table
0	0	0	0	0	0	Radios (4) 2-way, docking port w/charger
0	0	0	0	0	0	Satellite Dish Antenna Winegard® RV digital, elevation sensing unit, power
0	0	0	0	0	0	Satellite Dish Antenna Winegard® RV digital, elevation sensing unit, manual
0	0	0	0	0	0	Satellite Radio antenna, docking port, receiver w/remote, wiring, Sirius® (includes one-year, pre-paid subscription)
0	0	0	0	0	0	TV 20" color AC stereo w/remote, flat-face, remote extenders, bedroom, RCA®
0	0	0	0	0	0	DVD/VCR stereo combo w/remote, RCA®
0	0	0	0	0	0	Home Theater Sound System amplifier, DVD/VCR combo, receiver, recessed speakers (5), subwoofer, RCA®

31W	33V	35A	35D	36M	38J	Interior
S	S	S	S	S	S	Ceiling fabric, Clock , Cupholder(s) , Curtain front wraparound w/ track, Light decorative, Lights ceiling, incandescent w/wall switches, Lights fluorescent, recessed, galley, lounge w/wall switches, Lights reading, Picture(s) , Shades day/night pleated (lounge, dinette, bedroom), mini blinds (galley), Wainscoting w/Chair Rail wall behind front RH slideroom (33V, 35A, 35D), Windows flush-mounted, dual-glazed/ thermo-insulated
	S		S			Mirror w/frame

31W	33V	35A	35D	36M	38J	Cabinetry
0	0	0	0	0	0	Portsmouth Oak stile-and-rail construction w/arched raised-panel inserts on upper doors
0	0	0	0	0	0	Concert Cherry stile-and-rail construction w/arched raised-panel inserts on upper doors
0	0	0	0	0	0	Washed Maple stile-and-rail construction w/arched raised-panel inserts on upper doors

31W	33V	35A	35D	36M	38J	Countertops
S	S	S	S	S	S	Solid-Surface galley

31W	33V	35A	35D	36M	38J	Floorcovering
S	S	S	S	S	S	Carpeting w/pad, Vinyl bath, galley



31W	33V	35A	35D	36M	38J	Furniture
S	S	S	S	S		 Dinette w/access to storage below, cupholders (2)
	S	S	S	S	S	 Multi-Position Lounge (Stitchcraft), power recliner w/throw pillow
	0	0	0	0	S	Dining Table & Chairs (2) free-standing & (2) folding
0	S		S			Lounge Chair hoop-base rocker/recliner, cabinet w/table, footrest & magazine rack
		S		S	S	Lounge Chair hoop-base, rocker/recliner, footrest
S						Sofa (Stitchcraft) w/throw pillow, access to storage below

31W	33V	35A	35D	36M	38J	Galley
S	S	S	S	S	S	Faucet single-control, Microwave Oven w/range fan, Sharp® Range 3-burner w/oven, Magic Chef® Range Cover , Receptacles duplex, Refrigerator/Freezer large double-door, Roof Vent non-powered, Sink double-bowl molded w/sink cover, Wastepaper Basket , Water Purification System cold water only
0	0	0	0	0	0	Appliance Package stainless steel (requires microwave/convection oven w/range fan)
		S				Appliance Storage Cabinet
	S	S	S	S	S	Countertop flip-up extension
S	S		S	S		Galley Rail
	S	S	S	S	S	Light decorative dining light
					S	Magazine Rack
0	0	0	0	0	0	Microwave/Convection Oven w/range fan, Sharp®
S						Pantries (1) w/adjustable shelves, (1) w/slideout
		S		S	S	Pantry slideout
	S	S				Pantries (2) slideout
0	0	0	0	0	0	Range Top 3-burner w/storage below
		0	0	0	0	Refrigerator/Freezer 4-door w/icemaker
0	0	0	0	0	0	Refrigerator/Freezer 4 large double-door w/icemaker
0	0	0	0	0	0	Roof Vent powered ventilator fan
		S		S		Storage Cabinet
		S				Table pull-out, adjustable shelf
S	S		S	S	S	Wall Border

31W	33V	35A	35D	36M	38J	Bath
S	S	S	S	S	S	Cabinet lavatory, Cabinet medicine, Faucet (shower) Moen® Posi-Temp® single-control w/fixed showerhead, Faucet (lavatory) dual-control, Light shower, Lights makeup, Roof Vent powered, Shower w/wall surround, Shower Door textured glass, Shower Skylight , Sink oval, Tissue Holder , Toilet porcelain, w/foot-pedal flush & sprayer, Towel Rack 3-rod, mounted to door, Towel Ring(s)
S						Cabinet linen
S	S		S			Clothes Rod removable (shower)
0						Faucet (shower) hand-held showerhead
S						Magazine Rack
S				S		Mirror
0						Shower Head hand-held w/water shut-off valve
	0	0	0	0	0	Shower Package hand-held showerhead w/water shut-off valve and fold-down shower seat
			S			Storage Cabinet (private toilet room)
	S	S	S		S	Wall Border private toilet area

31W	33V	35A	35D	36M	38J	Bedroom
S	S	S	S	S	S	Bed queen, innerspring, gas spring lift, underbed storage, Bedspread pillow shams, pillows, Lights decorative wall lamps, Nightstands , Wardrobe Cabinet carpeted floor, clothes rod, drawers, light, mirrored/wood doors
S	S	S			S	Chair Rail
S	S		S	S		Headboard
S	S	S			S	Mirror wood framed, backwall
S						Roof Vent non-powered
S	S			S		Vanity Cabinet/Desk w/stool
			S	S		Wall Border

31W	33V	35A	35D	36M	38J	Exterior
S	S	S	S	S	S	Awning Rails w/rain gutters, Door entrance w/separate screen door, deadbolt lock, Graphics Packages Light Bronzemist Metallic or Glacier Green Metallic, Ladder , Light porch w/interior switch, Light service, driver side, Mirrors electric remote w/defrost, Mudflaps (2) rear, (2) front, Receptacle AC duplex, Sidewall Skin one-piece smooth fiberglass, Storage Compartments valance panels, trunk liner, gas struts, TriMark® KeyOne™ System, single paddle latch, lights
S	S		S	S		Entrance Door Steps double, electric w/doorjamb switch
		S		S	S	Entrance Door Steps triple, electric w/doorjamb switch (Workhorse™ 24,000 GVWR & 22,000 GVWR w/22.5" tires)
0	0		0	0		Awning ® patio
0	0	S	0	0	S	Awning ® patio, electric w/wind sensor & remote
0	0	0	0	0	0	Undercoating Workhorse™

31W	33V	35A	35D	36M	38J	Systems
S	S	S	S	S	S	Automotive Heater/Air Conditioner , Auxiliary Start Circuit , Batteries (Coach) (2) deep cycle, Battery (Coach) disconnect system, Battery Charge Control automatic dual, Drain 1" water tank, Electrical Distribution System AC & DC breaker panels, 45-amp. converter/charger (55-amp. 38J), Generator Prep gas line, 12-volt wiring, Generator/Shoreline Automatic Changeover Switch , Monitor Panel wall-mounted, battery condition gauge, energy management display, generator hourmeter gauge, generator start/stop switch, holding tank levels, LP tank level, water heater switch & lights, water pump switch, water tank level, Service Center (Drainage/Water) city water hookup/tank diverter fill, drainage valves, exterior wash station w/pump switch,  QuickPort service connection hatch, 10' sewer hose, Service Center (Electrical) cable input, 30-amp. power cord, portable satellite hookup,  QuickPort service connection hatch, Tank Flushing System black tank only, Tank holding, heated compartment, Tank LP , permanent mount w/gauge, TRUELEVEL ® holding tank monitoring system, Water Heater 6-gallon electronic ignition w/motoraid & auto heater, Water Pump demand, Water System Winterizing Package , bypass valve, water heater, siphon tube, Water Tank Fill gravity (NA 38J)

S						Air Conditioner (Roof) 14,800 BTU
0						Air Conditioner (Roof) 14,800 BTU, heat pump
	S	S	S	S	S	Air Conditioners (Roof) (2)® high-efficiency w/energy management system, ceiling distribution
0	0	0	0	0	0	Air Conditioners (Roof) (2) high-efficiency w/energy management system, ceiling distribution, heat pumps
S	S					Furnace 35,000 BTU, low-profile
		S	S	S	S	Furnace 40,000 BTU, low-profile
S						Generator ® 4,000 watt, Onan® MicroQuiet™ gas
0	S	S	S	S	S	Generator ® 5,500 watt, Onan® Marquis Gold™ gas
0	0	0	0	0	0	Generator ® 7,000 watt, Onan® Marquis Gold™ gas
0	0	0	0	0	0	Inverter ® DC/AC, 300 watt
	0	0	0	0	0	Power Cord 50-amp.
0	0	0	0	0	0	Solar Panel 10 watt w/battery charger
		0	0	0	0	Washer/Dryer Combination (requires 10-gallon water heater)
		S	S	S	S	Washer/Dryer Prep
0	0	0	0	0	0	Water Heater 6-gallon electronic ignition, 110 vac/LP gas w/motoraid & auto heater
		0	0	0	0	Water Heater 10-gallon electronic ignition, 120 vac/LP gas w/motoraid & auto heater

31W	33V	35A	35D	36M	38J	Slideouts
S	S	S	S	S	S	Slideout Room bed
	S	S	S	S		Slideout Room sofa/dinette, w/slideroom cover, STORE MORE ®
S						Slideout Room dinette/galley, w/slideroom cover, STORE MORE ®
		S				Slideout Room galley, w/slideroom cover
				S		Slideout Room TV/dining table, w/slideroom cover, STORE MORE ®
				S		Slideout Room lounge/galley, w/slideroom cover, STORE MORE ®

31W	33V	35A	35D	36M	38J	Safety
S	S	S	S	S	S	Assist Bar interior, Assist Handle exterior, acrylic w/logo, Bumpers front & rear, Child Seat Tether Anchor , Detectors/Alarms LP leak, smoke, carbon monoxide, Fire Extinguisher 10 B.C., Ground Fault Interrupter , Light center high-mount brake lamp, Light courtesy w/wall switch, Lights daytime running lamps, Window escape, Windshield laminated safety glass
31W	33V	35A	35D	36M	38J	Warranty ⁷
S	S	S	S	S	S	12-month/15,000-mile basic limited warranty! 36-month/36,000-mile warranty on structure! 10-year limited parts & labor warranty on roof skin*

- The height of each model is measured to the top of the tallest standard feature and is based on the curb weight of a typically equipped unit. The actual height of your vehicle may vary by several inches depending on chassis or equipment variations. Please check with your dealer for further information.
 - Sunrise floorplans feature a wide-body design — over 96". In making your purchase decision, you should be aware that some states restrict access on some or all state roads to 96" in body width. Before making your purchase decision, you should confirm the road usage laws in the states of interest to you.
 - The load capacity of your motor home is designated by weight, not by volume, so you cannot necessarily use all available space when loading your motor home.
 - Capacities shown are tank manufacturer's listed water capacity (W.C.). Actual filled LP capacity is 80% of listing due to overfilling prevention device on tank.
 - Actual towing capacity is dependent on your particular loading and towing circumstances which includes GVWR, GAWR, and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.
 - Not all items available in combination.
 - See your dealer for complete warranty information.
 - See separate chassis warranty details.
 - Capacities are based on measurements prior to tank installation. Slight capacity variations can result due to installation applications.
- NA Not Available
- S Standard
- 0 Optional

Winnebago Industries™ continuing program of product improvement makes specifications, equipment, model availability and prices subject to change without notice. Comparisons to other motor homes are based on the most recent information available.




Not all motor homes are created equal. SuperStructure® is the term given to Winnebago Industries' structural motor home design and construction. Rather than a single component, it is the culmination of design integration that incorporates steel and aluminum sub-structures, composite-design laminated floor risers, interlocking joint technology and Thermo-Panel® floor, roof and sidewalls to form an incredibly strong, durable vehicle body.

A The all-steel cab features integral A and B pillars for added strength and stability.

B Critical steel components are treated using an advanced electrodeposition coating process that provides superior corrosion protection.

C The foundation substructure assembly is precision-aligned to maximize longitudinal and cross-coach support, as well as strength and durability.

D Windshields are mounted in steel with non-hardening sealants for superior strength, safety and durability. Some manufacturers actually use a rubber gasket to hold the windshield to a fiberglass cap.



Interlocking joint construction utilizes advanced aluminum structural components to create integrated floor-to-sidewall and sidewall-to-roof joints. This design effectively distributes the weight of the walls and roof, making a stronger and more durable body than competitor designs that require screws to carry the weight.

We invented Thermo-Panel® sidewall construction and, over the years, have perfected this innovative composite construction process. It combines an exterior fiberglass panel, high-density block foam insulation and welded aluminum support structures to create some of the strongest, most durable and lightweight sidewalls in the industry.

Built to a higher standard. The Sunrise features a crowned, one-piece fiberglass roof, backed with a 10-year limited parts-and-labor roof skin warranty. Fiberglass offers superior strength, attractiveness and durability over the rubber roofs found on many competitive models which can chalk, streak and degrade over time. Fiberglass also provides increased puncture and tear resistance.



1-year-old Itasca fiberglass roof



1-year-old competitor's rubber roof



Committed to service. We back our motor homes with the industry's best service after the sale.

- 12-month/15,000-mile basic limited warranty
- 36-month/36,000-mile warranty on structure
- Standard 10-year limited parts-and-labor roof skin warranty
- Complimentary 24-hour roadside assistance program
- TripSaver Fast Track Parts. TripSaver guarantees that in-stock warranty parts ship directly to your dealer within 24 hours.
- National dealer service network



Recognized quality. Recreation Vehicle Dealer Association members annually rate RV manufacturers on the quality of their products, and sales and service support. Winnebago Industries has achieved the coveted Quality Circle award every year since its inception, the only RV manufacturer to do so.

WARNING: Joining WIT has been known to cause excessive fun. Winnebago-Itasca Travelers (WIT) is a club for owners of Winnebago Industries motor homes. WIT is a great way to meet people and offers you:

- Caravans and rallies
- Local and state group activities
- RV travel benefits

winnebagoind.com
NYSE listing: WGO

For Sales and Service Information Contact:



©2004 Winnebago Industries, Inc.



Printed in USA

Seat belts are your most important hookup. Always buckle up.