

FOUR WINDS

**Your First Choice in
Travel Trailers and
Fifth Wheels**



**Four Winds, Lite
and Supreme
1999 models.**

99

FOUR WINDS TRAILERS AND FIFTH WHEELS—

Right from the start, Four Winds trailers and fifth wheels soared to the top to become one of the most popular brands in North America. And the reason is easy to see. Four Winds' commitment to quality is second to none; our craftsmen are the best in the industry and every Four Winds shows it. When you own a Four Winds, you're assured of the highest craftsmanship, quality, and value available in a recreation vehicle.

The key to Four Winds value lies in the extraordinary combination of advanced design, quality materials and superb craftsmanship that goes into every one of our trailers and fifth wheels. We build them better!

Every Four Winds is built on a solid foundation. Four Winds and Supremes are built on box tube frames for standard models, and I-beam frames on slide-out models; and all frames are combined to prevent drooping. Heavy-duty, full-size outriggers, a $\frac{5}{8}$ " tongue-in-groove plywood floor, and Darco® underbelly complete the foundation.

Onto this foundation we put sidewalls of superior strength and integrity. Four Winds walls are 2" x 2" on 16" centers with a 2" belt rail around the perimeter for even greater strength. Supreme walls are constructed with our Z-Bond lamination process, aluminum

framing, high density block foam insulation, and smooth seamless Filon® bonded together to form a wall of extraordinary strength.

A 5" truss roof rafter system with $\frac{3}{8}$ " wood roof decking and 2-ply Dico® rubber roof top off the Lite, Four Winds and the Supreme. For extra strength and security galvanized straps around the perimeter of the Four Winds tie the roof to ceiling to the floor.

These extras that we design and build into every Four Winds are your assurance of a trailer or fifth wheel that will give you years of safe, trouble-free enjoyment.

Look into a new Four Winds and you're sure to be impressed by the superior design, high-quality appliances, beautiful oak cabinetry, stylish, luxurious fabrics and fine furniture. There is simply no other RV that gives you so much value for your dollar.

All Four Winds trailers and fifth wheels are designed to give you maximum livability; but the addition of a slideout lends a spaciousness you never dreamed was possible in an RV and will make your Four Winds even more like home.

The new Four Winds Lites are the perfect solution for families who want to enjoy all the fun of RV travel without having to invest in an expensive tow vehicle.

With all of the traditional Four Winds quality and value, the Lites are designed and built to be towed by many of today's most popular mini-vans and sport/utility vehicles, while still providing all of the comfort and convenience features you expect from Four Winds.

And now the Supreme carries Four Winds excellence to a new level. Thermo-compression fully-laminated fiberglass sidewalls make the Supreme stronger, more durable, and easier to maintain, while its aluminum framing gives even more strength without adding excess weight. And the Supreme's beautiful exterior is enhanced even further by its smooth-finished entry door and matching white window frames and trim. Of course, the Supreme is loaded with the standard features that make Four Winds RVs such great value.

So whether you choose a trailer or a fifth wheel, Four Winds, Lite, or Supreme, you're sure to find a floorplan that is perfect for your budget and your family's lifestyle. Our years of experience have taught us what you want and need in an RV, and we've brought it all together in the finest selection of floorplans available.

THE INDUSTRY'S BEST WARRANTY—BY FAR!

We're so proud of the design and construction of our trailers and fifth wheels that they are covered by Thor's exclusive "2 + 2" warranty: two years on structure and two years on the major components and appliances.

"2 + 2" WARRANTY COVERAGE INCLUDES:

- Refrigerator
- Furnace
- Water heater
- Air conditioners
- TV antenna
- Toilet
- Awnings
- Slide-out mechanisms
- Range
- Microwave
- Water pump
- House Stereo
- LP tanks
- Power converter

The Four Winds name is your assurance of the finest in traditional quality, craftsmanship and value. It is our pledge to you that we stand behind every trailer and fifth wheel that we build.

Four Winds

JUST SHOW YOUR CARD AND GO!

We build our products better and we protect you with the industry's best warranty coverage, but we know that sometimes things can go wrong on the road. So when you become the proud owner of a new Four Winds, it's just the beginning of our exclusive round-the-clock Customer Care Program.

Four Winds Customer Care provides complete and fully paid roadside assistance, emergency road service, and special warranty support benefits that go with you wherever you travel. You get immediate access to fast, dependable service when and where you need it.

Add our toll-free warranty and service appointment assistance and a technical assistance hot-line and you have the security and peace of mind of full-time support.

OUR EXCLUSIVE 24-HOUR CUSTOMER CARE BENEFITS INCLUDE:

- Fully paid emergency roadside assistance
- Free jump starts
- Free fuel delivery
- Free lock-out service
- Free on-site mechanical service in the event of a break-down
- 24-hour technical hot-line
- Toll-free service appointment scheduling nationwide
- Warranty service assistance at over 6,800 qualified service agencies
- Free customer trip routing and map service

At Four Winds we want you to be able to enjoy your new trailer of fifth wheel to the fullest. That's why we've provided Four Winds Customer Care to take care of the problems that could spoil your travels.

FOUR WINDS LITE

Travel Trailers & Fifth Wheels

The new Four Winds Lites are the perfect alternative for those who want all of the fun of RV living without having to invest in a heavy-duty tow vehicle. Lites are specifically designed for towing with many of today's most popular mini-vans and sport/utility vehicles, so you may already have the vehicle your need for towing. Yet you won't have to sacrifice to get this towing advantage: we build Lites with the same quality materials and craftsmanship that produce our standard vehicles, and include the same appliances and features as well.





Inside, you'll find you don't have to give up comfort or convenience for the sake of light-weight towing. Lites pack a lot of living into their smaller size. Kitchens are designed to take advantage of every bit of available space, living areas are comfortable and attractive, bedrooms are spacious and bathrooms are full-size and equipped with all appliances.



At Four Winds we pay attention to the details, like this rain gutter that channels water to the rear of the trailer for run-off away from the entry.



FOUR WINDS

Travel Trailers & Fifth Wheels

Truly classic in every respect, the FourWinds trailers and fifth wheels embody all of the quality and value that have made the FourWinds legend. Step through the large 30" entry door and you enter a world where your every need is accommodated. From the superior design and construction to the high-quality appliances, beautiful oak cabinetry, stylish, luxurious fabrics and fine furniture, there is simply no other recreation vehicle that gives you so much for your dollar.

Our years of experience have taught us what you want in an RV and we've put that knowledge into developing the finest selection of floorplans available. So whether you choose a standard or slide-out model, you'll find a Four Winds trailer that is perfect for your budget and your family's lifestyle.



Four Winds

Lite, Four Winds & Supreme

1999 FLOORPLANS

At the core of every Four Winds trailer and fifth wheel lies this outstanding collection of great features


- 30" Radius entry door

- ## Interior


- # Construction

- ## Upgrade options


-



OPTION: D




OPTION: F
#2 GARDEN BATH
IT ONLY



OPTION: H



OPTION: K



OPTION: M

- 2" living area oak counter edge

- # Systems

- Double s

- Outside

- ## Upgrade options

- ## Upgrade options

- Skylight over tub


LITE

Travel Trailers & Fifth Wheels

With all of the quality and value of Four Winds' conventional trailers, the Lites are ideal for towing with many of today's most popular mini-vans and sport/utility vehicles. Each Lite floorplan has been carefully designed to give you maximum convenience, storage, and capacity, so your travel in a Lite will be as pleasurable as possible.




19-FDL Opt. H, Opt. Overhead Bunk Cabinet




19RBL Opt. Overhead Bunk Cabinet




24BHL Opt. B



24BH-4L




22BHL Opt. B




24QBL Opt. C




22QBL




24FKL Opt. H



26B-2L Opt. B



26FL Opt. C, F, Opt. Overhead Bunk Cabinet




24FLD Opt. C, Opt. Overhead Bunk Cabinet




26FKL Opt. C

▽ = EXTERIOR STORAGE COMPARTMENT

THE




26QBSSL Opt. C



28BHL Opt. B



28FKL Opt. C



30BH-2L Opt. B, C




30FKL Opt. C, F


Fifth Wheels




22RBL-2 Opt. C




24CKL-2 Opt. C



24RKL-2 Opt. C



26RKL-2 Opt. C



26BHL-2 Opt. C

▽ = EXTERIOR STORAGE COMPARTMENT

Four Winds Lite Travel Trailers & Fifth Wheels

Four Winds Lite model-specific features

- Full 8' (96") width frame
- 1 1/2" x 2" walls on 16" centers with 2" belt rail
- 20-25M/BTU Hydro-flame furnace
- 5 cu. ft. Norcold® single door refrigerator
- 3-burner cook-top
- 14" radial tires
- Galvanized steel wheel wells
- Welded conventional steel bumper
- 3500# straight axles on all models
- Mini blinds
- Full walk on roof with 3/8" wood roof decking and 5" truss roof rafter system
- Full tub surround
- 4.5-amp converter
- AM/FM stereo
- Cable TV hook-up
- Pre-wired for digital satellite system
- Tinted radius clamp ring windows for the ultimate in UV protection

1999 Lite Fifth Wheel Models

	22RB-2L FW	24CK-2L FW	24RK-2L FW	26BH-2L FW	26RK-2L FW
Sleeping Area	6	6	6	8	6
Length	22'11"	24'11"	24'11"	26'11"	26'11"
Width (w/out awning)	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	922	943	875	868	829
Axle Dry Weight (approx).	3,744	4,023	4,021	4,378	4,437
GVWR	7,922	7,943	7,875	7,868	7,829
Unloaded Vehicle Weight (approx)	4,666	4,966	4,896	5,246	5,266
NCC-Net Carrying Capacity	3,256	2,977	2,979	2,622	2,563
Radial	ST205	ST205	ST205	ST205	ST205
Tire-Size	75R14	75R14	75R14	75R14	75R14
Tire Load Range	C	C	C	C	C
Dual LP Tanks w/Regulator and Changeover (Gals.)	5	5	5	5	5
Dual Waste Water Holding Tanks (Approx. Gals.)	60	60	60	60	60
Demand Water System w/12V Pump (Approx. Gals.)	40	30	40	40	40
Furnace w/12V Fan and Thermostat [BTU'S]	25M	25M	25M	25M	25M


1999 Lite Travel Trailer Models







	199DL TT	19RBL TT	22BHL TT	22QBL TT	24BHL TT	24BH-4L TT	24FKL TT	24FL-DL TT	24QBL TT	26B2L TT	26FKL TT	26FL TT	28BHL TT	28FKL TT	30BH-2L TT	30FKL TT	26QBL TT
Sleeping Area	4	5	6	4	6	6	6	6	6	8	6	6	8	6	8	6	6
Length	20'5"	20'5"	23'5"	23'5"	25'5"	25'5"	25'5"	25'5"	25'5"	27'5"	27'5"	27'5"	29'5"	29'5"	31'5"	31'5"	27'5"
Width (w/out awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	455	341	438	342	478	420	497	554	363	460	518	691	300	500	327	711	340
Axle Dry Weight (approx).	3,011	3,065	3,488	3,384	3,688	3,860	3,649	3,572	3,663	3,986	4,128	3,895	4,640	4,246	4,499	4,075	4,680
GVWR	7,455	7,341	7,438	7,342	7,478	7,420	7,497	7,554	7,363	7,460	7,518	7,691	7,330	7,500	7,327	7,711	7,340
Unw-																	
Unloaded Vehicle Weight (approx)	3,466	3,406	3,926	3,762	4,166	4,280	4,146	4,126	4,026	4,446	4,646	4,586	4,940	4,746	4,826	4,786	5,020
NCC-Net Carrying Capacity	3,989	3,935	3,512	3,616	3,312	3,140	3,351	3,428	3,337	3,014	2,872	3,105	2,980	2,754	2,501	2,925	2,320
Radial	ST205	2T205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST205
Tire-Size	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14	75R14
Tire Load Range	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Dual LP Tanks w/Regulator and Changeover (Gals.)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	7	7	5
Dual Waste Water Holding Tanks (Approx. Gals.)	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
Demand Water System w/12V Pump (Approx. Gals.)	40	40	40	40	40	40	40	40	40	40	40	30	40	40	40	40	40
Furnace w/12V Fan and Thermostat [BTU'S]	20M	20M	20M	20M	20M	20M	20M	25M	25M	25M	25M	25M	31M	31M	31M	31M	25M

Dry weights based on standard features; optional equipment not included. Light weights do not include air conditioning, awning, microwave or #30 LP gas bottles. If these options are added please adjust approximately 195 lbs. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UWV) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

Travel Trailers & Fifth Wheels

Whether you choose a trailer or one of our fifth wheels, the carefully designed layouts and spacious slide-out rooms will bring a new level of comfort and convenience to your family's travels.













▲ = EXTERIOR STORAGE COMPARTMENT







FOUR WINDS

Travel Trailers & Fifth Wheels



Fifth Wheels





▽ = EXTERIOR STORAGE COMPARTMENT

Four Winds Travel Trailers & Fifth Wheels

Four Winds model-specific features

- 31-35M BTU hydro-flame furnace
- 2" x 2" walls on 16" centers with 2" belt rail
- Norcold® gas/electric double door refrigerator w/adjustable thermostat
- Pilotless 3-burner range/oven with high BTU output burner (12" x 16")
- Extra large clamp ring windows
- In-floor heat ducting
- 15" radial tires
- Preblocked for roof rack & ladder
- Miniblinds
- Extra large cabinets in the bedroom & kitchen areas
- 8" I-beam frames on all slide-out units
- Rear bumper w/hidden sewer hose compartment

1999 Four Winds Fifth Wheel Slide Models

	24RL LSM FW	24RL LSM-2 FW	26RK LSM-2 FW	26RL SSL-2 FW	27BH LSM-2 FW	27RK LSM-2 FW	27RK SL FW	30BH SL FW	30RK SL FW	30RL SL FW	33RK SL FW	35-2B DSL FW
Sleeping Area	6	6	6	6	8	6	6	8	6	6	6	8
Length	24'11"	24'11"	26'11"	26'11"	27'11"	27'11"	27'11"	30'11"	30'11"	30'11"	33'11"	35'11"
Width (w/out awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	700	960	1140	1,120	1,080	960	1,060	1,360	1,240	1,340	1,180	1,460
Axle Dry Weight (approx)	5,360	5,360	5,280	5,120	5,700	6,060	5,880	5,920	6,240	5,980	6,900	6,740
GVWR	7,700	7,960	8,140	8,120	9,880	9,760	9,860	10,160	10,040	10,140	9,980	11,860
UVM—Unloaded Vehicle Weight (approx)	6,060	6,320	6,420	6,240	6,780	7,020	6,940	7,480	7,480	7,320	8,080	8,200
NCC—Net Carrying Capacity	1,640	1,640	1,720	1,880	3,100	2,740	2,920	2,720	2,560	2,740	3,080	3,660
Radial	ST205	ST205	ST225	ST205	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225
Tire—Size	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Tire Load Range	C	C	C	C	D	D	D	D	D	D	D	D
Dual LP Tanks w/Regulator and Chargeover (Gals.)	7	7	7	7	7	7	7	7	7	7	7	7
Dual Waste Water Holding Tanks (Approx. Gals.)	60	60	60	60	90	90	90	60	90	60	90	120
Demand Water System w/12V Pump (Approx. Gals.)	30	30	40	40	40	40	40	40	40	40	40	40
Furnace w/12V Fan and Thermostat (BTU'S)	31M	31M	31M	31M	31M	31M	31M	31M	31M	31M	35M	35M

Four Winds weights include: air, awning, microwave and #30 bottles. Not standard on the unit.

Four Winds Trailer Slide-out Models

1999 Four Winds Travel Trailer Models





	30BH-2 TT	30RK TT	31BH-4 TT	26FB DSL TT	27RK DSL TT	27RL DSL TT	28FB DSL TT	31BH DSL TT	31FK DSL TT	33RK DSL TT	36FB DSL TT	36RK DSL TT	36TL DSL TT	38BH DSL TT
Sleeping Area	8	6	10	6	6	6	6	8	6	6	8	6	6	8
Length	31'5"	31'5"	32'5"	27'5"	28'5"	28'5"	29'5"	32'5"	32'5"	34'5"	37'5"	37'5"	37'5"	39'5"
Width (w/out awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	460	760	500	700	700	860	760	460	960	1,080	740	960	1,020	1,040
Axle Dry Weight (approx)	4,920	4,700	5,220	5,220	5,380	5,140	5,300	6,180	5,760	6,220	6,600	6,680	6,400	7,260
GVWR	7,460	7,760	7,500	7,700	7,700	7,860	7,760	9,260	9,760	9,880	9,540	9,760	9,820	11,440
UVM—Unloaded Vehicle Weight (approx)	5,380	5,460	5,720	5,920	6,080	6,000	6,060	6,640	6,720	7,300	7,340	7,640	7,420	8,300
NCC—Net Carrying Capacity	2,080	2,300	1,780	1,780	1,620	1,860	1,700	2,620	3,040	2,580	2,200	2,120	2,400	3,140
Radial	ST205	ST205	ST205	ST205	ST205	ST205	ST205	ST225	ST225	ST225	ST225	ST225	ST225	ST225
Tire—Size	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Tire Load Range	C	C	C	C	C	C	C	D	D	D	D	D	D	D
Dual LP Tanks w/Regulator and Chargeover (Gals.)	7	7	7	7	7	7	7	7	7	7	7	7	7	7
Dual Waste Water Holding Tanks (Approx. Gals.)	60	60	60	60	60	60	60	60	90	90	60	90	60	90
Demand Water System w/12V Pump (Approx. Gals.)	40	40	40	40	30	40	40	40	40	40	40	40	40	40
Furnace w/12V Fan and Thermostat (BTU'S)	31M	31M	31M	31M	31M	31M	31M	31M	31M	35M	35M	35M	35M	35M

Dry weights based on standard features, optional equipment not included. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UVM) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.




SUPREME

Travel Trailers & Fifth Wheels

The Four Winds Supreme trailers and fifth wheels are the finest RVs we've ever built, so it's only natural that we have given them some of the finest floorplans we've ever designed. With same range of sleeping and bath options and slide-out rooms in nearly every model, the Supremes are as impressive inside as out.









These models are also available in Four Winds Laminate. See your dealer for details.




▼ = EXTERIOR STORAGE COMPARTMENT

SUPREME


Travel Trailers & Fifth Wheels




Fifth Wheels.....




30RK-SL Opt. C, K




30RL-SL Opt. C, K




33RK-SL Opt. C, K




35BH-SL Opt. C, J, K. Rear only




30RK-SL Opt. C, K



30RL-SL Opt. C, K



33RK-SL Opt. C, K



35BH-SL Opt. C, J, K, L-rear only

▼ = EXTERIOR STORAGE COMPARTMENT

Four Winds Supreme Travel Trailers & Fifth Wheels

Four Winds Supreme model-specific features

- 2" fully-laminated aluminum-framed side and end walls with polystyrene block foam insulation (R-7)
- Fully-laminated 3/8" exterior grade tongue and groove plywood floor
- Smooth Filon® fiberglass exterior
- Aluminum bumper cover
- #30 LP gas bottles
- Rear stone guard
- Combination range hood w/monitor panel
- Norcold® gas/electric double door refrigerator
- Large microwave w/carousel
- Pilotless 3-burner range/oven w/high-BTU output burner
- Bathroom skylight
- Solid oak raised panel cabinet door & drawers
- Color coordinated padded bedroom headboard
- Laminated dinette seats
- Bi-fold shower door
- Day/night shades
- Living room pin-up lights (on slide rooms only)
- Solid oak raised panel refrigerator insert
- 2" living area oak counter edge
- Bedroom carpet & pad

1999 Supreme Fifth Wheel Models

	26 CK SSL-2 FW	27 RK LSM-2 FW	27RK SL FW	30 BH SL FW	30 RK SL FW	30 RL SL FW	33RK SL FW	35BH SL FW
Sleeping Area	6	6	6	8	6	6	6	8
Length	26' 11"	27' 11"	27' 11"	30' 11"	30' 11"	30' 11"	33' 11"	35' 11"
Width (w/out awning)	96"	96"	96"	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	1,280	1,020	1,160	1,280	1,180	1,470	1,320	1,820
Axle Dry Weight (approx)	5,180	5,940	5,780	5,980	6,280	5,700	6,100	6,520
GVWR	8,280	9,820	9,960	10,080	9,980	10,270	10,120	10,620
UVW—Unloaded Vehicle Weight (approx)	6,460	6,960	6,940	7,260	7,460	7,170	7,420	8,340
NCC—Net Carrying Capacity	1,820	2,860	3,020	2,820	2,520	3,100	2,700	2,280
Radial	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225
Tire—Size	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Tire Load Range	C	C	D	D	D	D	D	D
Dual LP Tanks w/Regulator and Changeover (Gals.)	7	7	7	7	7	7	7	7
Dual Waste Water Holding Tanks (Approx. Gals.)	60	90	90	90	90	60	90	90
Demand Water System w/12V Pump (Approx. Gals.)	40	40	40	40	40	40	40	40
Furnace w/12V Fan and Thermostat (BTU'S)	31M	31M	31M	31M	31M	31M	31M	35M

Four Winds Supreme Trailer Slide out Models

1999 Supreme Trailer Models

	24QB TT	26FK TT	28BH TT	28FK TT	30-2B TT	30FK TT	26FB DSL TT	28FB DSL TT	28FK DSL TT	28FL SSL TT	31BH DSL TT	31FK DSL TT	36FK DSL TT
Sleeping Area	6	6	8	6	8	6	6	6	6	6	8	6	6
Length	25'5"	27'5"	29'5"	29'5"	31'5"	31'5"	27'5"	29'5"	29'5"	29'5"	32'5"	32'5"	36'5"
Width (w/out awning)	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
Hitch Dry Weight (approx)	380	740	700	640	460	860	580	500	820	720	500	820	1100
Axle Dry Weight (approx)	4,140	4,240	4,480	4,580	5,160	4,680	5,280	5,300	5,200	5,080	6,080	5,800	6,540
GVWR	7,380	7,740	7,700	7,640	7,460	7,860	7,580	7,500	7,820	7,720	9,300	9,820	9,900
UVW—Unloaded Vehicle Weight (approx)	4,520	4,980	5,180	5,220	5,620	5,540	5,860	5,800	6,020	5,800	6,580	6,620	7,640
NCC—Net Carrying Capacity	2,860	2,760	2,520	2,420	1,840	2,320	1,720	1,700	1,800	1,920	2,720	3,200	2,260
Radial	ST205	ST205	ST205	ST205	ST205	ST205	ST225	ST225	ST225	ST205	ST225	ST225	ST225
Tire—Size	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Tire Load Range	C	C	C	C	C	C	C	C	D	C	D	D	D
Dual LP Tanks w/Regulator and Changeover (Gals.)	7	7	7	7	7	7	7	7	7	7	7	7	7
Dual Waste Water Holding Tanks (Approx. Gals.)	60	60	60	60	60	60	60	60	60	60	60	90	90
Demand Water System w/12V Pump (Approx. Gals.)	40	40	40	40	40	40	40	40	40	40	40	40	40
Furnace w/12V Fan and Thermostat (BTU'S)	25M	31M	31M	31M	31M	31M	31M	31M	31M	31M	35M	31M	35M

Dry weights based on standard features, optional equipment not included. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

TOWING SPECIFICATIONS

Listed below are the maximum tow ratings for popular models of selected cars and trucks. Certain optional equipment may be required for towing with these vehicles, and other restrictions may apply. Consult your automotive dealer for exact specifications.

Vehicle	Engine	Tow Limit	Vehicle	Engine	Tow Limit	Vehicle	Engine	Tow Limit	Vehicle	Engine	Tow Limit
CADILLAC			Dakota	5.2 V-8	6,900	F-150	4.6 V-8	7,200	LINCOLN		
Deville/All	4.6 V-8	3,000	Dakota Club Cab	3.9 V-6	5,200	F-250	4.6 V-8	7,300	Continental/Mark III	4.6 V-8	2,000
CHEVROLET/GMC			Dakota Club Cab	5.2 V-8	6,700	F-250	5.4 V-8	8,700	Navigator	5.4 V-8	8,000
Astro/Safari (AWD)	4.3 V-6	5,000	Dakota	5.9 V-8	6,800	F-250 HD	5.8 V-8	8,100	MAZDA		
Astro/Safari (RWD)	4.3 V-6	5,500	Dakota (4WD)	3.9 V-6	5,200	F-250 HD (4WD)	5.8 V-8	7,700	B3000	3.0 V-6	4,000
Blazer/Jimmy	4.3 V-6	5,500	Dakota (4WD)	5.2 V-8	6,500	F-250 HD SuperCab (4WD)	5.8 V-8	7,800	B3000 (4WD)	3.0 V-6	3,700
C1500 Reg/Ext Cab	4.3 V-6	5,000	Dakota (4WD) Club Cab	3.9 V-6	6,400	F-250 HD All Models	7.3 Diesel	14,000	B4000	4.0 V-6	6,000
C1500 Reg/Ext Cab	5.0 V-8	6,500	Durango (4WD)	5.2 V-8	5,600	F-350 DRW	7.5 V-8	12,500	V4000 (4WD)	4.0 V-6	5,700
C1500 Reg/Ext Cab	5.7 V-8	7,000	Durango (4WD)	3.9 V-6	4,400	F-350 (4WD)	5.8 V-8	7,600	MERCEDES-BENZ		
C2500 Reg/Ext Cab	5.0 V-8	6,500	Durango (4WD)	5.2 V-8	5,600	F-350 Crew Cab DRW	5.8 V-8	7,400	MI320	3.2 V-6	5,000
C2500 Reg/Ext Cab	5.7 V-8	8,000	Durango (4WD)	5.9 V-8	7,300	F-350 Crew Cab SRV	5.8 V-8	7,500	MERCUY		
C2500 Reg/Ext Cab	6.5 TD	8,500	Intrepid	All	2,000	F-350 Crew Cab (4WD)	5.8 V-8	7,100	Grand Marquis	4.6 V-8	2,000
C3500 All Cabs	7.4 V-8	11,000	Ram 1500	3.9 V-6	3,600	F-350 All Models	7.3 Diesel	14,000	Mountaineer	4.0 V-6	5,860
C3500 All Cabs	5.7 V-8	9,000	Ram 1500	5.2/5.9 V-8	8,000	Ranger	7.5 V-8	12,500	Mountaineer (4WD)	4.0 V-6	5,640
C3500 All Cabs	7.4 V-8	12,500	Ram 2500	5.9 V-8	9,100	Ranger	2.5 I-4	2,220	Mountaineer (4WD)	5.0 V-8	6,700
C3500 All Cabs	6.5 TD	10,000	Ram 2500 All Cabs	8.0 V-10	13,500	Ranger	4.0 V-6	4,320	Mountaineer (AWD)	5.0 V-8	6,460
C3500 HD Chas Cab	6.5 TD	10,000	Ram 3500	5.9 V-8	9,500	Ranger	4.0 V-6	6,000	Villager	3.0 V-6	3,500
Express/Savana G1500	4.3 V-6	4,500	Ram 3500	5.9 TD	14,000	Ranger (4WD)	4.0 V-6	5,800	MITSUBISHI		
Express/Savana G1500	5.0 V-8	5,000	Ram 3500	8.0 V-10	13,400	Ranger SuperCab	3.0 V-6	3,960	Montero	3.5 V-6	5,000
Express/Savana G1500	5.7 V-8	6,500	Ram 3500	5.9 V-8	7,800	Ranger SuperCab	4.0 V-6	5,900	Montero Sport ES	2.4 I-4	2,300
Express/Savana G2500	4.3 V-6	5,000	Ram (4WD) 1500	5.9 V-8	7,300	Ranger SuperCab (4WD)	3.0 V-6	4,180	Frontier	2.4 I-4	3,500
Express/Savana G2500	5.0 V-8	5,000	Ram (4WD) 2500	5.9 V-8	8,800	Ranger SuperCab (4WD)	4.0 V-6	5,640	Quest	3.0 V-6	3,500
Express/Savana G2500/3500	5.7 V-8	7,000	Ram (4WD) 2500	5.9 TD	11,900	Windstar	3.0 V-6	2,000	OLDSMOBILE		
Express/Savana G2500	6.5 TD	8,000	Ram (4WD) 2500	8.0 V-10	13,200	Windstar	3.8 V-6	3,500	Bravada	4.3 V-6	5,000
Express/Savana G3500	6.5 TD	7,500	Ram (4WD) 3500	5.9 V-8	9,100	HONDA			Silhouette	3.4 V-6	3,500
Express/Savana G3500	7.4 V-8	10,000	Ram (4WD) 3500	5.9 TD	11,600	Passport	3.2 V-6	4,500	PLYMOUTH		
K1500 Reg/Ext Cab (4WD)	4.3 V-6	5,000	Ram (4WD) 3500	8.0 V-10	13,000	INFINITY			Voyager (FWD)	3.0 V-6	2,000
K1500 Reg/Ext Cab (4WD)	5.0 V-8	6,000	Ram (4WD) 3500	3.9 V-6	4,800	QX4	3.3 V-6	5,000	Voyager (FWD)	3.3 V-6	3,500
S-Series/Sonoma	2.2 I-4	2,000	Ram Wagon B1500	5.2 V-8	6,200	ISUZU			PONTIAC		
S-Series/Sonoma	4.3 V-6	6,000	Ram Wagon B1500	3.9 V-6	4,800	Hombre/Rodeo	2.2/2.6 6I-4	2,000	Trans Sport	3.4 V-6	3,500
Suburban C1500	5.7 V-8	6,500	Ram Wagon B2500	3.9 V-6	4,800	Rodeo	3.2 V-6	4,500	SUBARU		
Suburban C1500	6.5 TD	5,500	FORD			Trooper	3.2 V-6	5,000	Legacy Outback/Forester	2.5 I-4	2,000
Suburban C2500	5.7 V-8	7,500	Club Wagon	4.2 V-6	4,700	Hombre	4.3 V-6	5,500	TOYOTA		
Suburban C2500	6.5 TD	8,000	Club Wagon	4.6 V-8	6,100	JEEP			4Runner	2.7 I-4	3,500
Suburban C/K2500	7.4 V-8	10,000	Club Wagon Reg	5.4 V-8	7,000	Cherokee/Wrangler	2.5 I-4	2,000	4Runner	3.4 V-6	5,000
Tahoe/Nukon	5.7 V-8	7,000	Club Wagon HD	5.4 V-8	7,000	Cherokee/Grand Cherokee	4.0 I-6	5,000	Canny/Avalon	All	2,000
Tahoe/Nukon (4WD)	6.5 TD	7,000	Club Wagon All Models	7.3 Diesel	10,000	Grand Cherokee	5.2 V-8	6,700	Land Cruiser	4.7 V-8	5,500
Venture	3.4 V-6	3,500	Club Wagon Super	4.6 V-8	2,000	Grand Cherokee Limited (4WD)	5.9 V-8	5,000	Senna	3.0 V-6	3,500
Note: Tow ratings for Chevrolet and GMC trucks may differ slightly; see your dealer for details. Tow ratings over 10,000 pounds are only for fifth-wheel trailers.			Crown Victoria	4.6 V-8	5,900	Wrangler	4.0 I-6	2,000	Tacoma	All I-4	3,500
CHRYSLER			Expedition	5.4 V-8	8,000	KIA			Tacoma	All I-4	3,500
Concorde	All	2,000	Expedition (4WD)	4.6 V-8	6,100	Sportage	2.0 I-4	2,000	Tacoma	3.4 V-6	5,000
Cirrus, Sebring Convertible	2.5 V-6	2,000	Expedition (4WD)	5.4 V-8	7,900	LAND ROVER			T100	2.7 I-4	4,000
Town & Country	3.3, 3.8 V-6	3,500	Explorer 2Dr	SOHC 4.0 V-6	5,080	Discovery	All	5,500	T100 All Cabs	3.4 V-6	5,200
DODGE			Explorer 2Dr (4WD)	SOHC 4.0 V-6	4,860	Range Rover	All	6,500	VOLKSWAGEN		
Caravan	2.4 I-4	2,000	Explorer 4Dr	SOHC 4.0 V-6	5,860	LEXUS			EuroVan	All	4,400
Caravan	3.3, 3.8 V-6	3,500	Explorer 4Dr (4WD)	SOHC 4.0 V-6	5,640	LS/FES Models	All	2,000	VOLVO		
Dakota	2.5 I-4	2,500	Explorer 4Dr	5.0 V-8	6,700	LX450	4.5 I-6	5,000	All	All	3,300
Dakota	3.9 V-6	5,500	F-150	4.2 V-6	5,800						

FOUR WINDS

Your First Choice in Travel Trailers & Fifth Wheels.

FOUR WINDS AROUND THE CLOCK CUSTOMER CARE

With your new Dutchmen Classic, you receive a complimentary one-year membership in Dutchmen Manufacturing's Customer Care Program. Our exclusive 24 hour customer care benefits include:

- Fully paid emergency roadside assistance
- 24-Hour toll free Technician Hot-line

- Toll free Nationwide service appointment assistance
- Free custom trip routing and full color map service delivered to your door
- Warranty service assistance at over 6,800 qualified service agencies throughout North America and Canada
- Free jump starts on listed tow vehicles
- Free tire changes
- Free fuel delivery
- Free on-site mechanical service in the event of a breakdown.

All Four Winds products are covered by

THOR'S "2+2" WARRANTY

2 year limited structural warranty
and 2 years on major components

The best protection in the RV Industry!

See your dealer for all the details.

Product information and specifications in this brochure were as accurate as possible at time of printing. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features or options may be different or unavailable in Canada.

Vehicle Loading—Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices so that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreation vehicle.

Dry weights based on standard features; optional equipment not included. Net carrying capacity (NCC) determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

Warning: This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions.



All Four Winds trailers and fifth wheels are equipped with a standard AM/FM cassette stereo with four speakers. This optional AM/FM compact disc player with equalizer will add even more musical enjoyment to your travels.



Your kids will love the bunk house floorplans. With extra sleeping capacity and a game/dinette table and booth, they'll enjoy themselves in a world all their own.



Four Winds vehicles feature lots of spacious storage drawers, built with solid oak faces and Baltic birch sides for both beauty and durability. Large mirrored cabinet doors in the bedrooms are not only convenient, but also give a larger, brighter residential feeling to the room.



FOUR WINDS

Travel Trailers & Fifth Wheels

Four Winds fifth wheels give you the greater livability and towing advantages of the fifth wheel design with all of the traditional Four Winds value.

Our fifth wheels are designed for maximum comfort and livability.

Bedrooms are especially roomy, and the addition of a bedroom slide makes them spacious beyond your dreams. Bathrooms are conveniently located and designed for your maximum comfort and convenience.

We're especially proud of the kitchens in our fifth wheels. With careful planning, and the inclusion of lots of counter space and cupboards, we've made meal preparation on the road almost as easy as at home. After all, you want your travels in your Four Winds to be fun and relaxing, and meal-time hassles are not part of your plans.



All appliances in a Four Winds are of the highest quality. The large double-door refrigerator and 3-burner range with oversized oven make meal preparation easy.

Extra-large, tinted, radius jalousie windows are installed with clamp rings and sealed with butyl rubber for a watertight fit. Sliding patio doors bring in lots of light, allow for the best views, and give your Four Winds a truly residential atmosphere.



Optional vent fans are equipped with special sensors which shut off the fan and lower the cover in the event of rain.




Convenient, well-planned bathrooms, with quality fittings and appliances, make your stay in a Four Winds much more comfortable. Some floorplans allow the bathroom to be closed off to form a dressing room.

A bedroom slide, available in selected models, will give you spaciousness you never thought possible in a trailer or fifth wheel.

SUPREME

Travel Trailers & Fifth Wheels

With all of the great features that have made FourWinds travel trailers and fifth wheels such a favorite of RVers the new Four Winds Supreme carries Four Winds excellence to a new level. Thermocompression, fully-laminated fiberglass side walls make the Supreme strong, durable, and easy to maintain, while aluminum framing give even more strength without adding excess weight. And the Supreme's beautiful exterior is enhanced even further by its smooth-finished entry door, matching window frames and trim, and stylish new graphics. Of Course, the Supreme is loaded with the standard features that make Four Winds RVs such a great value.





Bathrooms are spacious and outfitted with the finest appliances. In the bedroom, island queen beds with quality innerspring mattresses (twin bed area available on many models, if you prefer) give you comfortable, restful nights. Heavy-duty lifters provide safe, easy access to the under-bed storage.



Carefully planned kitchens give you plenty of work space, while large cupboards and overheads make it easy to carry all the supplies you'll need. High-quality appliances are residential-grade and include a large microwave and three-burner range with a high-intensity burner. Beautiful, solid oak cabinet doors and drawer fronts give the Supreme a truly residential feeling.

FOUR WINDS/LITE Fabric Options



Aqua Blue



Fern Green



Cheetah Brown




Mystery Ecru

SUPREME Fabric Options



Tapestry Blue



Willow Green



Classic Khaki



This brochure is printed on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. We know you will join us in this effort to maintain North America's great outdoors. For who appreciates the natural beauty of our open spaces more than an RVer?



THOR
AMERICA'S BEST RV VALUE

FOUR WINDS INTERNATIONAL
305 Steury Ave • Goshen, IN 46526
219-534-1224

Your Local Dealer