



1986 Bounder is born, Leading the way in the basement storage trend.



OO1 Introduced on the Power Platform, providing even more storage than previous models.




006 Updated with 84" interior ceiling height and available with 22.5" wheels for the next generation.




Celebrating 20 years of innovation.

Floor Plans



Interior Storage Capacity: 140 cu. ft. Exterior Storage Capacity: 105 cu. ft.



Exterior Storage Capacity: 129 cu. ft.

Seatbelt configuration may vary depending on options chosen.


FLEETWOOD.

and may be greater than Sleeping Capacity Weight Rating (SCWR)

found on the Cargo Carrying Capacity label located in each RV. Sleeping accommodations are based on standard layout. Optional

furniture may increase or decrease sleeping accommodations.

34F Triple Slide-Out Sleeping Accommodations: 4* O'HEAD 20' AWNING Interior Storage Capacity: 158 cu. ft.



OPT. 145

Exterior Storage Capacity: 91 cu. ft.

Exterior Storage Capacity: 144 cu. ft.



Setting the Standard in Motor Home Quality.

Fleetwood® prototypes are exposed to thousands of miles of durability testing. Those components that don't survive are redesigned until they do. This sets our standard in safety and durability.

Royal Tuff-Ply roofing technology is one of the most durable roofing materials on the market and also reflects sunlight to reduce chalking. White roof material minimizes heat build-up, keeping the temperature cool and comfortable.

Reliable TuffPEX® plumbing runs throughout each vehicle creating a durable seal on all internal tubing. TuffPEX® assures water flow and functions in colder **temperatures.** The TuffPEX® system is an industry leader in quality plumbing.

For each outer wall, Fleetwood uses one seamless, solid piece of its exclusive Tuff-Coat® fiberglass composite. It resists UV rays, cracks and impacts. Our products look newer longer and that's a big plus at resale time.

To assure a strong, weather-resistant structure, Fleetwood Vacu-bonds® all sidewalls, floors and ceilings to a durable aluminum or steel frame. The Vacu-bond® process is unmatched by many competitors.

Fleetwood's patented Power Platform supports the body with a rigid frame that reinforces the chassis to make it even stronger. This allows Fleetwood to offer triple slide-outs.

Fleetwood sinks and shelves are designed to handle full-size kitchenware. Few competitors can say the same.

FLEETWOOD:

Standard Features

Interior

THROUGHOUT

- Deluxe Roller Bearing, Full **Extension Drawer Guides**
- Plush Wall-to-Wall Carpet w/Carpet Pad
- Whole Coach Water Filtration System
- 6 Gallon Quick-Recovery Water Heater w/Direct Spark Ignition
- 120V/12V AC/DC Converter
- 120V/12V Wire Raceways

DRIVER CONVENIENCE AM/FM Radio w/CD Player,

- Satellite Radio Ready Double Swivel Sun Visors w/ Map Pockets
- Driver/Front Passenger Captain's Chairs with Reclining Back/ Slide Controls

LIVING ROOM

• Front 27" Flat Screen Stereo TV in Overhead

GALLEY

- 8 cu. ft. Dometic® Double Door Refrigerator
- Large, Double Stainless Steel Sink
- 1.4 cu.ft. Over the Range Microwave Oven w/Electronic Touch Pad
- 3-Burner Cook Top

BEDROOM

- 20" Flat Screen TV
- Deluxe Mattress
- Bedspread w/Decor Pillows

BATHROOM

- Glass Shower w/Skylight and Lower-Step Threshold Coordinated Bath Accessories

SAFETY/CONVENIENCE

- 10 ABC Fire Extinguisher
- Carbon Monoxide Detector/Alarm

Complete TuffPEX® Plumbing

Power Platform Construction*

Fleetwood Advantages

- 3 Interior Decors
- 34,000 BTU Furnace (30,000/20,000 BTU on 34F Only)
- 3-Way Water Pump Switch
- Central Electrical Panel Coordinated Cabinet Hardware
- Decor Lighting
- Dual 6V Deep-Cycle House Batteries
- Dual Roof A/C High Efficiency w/Solar Panel on Front A/C
- · 3-Point Seat Belts at Driver & Front **Passenger Seats**
- Auto A/C Heater Combo
- Auxiliary Start Circuit
- Battery Shut-Off Switch
- · CB Radio Ready
- Cruise Control
- Entry Assist Handle
- Hi-Fi VCR
- Adjustable Cabinet Shelves (Select Cabinets)
- Demand Water Pump with Filter
- Fan-Tastic® Power Roof Vent
- Flat Panel Base Cabinet Doors
- Folding Range Cover Large Drawers Under Dinette
- Pleated Shades Rear Speakers
- Restonic® Innerspring Mattress
- Fan-Tastic® Power Roof Vent
- Hardwood Bath Door/Trims
- Molded Tub/Shower Enclosure

• Royal Tuff-Ply UV-Resistant

Heat/Cold Insulated Roofing

Vacu-Bond® Upper/Lower Floors

- Propane Detector/Alarm
- Smoke Detector/Alarm

Technology

- Energy Management System
- Fluorescent Lighting
- Incandescent Lighting
- Radius Corner Cabinetry Solid Divider Doors
- Telephone Jack in Dash
- TV Antenna Wall Switches
- Water Heater Bypass
- Wood Drawers
- Dash Fans
- Intermittent Wiper Control
- · Low Profile Engine Cover
- Monitor Panel in Dash
- · Radio Switch-Main/Auxiliary Power
- Soft-Surface Automotive Dash · Tilt Steering Wheel
- · Lounge Recliner
- Residential Seat Styling
- Raised-Panel Cabinet Doors
- Single-Lever Galley Faucet w/Pullout Sprayer
- Sink Cover Cutting Board
- Vinyl Flooring
- Waste Basket
- Second Phone Jack
- Wardrobe Lighting
- · Porcelain Toilet w/Water-Saver
- Skylight in Tub/Shower
- Toilet Tank San-T-Flush™ System

Vacu-Bond® Walls w/ Smooth High-Gloss Exterior Tuff-Coat® Fiberglass

Exterior

THROUGHOUT

- Heated Water & Holding Tank Compartments
- 3 Colorway Graphics to Match Decor
- 5.5 kW Onan® Generator • 50 Amp Service (Optional on 32W & 33R,
- 30 Amp Standard on 32W & 33R) • ABS Wheel Well Trims

AUTOMOTIVE

- 4-Point Automatic **Electric Levelers**
- Large, Curved Aerodynamic Bonded in Windshield
- Steel Surface on Bulkhead
- Trailer Hitch with 7-Point Electrical Hook-Up[†]

- Entry Door w/Screen Door & Deadbolt Lock

BODY STRUCTURE

- - **Luggage Compartments**

- Awning Rail/Drip Molding (Both Sides)
- Dual Battery Charge Control
- Dual Pane Windows w/Screens Dual Patio Receptacles
- Fiberglass Front/Rear Caps
- Large Headlamps
- Mud Flaps
- Park Cable Receptacle
- Patio Awning
- Underhood Utility Light

- Single Motor Windshield Wipers with Wet Arm
- •TV/12V Jack in Doorside Compartment
- Utility Compartment with Exterior Shower
- Valve Extenders
- Wheel Simulators (Aluminum Wheels on Ford® Chassis on 33R, 34F, 35E & 36Z)
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependant on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

SAFETY/CONVENIENCE

- Remote Heated Rear View Mirrors

- Basement Floor Configuration
- Vacu-bond® Upper/Lower Floors • Vacu-bond® Walls with Smooth

STORAGE

- EZ-Store Compartment on Living Area Slide-Outs
- · Rotomolded Polyethylene

- **High-Gloss Exterior Fiberglass** Aluminum Interlocking Floor/Wall/Ceiling Framing

Porch Light (Doorside)

Power Entry Step

Roof Ladder

- Continuous One-Piece
- Compartment Bulb Seal
- Gas-Lift Strut Supports Hidden, Stainless Steel Latch Rods

- Spare Tire (32W Only)
- Radius Roof w/Ducted A/C Royal Tuff-Ply Radius Roof

w/Ducted A/C

- Insulated Aluminum Luggage Doors w/Single Paddle Metal Latches &
- Stainless-Steel Hinges Lighted Luggage Compartments

Options

DRIVER CONVENIENCE

- DSS Satellite Dish
- Ultraleather™ Driver and Front Passenger Chairs

BEDROOM

- Torque Windows
- LIVING ROOM DVD/VCR Combo Player

GALLEY

- 12 cu.ft. Side-by-Side Dometic® Refrigerator w/Ice Maker (Select Models)
- 3-Burner, High-Output Range w/Oven
- Convection Microwave Oven
- Free Standing Table & Chairs • Norcold® 4-Door Refrigerator w/Ice Maker (Select Models)

THROUGHOUT (INTERIOR)

- 10 Gallon Water Heater (Gas/Electric)
- Computer Work Station • CSA Package
- Washer/Dryer (Select Models)
- THROUGHOUT (EXTERIOR) Electric Awning
- Full Body Paint
- Rear Vision Camera

Bold Denotes Fleetwood's Key Features

* Denotes Fleetwood Exclusives



Weights and Measurements

FORD®/ WORKHORSE™ CHASSIS	32W	33R	34F	35E	36Z
Engine Displacement (Liters)	6.8/8.1	6.8/8.1	6.8/8.1	6.8/8.1	6.8/8.1
Wheelbase (Inches)	208/208	208/208	228/228	228/228	228/228
GVWR (lbs) ¹	20,500/20,700	22,000/22,000	22,000/22,000	22,000/22,000	22,000/22,000
Front GAWR (lbs) ²	7,000/7,500	7,500/8,000	7,500/8,000	7,500/8,000	7,500/8,000
Rear GAWR (Ibs) ²	13,500/13,500	14,500/14,500	14,500/14,500	14,500/14,500	14,500/14,500
Base Weight (lbs) ³	16,800/17,150	17,550/17,800	18,150/18,350	18,150/18,350	18,350/18,550
GCWR (lbs) ⁴	25,500/25,700	26,000/26,000	26,000/26,000	26,000/26,000	26,000/26,000
Hitch Rating Weight (lbs)†	5,000/5,000	5,000/5,000	5,000/5,000	5,000/5,000	5,000/5,000
Tongue Weight (lbs)†	500/500	500/500	500/500	500/500	500/500
Fuel Capacity (gal)	75/75	75/75	75/75	75/75	75/75
DIMENSIONS AND CAPACITIES					
Overall Length ⁵	33' 3"	34' 3"	34' 9"	35' 3"	37' 3"
Overall Height (with A/C)	12' 7"	12' 10"	12' 10"	12' 10"	12' 10"
Overall Width (maximum) ^{6,7}	102"	102"	102"	102"	102"
Interior Height (maximum)	84"	84"	84"	84"	84"
Interior Width (maximum)	96"	96"	96"	96"	96"
Fresh Water Holding Tank (gal)	85	85	85	85	85
Grey Water Holding Tank (gal)	58	58	58	58	58
Black Water Holding Tank (gal)	42	42	42	42	42
Appliance Propane Tank (gal) (WC) ⁸	25	25	25	25	25
Water Heater Tank (gal)	6	6	6	6	6

Liquid Weight Reference: Water (gal) = (8.3 lbs/3.8 kgs) Fuel (gal) = (6.1 lbs/2.8 kgs) Propane (gal) = (4.2 lbs/1.9 kgs)

Metric Conversion: Multiply pounds x 0.453 to obtain kilograms. Multiply gallons x 3.785 to obtain liters.

CHASSIS			
Model: Ford®/Workhorse™	Transmission: 5-Speed Automatic with Overdrive/		
Engine: 6.8L Triton® V10/8.1L Vortec™ V8	6-Speed Automatic with Overdrive		
Torque: 457 lb-ft @ 4750 RPM/455 lb-ft @ 3200 RPM	Horsepower: 362 HP/340 HP		
Alternator Amps: 130 Amp/145 Amp	Tires: 245/70R 19.5(F)/245/70R 19.5(G)/(32W)/		

235/80R 22.5(G)(33R, 34F, 35E & 36Z)

- GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motor home. The GVWR is equal to or greater than the sum of the unloaded vehicle weight plus the cargo carrying capacity.
- GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- 3. Base Weight is the estimated weight of the motor home without fuel, options, water, cargo or passengers.
- 4. GCWR (Gross Combined Weight Rating) is the value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed vehicle. Towing and braking capacities may be different. Refer to Fleetwood and chassis manufacturer's manuals for complete information.
- Length taken from front bumper to rear bumper (excludes accessories).
- 6. Excludes safety equipment and awnings.
- Motor homes feature a body-width over 96" which will
 restrict your access to certain roads. Before purchasing, you
 should research any state and/or province road laws which
 may affect your usage.
- 8. Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.
- † The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependant on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

IMPORTANT — PLEASE READ: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

What Drives You?

Maybe it's feeling like you're the only one on Earth. Perhaps it's the unique sense of closeness with the great outdoors. Or, it might be the joy that comes from spending quality time with family and friends. Whatever the reason, we know that you have a strong drive to experience everything that comes with spending time on the road. And for more than 50 years, we've shared that passion with you. Because we're RV enthusiasts ourselves, you can see our passion in the vehicles we design and build. Own a Fleetwood, and you'll feel like you're not just traveling, but embarking on an experience unlike any other. Set your own course for adventure and get out there and explore the world around you. Once you do, you'll see what it is that drives us — it's you.

RV OWNERCARE* is a limited one-year/15,000-mile coach warranty and three-year/50,000-mile structural warranty, whichever occurs first, and it is fully transferable for the first 12 months. RV OWNERCARE is one of the RV industry's most comprehensive programs and includes systems, appliances, components and construction, with no deductible and no service charge. RV OWNERCARE coverage is provided from a company that will be around in the future to service your needs. See your nearest Fleetwood dealer for a full explanation of benefits and restrictions.

FLEETWOOD TRAVELCADE CLUB As a Fleetwood owner, you're eligible to become a member of our owners' group, Fleetwood Travelcade Club. It's a perfect way to meet other Fleetwood owners who love to travel across America and share in the RV lifestyle. Call (877) 577-2560 or visit www.fleetwood.com/clubs to learn more and join the fun! For Bounder specific club information visit: Bounders of America at www.bounder.org or Bounders United at www.bounder.net.

FLEETWOODRV.COM To locate a dealer near you, visit our website or call 1-800-444-4905. We can also be contacted at Fleetwood Customer Relations, P.O. Box 7638, Riverside, CA 92513-7638.

IMPORTANT—PLEASE READ Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e.: occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.

Your local Fleetwood dealer is:



www.fleetwoodrv.com

*For complete info see your Fleetwood dealer. ©2005. Fleetwood Enterprises, Inc. Printed in the USA. Inventory control number BDR06F2 10/05.





