# LUND®

## 2018 LINEUP




ALUMINUM, FIBERGLASS, PONTOON AND JON BOATS

Photo by Bill Lindner



*This is an exciting time for Lund, and we're extremely grateful to our loyal customers and fans who inspire us to work hard, constantly improve our products and engineer new models that expand access to more anglers in more locations.*

# A Time of Growth

**Lund's portfolio of boats has expanded dramatically over the past couple of years, and we couldn't be more excited.** We've launched a whole new series of bass boats, utility mod-Vs and LX pontoons, recognizing the need to constantly adapt to our customers' specific species or activity of choice.

The brand-new Predator series features a modified-V hull, giving avid hunters, fishermen and outdoor enthusiasts the perfect multi-purpose utility boat. Access all varieties of waters—from the shallows to rivers to big water. Turn to page 6 of the magazine and page 48 of the catalog to explore the range of sizes, multiple layouts and variety uses of this dynamic new boat.

Lund's new pontoon series (page 52 of the catalog) features Cruise, Fish & Cruise, Fish, Walk-Thru and Walk-Thru Dual Seating layouts to suit a range of boater preferences. With abundant plush seating and enviable performance, each one of our pontoons makes getting away from it all equally comfortable and thrilling. But Lund couldn't produce a pontoon series without making sure fishing was front and center. The LX Fish and LX Fish & Cruise have been designed for serious anglers and fishing-focused families alike. Turn to page 8 of the magazine to read about how the DeChaine family uses their LX220 Fish & Cruise to fish, explore and bond on Minnesota's Deer Lake.

Catering to hardcore bass fishermen, the Pro-V Bass series and Renegade series continue to expand and change the market. Important bass boat features—large bow casting deck, a shallow draft and a modified-V hull—combine with Lund's IPS™ hull technology to create hybrid models that boast incredible versatility and better performance than the average bass boat. Read about the Pro-V Bass and Renegade series on pages 9 and 32 of the catalog, respectively.

Despite all the new models, our legendary aluminum boats remain treasured all over the world. Read about North Haven Resort in northern Manitoba, which uses a fleet of Lunds to allow guests to catch walleye and northern pike on remote Utik Lake (page 12).

This is an exciting time for Lund, and we're extremely grateful to our loyal customers and fans who inspire us to work hard, constantly improve our products and engineer new models that expand access to more anglers in more locations. We look forward to what the years ahead will bring.

Stay connected with Lund all year by following us on Facebook (facebook.com/lundboats) and Instagram (@lundboats).

**Dirk Hyde**
*President, Lund Boats*

LUND

**President, Lund Boats**
Dirk Hyde

**Marketing Director**
Jason Oakes

**Marketing Manager**
Tony Kolker

LUND MAGAZINE

**President/Publisher**
Douglas Leik

**Account Executive**
Annie Brown

**Editorial Director**
Randy Hess

**Managing Editor**
Amy Wideman

**Senior Editor**
Elli Purtell

**Editor At Large**
Jennifer Chesak

**Editor At Large**
Alexa Poteet

**Creative Director**
Russell Duncan

**Digital Creative Director**
Kraig Devenport

**Art Director**
Justin Goode

**Graphic Designer**
Brittany Huisenga

**Photographers**
Bill Lindner, Scott Pederson

DINO PUBLISHING

*Lund* magazine is published two times a year for Lund Boats, by Dino Publishing LLC. Any correspondence should be directed to:
Dino Publishing,
350 W. Hubbard St, Suite 400
Chicago, IL 60654
Tel: 312-822-9266
Fax: 312-822-9268
email: dleik@dinopublishing.com

The opinions expressed in this magazine are not to be considered official expressions of Dino Publishing or Lund Boats. The publisher reserves the right to accept or reject all editorial or advertising matter. The publisher assumes no responsibility for unsolicited manuscripts, photographs, or artwork. Reproduction in whole or in part of any text, photograph, or illustration without prior written permission from the publisher is strictly prohibited. Printed in U.S.A.

Copyright © 2017 Lund Boats.




# CONTENTS

## TABLE OF CONTENTS

MODEL YEAR 2018 | VOLUME 9

### FEATURES

**08 Fish, Play, Learn, Repeat**
A Lund LX220 Fish & Cruise pontoon acts as one family's classroom, front porch and fishing boat.

**12 Secret Haven**
North Haven Resort uses a fleet of Lund boats to help guests catch multiple species on Manitoba's Utik Lake.




### DEPARTMENTS

**02 First Cast**
Another successful Ultimate Fishing Camp, a win for winterizing and new Lund gear.

**06 Legendary Lund**
The all-new Predator series expands go-anywhere utility to new waterways.




**On the cover:**
The 1875 Pro-V has everything a serious fisherman or tournament angler could want in an aluminum fishing boat.

Photo by Scott Pederson.



# FIRST CAST

Gear, news and ideas to deliver the ultimate fishing experience.



Photo courtesy of RAWfish Creative Group

# Ultimate Fish-Fighter

The ultimate fishing experience was back in a big way this summer. Lund Boats teamed up with Leisure Outdoor Adventures and Chase on the Lake Resort to host the second annual Ultimate Fishing Camp, June 25-28, 2017, on the shores of Leech Lake in Walker, Minnesota. The camp welcomed 20 participants of all ages and ability levels, who soaked up three days of classroom and on-water instruction from nine Lund Pro Staff members. The professional anglers passed along tips for how to catch a variety of species, use boat electronics (with assistance from Lowrance® Electronics experts), better understand boat control, perfect different fishing methods, filet the catch-of-the-day, and much more. In between instruction time, participants enjoyed socializing with fellow fishermen over delicious meals, including a particularly tasty fish fry, and reeling in the rewards of their newfound knowledge in the form of many large walleye, bass and pike.

"We host Ultimate Fishing Camp to bring us together as fishermen and to share camaraderie," says Scott Glorvigen, owner of Wired2Fish and one of the professional anglers at the event. "But more importantly, it allows us to share what we do on the water every day. Those little details added up to catching a lot of fish."

Visit leisureoutdooradventures.com/ultimatefishingcamp2017 to learn more. Next year's Ultimate Fishing Camp will take place June 24-27, 2018.



# COMPLETE COVERAGE

Fishing outings aren't always as simple as hopping onboard your boat with a rod in hand. Boater's Choice understands this, offering comprehensive coverage for all the things you need to reel in your next catch: your beloved Lund, fishing rods, tackle, fishfinders, gear and other technology. Find the right plan for your needs, such as one that pays the agreed value on total loss with no depreciation and a separate deductible for onboard electronics. Then get out on the water and savor the simple solitude with complete assurance that you're protected when you need it. Boater's Choice representatives are available to assist you 24/7. Get a no-obligation quote today by visiting **boaterschoiceinsurance.com.**

# WIN AT *Winterizing*

As you prepare to bundle up for the winter months, make sure your Lund's gasoline is just as well protected. ValvTect X-Tended Protection + Gasoline Treatment (XP+), a multi-functional, premium-grade gasoline treatment, keeps gasoline in prime condition until the first thaw and beyond, thanks to refinery chemicals specially formulated to improve gasoline performance in marine engines. Whether your gasoline contains ethanol (E10) or not (E0), is used every day or occasionally, or is in storage for a year or longer, XP+ ensures your engine is ready to start. XP+ contains ValvTect's stabilizer, combined with proprietary corrosion inhibitor to stop any corrosion possibilities, water dispersant to remove controlled amounts of water, and a combination of specially developed gasoline detergents to help clean up carbon deposits and prevent octane loss.

"XP+ helps your engine work at its best performance level, preventing gasoline from breaking down and 'aging,' which causes hard starting and increased maintenance costs," says Marvin Griffin, president of ValvTect Petroleum Products. "You'll be ready to focus on the fish at the first moment of spring launch." Available at marinas and marine dealers nationwide. Visit valvtect.com.



# FIRST CAST

Gear, news and ideas to deliver the ultimate fishing experience.




## Lund On the Go

Download the Lund Tour Guide app to access a world of information. Loaded with helpful features you won't find anywhere else, the Lund app includes answers to Frequently Asked Questions about boat and trailer operation and maintenance, a dealership locator, informative videos from Lund's Pro Staff members, and a handy QR code reader that allows you to scan your Mercury® engine and access manufacturer resources specific to your propulsion system.

**Download the Lund Tour Guide app from the iTunes App Store. Compatible with iPhone, iPad and iPad touch.**




## GEAR ALL YEAR

Stock up on Lund gear so you're ready for the cooler temperatures ahead and stocked up for next fishing season. Dozens of new shirts, hats, sweatshirts, accessories and more proudly display the Lund name while keeping you comfortable on the water. New for 2018, the blue fleece sweatshirt is ideal for those brisk fall evenings and chilly spring mornings. For sunny and warm days, opt for any of Lund's ball caps, including the Distressed Patch Trucker Snap Back Hat, which comes in a variety of color combinations.

**TO VIEW ALL OF THE LATEST LUND GEAR, VISIT LUNDBOATS.COM.**




*Adventure Has No Daily Limit*

DISCOVER LEGENDARY **SAVINGS** ON **BOAT INSURANCE**
WITH **ANNUAL POLICIES** AS **LOW** AS **$100**

**PROGRESSIVE**®

PROGRESSIVE CASUALTY INS. CO. & AFFILIATES. $100 PER YEAR PREMIUM EXCLUDES STATE FEES AND TAXES, AND IS NOT AVAILABLE IN ALL STATES.

Story by Elli Thompson Purtell | Photos by Scott Pederson

# Seek Out Your Prey in a New Way

## The all-new Predator series brings utility and versatility to new waterways, with its three different layouts and trademark Lund toughness




**FOR 70 YEARS,** Lund has built durable and versatile fishing boats that take you to the farthest reaches—from the tundra of Russia to the thick pines of Northern Minnesota—to pursue the species of your choice and leave the water with a hefty haul. The all-new Predator series expands on this commitment to accessibility and fishability, giving anglers in the mid-South and southern U.S. a rugged, go-anywhere utility boat that's ideal for their region and their passions.

"The Predator series brings the very best Lund qualities to a utility boat that expands access to more waterways," says Rory Wiebe, product manager for Lund. "This boat will provide comfort, convenience and reliability on a whole new level for a wide variety of outdoorsmen—from commercial fishermen to waterfowl hunters to lodge owners."

The Predator—which comes in model sizes of 1660, 1760, 1870 and 2070, and center console, side console and tiller layouts—features an all-welded modified-V hull that creates a flatter bottom for controlled planing, superior tracking and maximum comfort while running in the shallower backwaters commonly found throughout the south. This hull structure also makes for seamless transitioning between water types—from bigger, open water reservoirs to shallower areas of the bayou. Sealed with a tough finish, the Predator can handle a beating from both your surroundings and whatever you drag onboard.

The convenient center console layout offers unbeatable maneuverability while fishing for crappies or other species of choice, as well as increased onboard space for transporting more supplies. (The Predator series also comes in side console and tiller layouts. Turn to page 48 to learn more.) A standard leaning post provides a greater vantage point for exceptional visibility while navigating trickier backwaters that may be filled with structure, low-hanging branches, and tight twists and turns. Stand up and navigate comfortably, or sit down and use the drop-down foot rest. Either way, you'll feel secure thanks to the the grab rail and standard windscreen.

"The Predator will resonate with many boaters, particularly those in the south who rely on crystal-clear sightlines for navigating the types of waters they're used to," Rory says. "But unlike other boats, the Predator gets an added boost from Lund's all-welded aluminum hull, which guarantees a whole different level of durability and reliability. This boat is the complete package."

Designed for work or play, the Predator is every hunter, fisherman or outdoor lover's dream. Besides the advantages of the all-aluminum construction and mod-V hull structure, this utility-first rig features onboard amenities that provide so much more than your average Jon boat. Anglers will appreciate the spacious livewells (18 gallons on the 1660 and 1760, and 23 gallons on the 1870 and 2070), the port rod storage, and the addition of the Lund SportTrak™ and ProTrak™ gunnels, which allow for the attachment and easy movement of additional rod holders, tool holders and more without any type of drilling. Hunters can take advantage of the optional metal sponson pods, which not only create additional buoyancy for shallow water, but also provide a convenient ramp for getting four-legged companions onboard.

Boaters of every kind will find the plentiful storage convenient for all their gear. This includes three deep compartments in the bow, and under-seat storage at the helm. Standard non-skid flooring and gunnel liner makes on-board movement safer, and a standard ladder makes boarding a breeze. An expansive bow platform opens up space for casting or hunting, with a pedestal bow seat for added comfort. Opt for the rod/gun locker to store your additional tools, and choose a color —Green, Tan, Mossy Oak Shadow Grass or Mossy Oak Breakup—to meet your specific on-water needs.

The Predator's do-it-all nature extends to its performance. Standard tach and fuel gauges and a switch panel grace the console, giving captains ultimate control. Whether you're hard at work or pursuing your favorite pastime, whether you're out on open water or picking your way through the shallows, the Predator series delivers in a big way.

**To learn more about the all-new Predator series, turn to page 48 of the catalog.**






**The Predator series gives anglers in the mid-South and southern U.S. a rugged, go-anywhere utility boat for their region and their passions.**














# FISH, PLAY, LEARN, REPEAT

## THE DECHAINE FAMILY'S LX220 FISH & CRUISE PONTOON PROVIDES THE PERFECT PLACE TO CREATE NEW FAMILY MEMORIES

STORY BY COLLEEN TOLAN

PHOTOS BY JILLIAN DECHAINE

Perhaps few things remain as mysterious as the life unknown around us. Our home is also home to an estimated 8.7 million different species—the majority of which remain unidentified. This includes 91 percent of underwater creatures. Ryan DeChaine, his wife, Jillian, and their two kids—Hudson (4) and Ella (2)— seize the opportunity to explore the unknowns of Minnesota's Deer Lake as a family, using their new LX220 Fish & Cruise pontoon as the platform.

Ryan's first classroom was his family's 14-foot Lund. While on fishing trips on the same Deer Lake, he learned how to interact with the elements, how to play with marine life, and the importance of isolated family time. The line required his patience; the weather commanded his revere. And collectively, all those days on the water formed his understanding of the world around him.



Even Ryan's earliest memories come from times onboard that first Lund—one in particular. He must have been about 4 or 5 years old, and he had been fishing all day with his dad. It was long past sunset and they still hadn't caught anything. But Ryan's precocity for fishing started young, as did his relentlessness. He waited for hours without so much as a bubble in the water and then… Ryan recalls feeling the bobber going down. A small tug. Then a stronger one.

Too little to even hold the rod by himself, Ryan can still see the flopping walleye at the end of his line like it was yesterday. He can feel his father's embrace holding him, securing the walleye and gripping him in a hug of excitement. They pulled the fish onboard and headed to shore. Despite it being almost midnight, Ryan hopped onto the dock and ran up to his family's cabin to wake his grandma and show off the still-wet fish. "I remember thinking it was the coolest thing I had done and she would want to know," Ryan recalls with a grin.

That euphoric feeling of connecting with nature and family colors Ryan's memories of childhood, and it's one he hopes to pass on to his kids onboard the family's Lund LX220 LFC. "That's what we want the pontoon to be: a place for them to learn about the world and a place to make memories," he says.

This learning starts with the activity closest to Ryan's heart: fishing. With all the amenities of a hardcore fishing boat, the LX220 LFC is the perfect platform for creating memories that rival those from his childhood. The standard aft fishing station features a split 31-inch, 11-gallon aerated livewell/baitwell and removable bait bucket, and a standard rod locker holds four rods up to 8 feet. Two aft chairs in the stern provide comfort for hours of fishing. Optional shallow-water anchors allow the DeChaines to fish anywhere on the lake with the touch of a button, and an electric trolling motor and GPS make exploring and navigating a breeze. "The LX220 LFC makes fishing super easy so we can take the kids and it keeps them entertained all day long," Ryan says.

The pontoon's sprawling deck and overall spaciousness not only facilitate great casting and maneuverability on fishing trips, but also allow for the kids to play and for adult friends to unwind during more relaxed afternoons. The 22-foot pontoon easily accommodates a

***"That's what we want the pontoon to be: a place for them to learn about the world and a place to make memories."***









*Ryan and his family, including his father (lower left) and dog Daisy take in the beautiful nature on Deer Lake.*




> ***"We wanted a boat that could bring people into the family, where we could get everyone onboard and pull up to an island and deliver this experience."***

dozen people (and the DeChaine's dog, Daisy), with plush, pillow-top seating throughout—including stylish dual lounges in the bow. An optional table upgrade in the bow makes socializing natural. "We wanted a boat that could bring people into the family, where we could get everyone onboard and pull up to an island and deliver this experience," Ryan says.

Amid the fun and games, Hudson and Ella also fit in some quality educational time, observing the land, weather and water. Just as the 14-foot Lund was Ryan's one-time classroom, his kids now have the LX220 LFC. The large aft deck delivers up-close and personal access to the water, and plenty of deck space gives them room to spread out and study their discoveries. "The boat provides a step away from normal life and it opens their minds up to science and nature," Ryan says. "There is so much happening at that interface. We catch a crayfish and can talk about the anatomy of it. Our kids naturally love water so they're preoccupied with learning from natural resources."

After all, the two aft chairs aren't just ideal for a day of serious fishing; they also serve as front-row seats to admire the wonders of nature, including a mid-afternoon rainbow. From out there on the water, the rainbow is no longer a faint wash of pigment in the sky but a vibrant arch of dye with no visible end. Something born out of a storm, miraculously displaying the full spectrum of color experienced every day, but now all at once through fractured light in the sky. How else do you teach about a rainbow? What better way to explain light and color than through experiencing it without distraction? Out there on the water, the DeChaines have the whole theater to themselves.

"I love introducing people to this lake, to this resource and the appreciation for the nature around you," Ryan says. "It is sacred ground. On the water, you're forced to consider the elements around you. It's a completely different perspective that allows for powerful memories, and we love that."



# SECRET HAVEN

TUCKED IN THE DENSE FORESTS OF NORTHERN MANITOBA, NORTH HAVEN RESORT'S 17 LUNDS HUNT WORLD-CLASS FISH IN A PRIVATE SETTING

STORY BY ALEXA M. POTEET | PHOTOS PROVIDED BY NORTH HAVEN RESORT


LUND
LUND

**The oxygen-rich waters of Utik Lake in northern Manitoba make a productive home for northern pike, walleye and even lake trout. After all, this remote 35-mile-long lake between the Canadian Shield and the Hudson Bay lowlands is approximately 90 miles by air to the nearest road. Its large, healthy fish are undisturbed by the likes of day-trippers and other casual anglers. To outdoorsman and angler Dennis Punches, it seemed like the perfect spot to open a fishing resort as intimate and unique as the location itself. And in 2008, North Haven was born—a fly-in, unparalleled experience that captures fishing the way it should be.**

North Haven's General Manager Ryan Smith has taken this goal of intimacy to heart in managing the upscale resort. "Our maximum capacity is 34 guests, making our staff-to-guest ratio higher than 1:1. This enables us to provide an unparalleled level of customer service," he says. "Our guides are energetic and eager to put guests on big fish."

In crafting the resort experience, North Haven's operators knew they would need reliable, high-caliber boats to please their discerning fishermen. Thankfully, the answer was easy: North Haven has used Lunds exclusively since its first day in operation. Today, they run a sleek fleet of 17 boats, all 1875 Pro Guides. Ryan shares: "We started with the best in quality and performance and have never looked back. We want our guests to experience the best. When they see that we use the finest boats, they know they will receive the very best in all other aspects of their trip. Lund, like North Haven, is synonymous with high-end quality."

North Haven is located 360 nautical miles north of Winnipeg, and the fully catered guest experience for North Haveners begins there. An agent escorts them from Winnipeg to North Haven via a 90-minute flight aboard a 30-passenger turbo prop. On the journey, guests can begin to appreciate the remote, untouched nature of northern Manitoba. From the moment the flight arrives at North Haven's private 4,500-foot gravel driveway, the luxury fishing experience begins. After a quick breakfast, guests are on the water right away. "Guests do not need to bring anything except their clothes," Ryan says. "This is all part of the package and the North Haven experience."



Utik Lake's 35 miles teem with walleye and northern pike.






An 1875 Pro Guide helps guests explore Manitoba's Utik Lake.

***"We want our guests to experience the best. When they see that we use the finest boats, they know they will receive the very best in all other aspects of their trip. Lund, like North Haven, is synonymous with high-end quality."***

If being one of 17 boats on a 35-mile-long private lake isn't exclusive enough for guests, North Haven also offers day fly-outs on a float plane to other private lakes for monster sea-run brook trout and other big fish. At its fly-out lakes, the resort operates Lund 1750 Outfitters, so their guests can maintain the same level of comfort no matter where they fish. "Our guests really enjoy the stable fishing areas that our Lunds provide," Ryan explains. "The 1875 Pro Guide allows plenty of room for two fishermen to cast simultaneously from the front deck." To keep guests on big fish, North Haven has also made some upgrades and additions to the boats, including extended casting platforms, downscan and side imaging depth-finder GPS units, and electric trolling motors, to name a few. Of course, premium rods, reels and tackle are all included for the ultimate fishing experience.

The private, elite nature of North Haven includes more than the fishing experience, however. A typical day for guests begins with their personal guide building a fire in their private cabin's wood-burning fireplace to take the chill out of the air. From there, guests move on to a hearty breakfast in the lodge's main dining room, where classically trained chefs use the vegetables and herbs grown in the resort's onsite greenhouse.

Bellies full, the fishing day begins when guests are picked up at the private docks in front of their cabins. Out on the water, they spend their mornings jigging on rock points or casting on sand flats for walleye. "In just a couple of casts, our guests often catch enough fish to more than fill the large livewells of our Lund boats!" Ryan says. "Utik Lake has a prolific walleye population, and guests can catch countless numbers of healthy green and gold colored fish." With full livewells, the Lunds pull up to one of many private shore lunch spots for a picnic. North Haven expands on the classic Canadian shore lunch of fried walleye and fries to include gourmet preparations of lemon-herb baked walleye, classic onion rings and homemade chocolate chip cookies with a million-dollar lakeside view.




After lunch, guests seek out aggressive northern pike. "Utik Lake is home to an exceptionally vast population of trophy northern pike," Ryan says. "Each season our guests catch and release hundreds of fish over 41 inches in length with many fish measuring as long as 50 inches." And with North Haven the sole operators on this rich body of water, guests are guaranteed there will never be more than 17 boats on the entire lake. They never have to compete for trophy catches.

When North Haveners tire of reeling in huge fish, they return to the lodge to enjoy top-shelf cocktails and hors d'oeuvres with fellow anglers in the early evening. If they haven't bonded with one another already, several big-screen TVs display the day's catches, allowing friends new and old to tell fish stories as they share laughs and relax. A gourmet dinner, rivaling the world's best steakhouses, rounds out the dining experience. Afterward, guests can shoot pool, mingle at the bar or enjoy a spa massage to limber up for the next day's adventures. For those simply ready to tuck in for the night, the northern lights provide a serene lightshow by which to drift off to sleep in the deep forest. The end of a long day of fishing is perhaps when North Haven embodies its name most.

One might think that the Lund boats at North Haven take a beating with so much use at this remote and unique location. That would be right, except… They're Lunds, of course. "Our Lund boats go out every day," Ryan says. "They experience rough water and get pulled up on rocky shorelines. Our boats likely experience more use in one season than many owners will use their boats in a lifetime." But this fleet stays strong for whatever challenges and excitement Utik Lake brings. Ryan continues, "I can say without a doubt that Lund boats perform and Lund boats last." North Haven wouldn't trust anyone else with their guests' happiness.



***Almost all other manufacturers compare themselves to Lund. They've created a tradition of quality. When you buy a Lund, you know you are getting the best. Period.***

For anglers who expect the very best—and those at North Haven do—there is only one choice. "Almost all other manufacturers compare themselves to Lund," Ryan says. "They've created a tradition of quality. When you buy a Lund, you know you are getting the best. Period."

# 2018

Aluminum, Fiberglass, Pontoon And Jon Boats catalog

LUND






# FISHING AT ITS FINEST.

Before our boats leave the factory, before they ever touch water, we mark them with Lund's name across the side. For us, the mark isn't a matter of decoration. It's a symbol that recognizes a heritage of superior construction and unbeatable performance. Because from a distance, you might not be able to distinguish the IPS™ hull or the power strake design, but you can see four letters across the side—four letters that represent 70 years of quality craftsmanship by fishermen, for fishermen.

The next time you're in a secluded cove with a line in the water, look at that mark on the side of your boat and know you're not just in a fishing boat. You're in a Lund.



# Contents


**02** Superior Construction
**04** Lund Technology
**07** Pro-V
**14** Baron
**15** Tyee
**20** Crossover
**22** Sport Angler
**23** Impact
**30** Pro Guide
**32** Renegade
**34** Rebel
**38** Fury
**41** Outfitter
**42** Alaskan
**44** SSV
**45** WC
**46** A
**47** Jon Boats
**48** Predator
**52** Pontoons
**57** Pontoon Options & Accessories
**59** SportTrak
**60** Options & Accessories
**65** Colors
**66** Fiberglass Features & Options
**67** Standard & Optional Equipment
**71** Specifications
**76** Lund Gear
**76** Mercury Engines
**77** Warranty


LUND




# Two Hulls, One Tradition



**Lund's hulls are made from fiberglass and aluminum—two very different materials. But our hulls aren't defined by raw material. They're defined by tradition, quality craftsmanship and meticulous standards. Because how the boat is made is just as important as what it's made from.**

Both our aluminum and fiberglass hulls are derived from the same innovative design—Lund's IPS™, IPS™2 and IPS™3 (Integrated Power Strake) technology. We've developed a construction process that incorporates the same industry-leading design into every hull that comes off the line.

Our aluminum and fiberglass hulls expand your possibilities and offer a customizable experience. We take pride knowing that whatever material you choose—whether it's the smooth and sleek fiberglass or rugged aluminum—you're still in a Lund.




## FIBERGLASS

The smooth finish and sleek coloration on Lund's fiberglass boats come from precision molds developed at Lund. But beyond the distinctive fiberglass look, the molds also serve to ensure consistency in performance and durability in every fiberglass hull that comes off the line. True straightness within the composite fiberglass structure is guaranteed because the molds themselves have been optimized from the outset.




## ALUMINUM

Lund's aluminum hulls aren't just built to perform at the highest level. They are built to maintain that unmatched handling through years of hard use. That starts by using the most durable raw aluminum in the industry. From there, our employees use cutting-edge shaping techniques to hand-piece together the IPS™ and IPS™2 hulls on every Lund (excluding the Predator). A boat may look similar in the showroom, but it's what is under the floor that makes a Lund stand apart.

# Captain's Comforts


1


2

**1. TYEE/TYEE MAGNUM/BARON: COMMAND CONSOLE** Tyee, Tyee Magnum and Baron series will amaze anglers with a fantastic set of features—for both fishing and comfort. The command console offers distinct style and an ergonomic layout where everything is closer at hand.
**2. REBEL XS: HELM** Anglers have everything at their disposal when at the helm of the 1750/1650 Rebel XS. For starters, clear, easy-to-read gauges make it effortless to check fuel, tach and speed while underway. Helm toggles are right within reach, as is a spacious and protective cell-phone holder.

# Smooth Operator

Sometimes you're only as good as the boat you fish in. If you can't maintain your position while fishing, your chances for hooking that fish of a lifetime decrease significantly. Thankfully, Lund boats have been meticulously engineered and constructed to deliver unmatched control that allows you to outperform the competition every time.

At the core of it all is Lund's exclusive **IPS™ (Integrated Power Strake), IPS™2** and **IPS™3** hull designs. The IPS system utilizes a pronounced **center keel** that helps maintain ultimate boat control. At the back of the hull, water hits a **flat pad**, which greatly reduces churn. The non-turbulent water creates less motor strain and, ultimately, delivers better performance.

Wide **reverse chines** allow for precise cornering maneuvers and overall better control. They allow the boat to get on plane quicker and improve holeshot, as well. Finally, a **wider footprint** enhances onboard stability.

IPS integrates all of these features into a cohesive system that provides anglers with better backtrolling, superior drift control and more precise boat positioning. Simply put, Lund boats deliver a better, faster, higher, smoother and drier ride.



1875 Pro-V Bass shown




1 Lund Boats track like a train on rails, when trolling forward or backward, to maintain your desired position at any time. 2 Additional strakes on the IPS™2 hull provide more control to enhance tracking ability and give you the competitive advantage. 3 Reverse chines add an additional dimension to boat control. They not only provide added stability, but also additional edges to cut water and stay on top of the fish. 4 Lund's pronounced center keel works to eliminate cross drift, making it easy to stay in complete control and reduce battery and human fatigue.

# Superior Flotation

Lund engineers strive to design hulls that can endure the most extreme conditions. One of those extremes? A hull riddled with dozens of gaping holes—66 to be exact. The engineers gouged into the aluminum around the entire frame of their "holey" boat and launched it onto the water. The boat not only stayed afloat, it maintained stability and performance at high speeds when on plane, allowing the engineers to safely return to land with little more than damp shoes.

The secret to Lund's superior flotation, even when taking on water, is strategically injected foam that meets and exceeds Coast Guard regulations. The buoyant material lining the inside of the hull ensures superior stability and flotation under extreme stress. For more information on Lund's flotation compliance process and to see videos of the "holey" boat, visit www.lundboats.com.



# A Job Well Done




1. PROLONG PLUS

## Lund's pioneering work with livewells keeps your catch healthier and less prone to stress

**1. PROLONG PLUS** The envy of the industry and the most technologically advanced system to ever hit the water, the ProLong Plus is designed with a freshwater pickup integrated into the bottom of the hull, where it forces a steady flow of water into the livewell while the boat is running. **2. PROLONG** This two-pump design keeps water fresher and fish calmer than any other in the industry. One pump fills and aerates the well from above the fish, while the other recirculates and injects fresh air via the Max-Air system for maximum oxygenation. **3. AERATED** Lund's high-quality aerated livewell features a single pump with a single-switch control. You also have the option of running the aerator pump continuously in manual mode, or intermittently in automatic mode when the model is equipped with a timer.




2. PROLONG




3. AERATED

# PRO-V
## IFS
## 2175 / 2075




AWC ADVANCED WATER CONTROL

BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Side tackle tray storage holds up to 14 trays (2175 shown) **2.** Optional ski pylon **3.** The sleek command console is available with gauges or optional glass dash **4.** In-deck rod storage with room for 15 rods **5.** Optional aft deck extension




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 21'10" | 102" | 89.25" | 2300 lbs. | 350 | 25" | 65 gal | Bow 27"/12 gal Aft 51"/25 gal | 7'11"–10'0" | 4 Air Ride | 6 | 2175 |
| 20'10" | 102" | 89.25" | 2150 lbs. | 300 | 25" | 62 gal | Bow 27"/12 gal Aft 51"/25 gal | 7'11"–9'0" | 4 Air Ride | 6 | 2075 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V GL

## 219 / 202




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Center rod storage **2.** Starboard on-deck rod straps come standard **3.** Removable aft storage pods for all your gear **4.** Recessed switch panel for more seamless control **5.** 33-gallon aft ProLong Plus livewell/baitwell


219 202

### SPECIFICATIONS

| | Length | Beam | IPS™ 3 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 219 | 21'9" | 102" | 87.5" | 3000 lbs. | 350 | 25" | 65 gal | Bow 20 gal/30.5" Aft 33 gal/51" | 8'0"–9'0" | 4 Air Ride | 7 |
| 202 | 20'2" | 102" | 87.5" | 2700 lbs. | 300 | 25" | 65 gal | Bow 20 gal/31" Aft 33 gal/51" | 7'0"–8'0" | 4 Air Ride | 7 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V BASS/ BASS XS

## 2075




AWC ADVANCED WATER CONTROL

BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4

**1.** Optional radio brings music onboard **2.** Ergonomic console puts control at the captain's fingertips **3.** Optional removable port console includes glove box **4.** XS layout offers aft flip-up seats **5.** Center rod locker holds 15 rods


5




### SPECIFICATIONS

| Length | Beam | IPS™ 3 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 20'10" | 96" | 81.5" | 1850 lbs. | 250 | 25" | 49 gal | Aft 36"/28 gal | 8'0"–10'0" | 2 Pro Ride 2 bike | 5 |



**Bass XS** **Bass**

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V GL
## TILLER
## 208




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY



















**1.** Integrated tool holder keeps all your tools organized **2.** Deep bow storage compartments **3.** Lockable rod storage holds up to 11 rods (8'0") **4.** Built-in tackle tray storage **5.** Recessed bow gunnel storage with net



### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 20'8" | 96" | 87" | 2400 lbs. | 250 | 25" | 65 gal | Bow 31"/13 gal Aft 51"/26 gal | 6'6"–8'0" | 4 Air Ride | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V

## 1975 / 1875

AWC ADVANCED WATER CONTROL

BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/or dealer installed options. Please see dealer for details.*


1


2


3


4

**1.** Optional split jump seats provide convenient comfort **2.** Sleek side console with optional VesselView™ **3.** Storage with Advanced Water Control keeps your gear drier **4.** Optional side rod tubes offer quick access **5.** Optional ski pylon for watersports action


5




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 19'10" | 100" | 87.25" | 1940 lbs. | 225 | 25" | 51 gal | Bow 27"/11 gal Aft 42"/22 gal | 7'0"–8'0" | 4 Air Ride | 6 | 1975 |
| 18'10" | 97" | 83.75" | 1710 lbs. | 200 | 25" | 43 gal | Bow 27"/11 gal Aft 42"/22 gal | 7'0"-8'0" | 3 Air Ride | 6 | 1875 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V BASS/ BASS XS

## 1875




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY

AWC ADVANCED WATER CONTROL





1


2


3


4


5

**1.** Bow command area features tool holder and trim switch **2.** The XS layout includes flip seats **3.** Removable port console option **4.** Command console with flush-mount graph options **5.** Large storage compartments keep the bow clutter-free



Bass Bass XS

### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'9" | 96" | 81.5" | 1475 lbs. | 200 | 25" | 39 gal | Aft 36"/28 gal | 8'4"–9'0" | 1 bike | 3 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO-V GL

## 189




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4

**1.** Ample port bow storage holds gear **2.** Console with flush-mount option **3.** Convenient bow station has space for mounting electronics **4.** Center rod storage for 15 rods **5.** 12-gallon bow livewell keeps fish fresh


5




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'9" | 102" | 87" | 2550 lbs. | 200 | 25" | 41 gal | Bow 12 gal/24.5" Aft 22 gal/46" | 7'0"–8'0" | 3 Air Ride | 7 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# BARON
## 2275

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** 24-gallon, 38" livewell holds the day's catch **2.** Bow offers additional room and storage **3.** Integrated aft flip-up seats provide additional seating **4.** Starboard rod storage holds 4 rods up to 10' **5.** Port console drawer keeps items tucked away



### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 22'9 | 102" | 89" | 2450 lbs. | 350 | 25" | 70 gal | Bow 25"/9 gal<br>Aft 38"/24 gal | 8'6"–10'0" | 3 solid/<br>1 Air Ride | 8 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# TYEE/ TYEE MAGNUM

## 2075




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4

**1.** Port rod storage (Magnum) **2.** Port console provides additional storage (Tyee/Magnum) **3.** 15-gallon, 37" livewell (Magnum) **4.** Ski pylon holder (Tyee) **5.** Console with fully equipped instrumentation (Tyee/ Magnum)


5




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 20'8" | 99.5" | 87.5" | 1920 lbs. | 250 | 25" | 49 gal | Aft 37"/15 gal | 8'6"–10'6" | 3 solid/ 1 Air Ride | 5 | Magnum |
| 20'8" | 99.5" | 87.5" | 1980 lbs. | 250 | 25" | 50 gal | Bow 25"/9 gal Aft 38"/24 gal | 7'6"–8'0" | 3 solid/ 1 Air Ride | 6 | 2075 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# TYEE GL

## 208




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4



5

**1.** 16-gallon, 31" aft livewell/baitwell keeps your trophies fresh **2.** Ergonomic helm with full instrumentation puts you in command **3.** Standard flip-up seats and optional ski pylon **4.** Lockable in-floor storage holds longer rods and watersports accessories **5.** Bow casting platform opens to reveal massive storage compartments



**SPECIFICATIONS**

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 20'8" | 96" | 87" | 2500 lbs. | 300 | 25" | 55 gal | Bow 21"/8.5 gal Aft 31"/16 gal | 7'6"–8'0" | 4 Air Ride | 7 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# TYEE

## 1900




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*













**1.** Optional tan pilot chair provides all-day comfort **2.** Boarding ladder provides easy swimming access **3.** Sleek console includes full instrumentation and steering wheel **4.** Lockable in-floor rod storage holds 10 rods: (4) 8'0"; (6) 7'6" **5.** Bow storage compartments hold extra gear







### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 19'1" | 98" | 86.5" | 1600 lbs. | 200 | 25" | 41 gal | Bow 25"/9 gal<br>Aft 38"/24 gal | 7'6"–8'0" | 3 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# TYEE

## 1800

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4



5

**1.** Standard aft flip-up seats convert to casting platform **2.** Aft storage w/ recessed speaker adds convenience and entertainment **3.** Integrated instrumentation provides precise positioning **4.** Lockable in-floor rod storage holds 10 rods: (4) 8'0"; (6) 7'6" **5.** Bow storage compartments for extra gear



### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'1" | 95" | 82" | 1400 lbs. | 175 | 25" | 31 gal | Bow 25"/9 gal<br>Aft 38"/24 gal | 7'6"–8'0" | 3 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# TYEE GL

## 189




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** 16-gallon aft livwell/baitwell keeps your trophies fresh **2.** Optional VesselViews puts you in command **3.** Port console includes storage area and lockable glove box **4.** Optional marine mat protects deck **5.** Hold even more rods in the port rod storage compartment




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'9" | 102" | 87" | 2500 lbs. | 200 | 25" | 41 gal | Bow 8.5 gal/21" Aft 16 gal/31" | 7'0" | 3 Air Ride | 7 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# CROSSOVER XS

## 1875

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Optional marine mat protects deck **2.** Ample side storage holds watersports gear **3.** Optional bow cushions for added comfort **4.** Top hider tucks sport top neatly away **5.** Boarding ladder makes water access easy



### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'10" | 95" | 82" | 1558 lbs. | 175 | 25" | 35 gal | Aft 38"/24 gal | 6'0"–7'0" | 3 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# CROSSOVER XS

## 1775




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Well-appointed console provides serious control **2.** Center rod locker stores 5 rods **3.** Aft sport top storage keeps deck free from clutter **4.** In-floor storage stows all your rods and watersports gear **5.** Aerated livewell keeps fish fresh




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 17'10" | 95" | 82" | 1450 lbs. | 150 | 25" | 28 gal | Aft 38"/24 gal | 6'0"–7'0" | 3 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# SPORT ANGLER

## 2000 / 1800

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Vertical rod storage on transom holds five rods **2.** Lockable glove box secures valuables **3.** Bow storage dividers organize all types of gear **4.** Cleaning station provides convenient onboard fish prep **5.** Easy-access rod storage with optional SportTrak rod holder and side seat with under-seat storage


2000 1800

### SPECIFICATIONS

| | Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 | 20'6" | 97" | 82.5" | 1600 lbs. | 225 | 25" | 52 gal | 40"/18 gal | 11'0"–12'0" | 2 solid | 7 |
| 1800 | 18'6" | 97" | 82.5" | 1460 lbs. | 175 | 25" | 44 gal | 40"/18 gal | 9'0"–10'0" | 2 solid | 7 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT XS
## Sport
## 2025




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** 24-gallon, 38" aft livewell holds your entire haul **2.** Standard under-console drawer and ruler add convenience **3.** Command console accommodates optional VesselView **4.** Aft deck features flip-up seats and ski pylon **5.** Optional bow baitwell keeps bait active




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 20'2" | 96" | 82" | 1750 lbs. | 200 | 25" | 46 gal | Bow 27"/16 gal Aft 37"/16 gal | 7'6"–8'6" | 4 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT
## Sport & SS
## 1875

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY



















**1.** Port console features large glove box **2.** Optional starboard rod strap keeps rods at hand **3.** Rod locker holds 10 rods: (5) 8'; (5) 7'6" **4.** Large bow provides ample casting room **5.** Under-deck drawer provides additional storage (standard on SS; optional on Sport)



Sport SS

### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'11" | 96" | 81.5" | Sport 1410 lbs. SS 1380 lbs. | 150 | 25" | 36 gal | Bow 27"/11 gal Aft 37"/16 gal | 7'0"–8'6" | 3 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT XS
## Sport
## 1875




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4

**1.** 37", 18-gallon aft livewell keeps fish fresh **2.** New gunwale with rubrail helps protect your boat **3.** Tuck away the ski pylon in the port storage compartment **4.** Port console features accessible storage **5.** Aft boarding ladder comes standard


5




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 18'11" | 96" | 81.5" | 1520 lbs. | 150 | 25" | 36 gal | Bow 27"/11 gal Aft 37"/16 gal | 7'0"–8'6" | 3 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT
## Sport & SS
## 1775




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3



4


5

**1.** Command console with optional VesselView **2.** Rod locker holds 10 rods: (5) 8'; (5) 7'6" **3.** Spacious bow storage holds all you gear **4.** Optional port rod strap keeps tools at the ready **5.** Optional splash pan inserts offer increased platform area


Sport SS

### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 17'11" | 96" | 81.5" | SS 1310 lbs. Sport 1360 lbs. | 125 | 25" | 30 gal | Bow 27"/11 gal Aft 37"/16 gal | 7'6"–8'0" | 2 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT XS
## Sport
## 1775




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Aft flip-up seating for on-water versatility **2.** Aft casting platform has room for optional Pro Ride seat **3.** Sleek command console accommodates VesselView option **4.** Top hider tucks canvas beneath aft casting platform **5.** Stow smaller gear in the starboard storage cubby




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 17'11" | 96" | 81.5" | 1390 lbs. | 125 | 25" | 30 gal | Bow 27"/11 gal<br>Aft 37"/16 gal | 7'0"–7'6" | 2 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT
## Sport & SS
## 1675




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** 11-gallon, 27" bow livewell keeps fish fresh **2.** Optional bow cargo nets allow for quick-access storage **3.** Port cockpit storage keeps accessories at hand **4.** Standard flip-up cleats make docking easy **5.** Aft side storage compartments tuck gear away


Sport


SS

### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 16'10" | 90" | 76" | Sport 1175 lbs.<br>SS 1125 lbs. | 90 | 25" | 22 gal | Bow 27"/11 gal<br>Aft 37"/16 gal | 6'6"–7'0" | 2 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# IMPACT XS
## Sport
## 1675




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Optional ski pylon caters to watersports lovers **2.** Standard flip-up cleat makes docking easy **3.** Aft starboard storage holds battery and optional Panther powersteering pump **4.** Optional port rod storage straps in your rods **5.** Port console comes with quick-access storage




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 16'10" | 90" | 76.25" | 1320 lbs. | 90 | 25" | 22 gal | Bow 27"/11 gal<br>Aft 37"/16 gal | 6'6"–7'0" | 2 solid | 6 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO GUIDE

## 2075 / 1875




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** In-deck rod storage (2075 holds 15 rods, 1875 holds 10 rods) **2.** Comprehensive control panel keeps everything you need close at hand **3.** Optional stereo with 2 speakers **4.** Starboard locker adds storage for 5 additional rods **5.** Deep and plentiful bow storage




### SPECIFICATIONS

| | Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2075 | 20'9" | 93" | 81" | 1500 lbs. | 200 | 25" | 43 gal | Bow 27"/11 gal Aft 42"/22 gal | 7'0"–9'6" | 3 solid | 7 |
| 1875 | 18'10" | 93" | 81" | 1336 lbs. | 90 | 25" | 35 gal | Bow 27"/11 gal Aft 42"/22 gal | 7'0"–9'0" | 3 solid | 7 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PRO GUIDE

## 1775 / 1675




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Generous port storage compartment **2.** Flip-up cleats for added versatility **3.** Command console features easy-to-read instrumentation **4.** The split-door livewell/baitwell allows for easy access **5.** Bow storage secures gear effortlessly




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 17'9" | 93" | 79.5" | 1225 lbs. | 90 | 20" | 30 gal | Bow 27"/11 gal<br>Aft 37"/16 gal | 7'0"–9'0" | 3 solid | 6 | 1775 |
| 16'9" | 90" | 76" | 1050 lbs. | 75 | 20" | 22 gal | 37"/16 gal | 6'6"–8'6" | 2 solid | 4 | 1675 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# RENEGADE

## 1875



*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Large bow storage compartments hold rods up to 9', gear and bow livewell (crappie edition) **2.** Ergonomic console puts control at your fingertips **3.** On-the-go rod storage **4.** Bench seating with fold-down center seat **5.** 22-gallon aft livewell holds your catches



**Crappie Edition**

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approx Weight | Max HP | Transom Height | Fuel Tank | Livewell Systems | Draft | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 18'9" | 95" | 68.25" | 1270 lbs. | 115 | 20" | 22 gal | Aft 35"/22 gal Bow 27"/12 gal | 12" | 7'6"-9'0" | 3 bench 2 solid | 2 |

# RENEGADE
## 1775




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Plentiful storage holds rods (up to 8'), gear and more **2.** Integrated cooler storage can also hold extra gear **3.** Expansive bow casting platform with in-deck storage **4.** Bench seating conceals storage **5.** Middle bench seat folds down to create a convenient step




**SPECIFICATIONS**

| Length | Beam | IPS™ Chine Width | Approx Weight | Max HP | Transom Height | Fuel Tank | Livewell Systems | Draft | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 17'9" | 95" | 68.25" | 1195 lbs. | 90 | 20" | 22 gal | Aft 35"/22 gal Bow 27"/12 gal | 11.5" | 7'6"-8'0" | 3 bench 2 solid | 2 |



**Crappie Edition**

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# REBEL XS
## Sport & SS
## 1750




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Easy battery access for convenience **2.** Expansive bow storage easily hides life vests or sports equipment **3.** The command console is stereo-ready **4.** Ladder adds safety and convenience **5.** Center rod storage houses 5 rods up to 7'


Sport SS

### SPECIFICATIONS

| | Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sport | 17'6" | 85" | 70.5" | 1135 lbs. | 115 | 20" | 22 gal | 34"/14 gal | 7'0"–8'6" | 3 solid | 6 |
| SS | 17'6" | 85" | 70.5" | 1085 lbs. | 90 | 20" | 22 gal | 34"/14 gal | 7'6"–8'6" | 3 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# REBEL XS
## Sport & SS
## 1650




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Optional aft flip seat and ski pylon **2.** Passenger console includes glove box to secure valuables **3.** Storage compartments maximize under-bow space **4.** Center rod storage for 5 rods up to 7' **5.** Ladder adds safety and convenience




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 16'6" | 84" | 71" | 1025 lbs. | 90 | 20" | 21 gal | 34"/14 gal | 7'0"–8'6" | 3 solid | 6 | Sport |
| 16'6" | 84" | 71" | 975 lbs. | 90 | 20" | 21 gal | 34"/14 gal | 7'6" | 3 solid | 6 | SS |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# REBEL XS
## Tiller
## 1650




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Switch panel features storage tray for holding small items **2.** Lockable side rod storage keeps everything safe **3.** 14-gallon, 34" bow livewell keeps fish fresh **4.** Center rod storage for 5 rods up to 7' **5.** Oversized bow storage doors provide easy access (optional storage pods shown)



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

**SPECIFICATIONS**

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 16'6" | 84" | 71" | 920 lbs. | 60 | 20" | 21 gal | 34"/14 gal | 7'–7'6" | 3 solid | 4 |

# REBEL
## SS & Tiller
## 1600




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Slide-out battery tray and fuel tank hider **2.** Rear boarding ladder for easy water access **3.** Side console allows for clear views **4.** Large side rod storage to store all your tools **5.** Ample bow storage for all your gear




### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 16'5" | 77" | 61" | 710 lbs. | 50 | 20" | 6 gal | 35"/11 gal | 7'6" | 2 solid | 4 | SS |
| 16'5" | 77" | 61" | 647 lbs. | 40 | 20" | 6 gal | 35"/11 gal | 7'6" | 2 solid | 4 | Tiller |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# FURY XL
## Sport
## 1625




*Boats in... or dealer installe... Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Optional aft flip-up seating offers additional passenger room and casting area **2.** Sport windshield and console add protection **3.** In-floor rod storage for rods up to 8' **4.** Optional sport top protects from the elements (Sport only) **5.** Spacious bow offers expansive fishing mobility



**SPECIFICATIONS**

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 16'3" | 80" | 69.5" | 902 lbs. | 60 | 20" | 12 gal | 37"/16 gal | 8'0" | 2 solid | 6 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# FURY XL
## SS & Tiller
## 1625




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Side console with optional gauges **2.** Aft raised casting platform with seat base **3.** Deep bow storage and a 16-gallon livewell keep everything in reach **4.** Telescoping ladder for easy boarding **5.** 12-gallon portable fuel tank fits in a concealed storage compartment




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 16'3" | 80" | 69.5" | 862 lbs. | 60 | 20" | 12 gal | 37"/16 gal | 8'0" | 2 solid | 6 | SS |
| 16'3" | 80" | 69.5" | 812 lbs. | 50 | 20" | 12 gal | 37"/16 gal | 8'0" | 2 solid | 4 | Tiller |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# FURY
## SS & Tiller
## 1600 / 1400




*Boats may sh... or dealer installed... Please see dealer for detail...*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Portside stepped rod locker holds rods up to 7' **2.** SS Console with optional windshield **3.** Large pass-through bow compartments **4.** 11-gallon, 35" livewell holds your catches **5.** Four durable cleats line the gunnel


SS


Tiller

### SPECIFICATIONS

| | Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SS | 14'9" | 69.5" | 56" | 545 lbs. | 30 | 20" | — | 35"/11 gal | 7'0" | 2 solid | 3 |
| Tiller | 14'9" | 69.5" | 56" | 500 lbs. | 30 | 20" | — | 35"/11 gal | 7'0" | 2 solid | 3 |
| SS | 16'2" | 73.5" | 56" | 565 lbs. | 40 | 20" | — | 35"/11 gal | 7'6" | 2 solid | 4 |
| Tiller | 16'2" | 73.5" | 56" | 520 lbs. | 40 | 20" | — | 35"/11 gal | 7'6" | 2 solid | 3 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# OUTFITTER
## 1750




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Deep, pass-through bow storage eliminates clutter **2.** Aerated 22-gallon bow livewell keeps fish fresh **3.** Side rod holders add convenience and accessibility **4.** Removable bow boxes simplify loading and unloading **5.** Port and starboard rear-side storage frees up space




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|
| 17'7" | 77" | 61.25" | 805 lbs. | 60 | 20" | 22 gal | 42"/20 gal | 7'0" | 3 solid | 4 |



Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# ALASKAN
## DC & SS
## 2000 / 1800 / 1600




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Port console provides comfort and protection from the elements **2.** 13-gallon port livewell with baitwell (1800/1600 shown) **3.** Side storage keeps necessities handy **4.** Composite interior option **5.** Functional command console makes for easy operation




### SPECIFICATIONS

| | Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2000 DC | 20'6" | 90.5" | 76" | 1275 lbs. | 125 | 25" | 29 gal | 40"/18 gal | 8'6" | 3 solid | 5 |
| 2000 SS | 20'6" | 90.5" | 76" | 1200 lbs. | 125 | 25" | 29 gal | 40"/18 gal | 8'6" | 3 solid | 5 |
| 1800 DC | 18'9" | 83" | 69.5" | 1105 lbs. | 90 | 20" | 20 gal | 46"/13 gal | 9'0" | 2 solid | 5 |
| 1800 SS | 18'9" | 83" | 69.5" | 1030 lbs. | 90 | 20" | 20 gal | 46"/13 gal | 9'0" | 2 solid | 5 |
| 1600 SS | 16'10" | 81" | 69.5" | 915 lbs. | 75 | 20" | 20 gal | 46"/13 gal | 7'0" | 2 solid | 4 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# ALASKAN
## Tiller
## 2000 / 1800 / 1600




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Bow battery storage is conveniently accessible **2.** Port storage offers a generous amount of space for all your gear **3.** Tan seat is standard when you choose Fall Marsh or Wetlands® exterior color **4.** Handy side storage allows quick access to items **5.** Spacious port livewell keeps your day's catch fresh




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 20'6" | 90.5" | 76" | 1105 lbs. | 125 | 20" | 29 gal | 40"/18 gal | 8'6" | 3 solid | 4 | 2000 |
| 18'9" | 83" | 69.5" | 975 lbs. | 75 | 20" | 20 gal | 46"/13 gal | 9'0" | 2 solid | 4 | 1800 |
| 16'10" | 81" | 69.5" | 860 lbs. | 60 | 20" | 20 gal | 46"/13 gal | 7'0" | 2 solid | 3 | 1600 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# SSV

## 18 / 16 / 14




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Optional SS console allows for enhanced steering wheel control **2.** Optional raised bow storage packs it all in **3.** Optional drop-in floor creates more casting room **4.** Aft battery and fuel tank storage are easily accessible **5.** Optional port console maximizes cockpit comfort (SSV 18 only)




### SPECIFICATIONS

| | Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 18 | 18'4" | 76" | 57" | 460 lbs. | 60 | 20" | — | — | — | 2 cross, 4 split | — |
| 16 | 16'2" | 72" | 55.5" | 340/350 lbs. | 40 | 15"/20" | — | — | — | 2 cross, 4 split | — |
| 14 | 14'2" | 70" | 55.5" | 285/295 lbs. | 35 | 15"/20" | — | — | — | 2 cross, 4 split | — |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# WC

## 16 / 14 / 12




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4


5

**1.** Simple but refined tiller control area **2.** Heavy-duty bow and corner castings withstand hard use **3.** Heavy-duty aluminum motor plate **4.** Heavy-duty aft grab handle **5.** Oarlocks and durable gunnels can take a pounding




### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 16'2" | 72" | — | 325/335 lbs. | 25 | 15"/20" | — | — | — | 3 cross, 2 split | — | 16 |
| 14'6" | 69" | — | 285/295 lbs. | 25 | 15"/20" | — | — | — | 2 cross, 2 split | — | 14 |
| 12'1" | 61" | — | 205 lbs. | 15 | 15" | — | — | — | 2 cross, 2 split | — | 12 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank



# A

## 14 / 12




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Heavy-duty corner castings enhance structural durability **2.** Extruded aluminum motor plates add toughness **3.** Solid oarlocks and durable gunnels outlast heavy use **4.** Aluminum bench seats provide ample passenger room **5.** Rugged bow corner castings strengthen the hull




### SPECIFICATIONS

| | Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 14 | 14'1" | 61" | — | 194 lbs. | 15 | 15" | — | — | — | 3 cross | — |
| 12 | 12'1" | 60" | — | 164 lbs. | 10 | 15" | — | — | — | 3 cross | — |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# JON BOATS

## 10 to 18 feet




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/or dealer installed options. Please see dealer for details.*




**SPECIFICATIONS**

| Length | Beam | Bottom Width | Side Depth | Transom Height | Ribs | Seats | Maximum Person Capacity | Maximum Person Weight | Approximate Weight | Maximum Weight Capacity | Maximum HP | Hull Gage | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 18'0" | 75" | 52" | 21" | 20" | 10 | 4 | 6 | 815 lbs. | 475 lbs. | 1375 lbs. | 45 | 0.072" | 1852MT |
| 15'10" | 70" | 48" | 21" | 15"/20" | 9 | 3 | 4 | 555 lbs. | 420 lbs. | 973 lbs. | 35 | 0.072" | 1648M |
| 15'10" | 70" | 48" | 21" | 15"/20" | 9 | 3 | 4 | 555 lbs. | 420 lbs. | 973 lbs. | 35 | 0.072" | 1648 |
| 14'0" | 70" | 48" | 21" | 15"/20" | 7 | 3 | 4 | 500 lbs. | 365 lbs. | 825 lbs. | 25 | 0.072" | 1448M |
| 14'0" | 70" | 48" | 21" | 15"/20" | 7 | 3 | 4 | 500 lbs. | 365 lbs. | 825 lbs. | 25 | 0.072" | 1448 |
| 14'0" | 57" | 36" | 17" | 15" | 8 | 3 | 3 | 350 lbs. | 145 lbs. | 552 lbs. | 15 | 0.050" | 1436L |
| 11'11" | 56" | 36" | 17" | 15" | 6 | 3 | 3 | 325 lbs. | 140 lbs. | 527 lbs. | 10 | 0.050" | 1236 |
| 11'10" | 48" | 32" | 16" | 15" | 3 | 3 | 2 | 295 lbs. | 90 lbs. | 335 lbs. | 3 | 0.050" | 1232 |
| 10'0" | 48" | 32" | 16" | 15" | 2 | 3 | 2 | 180 lbs. | 80 lbs. | 275 lbs. | 3 | 0.050" | 1032 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PREDATOR
## CC
## 2070 / 1870

Mossy Oak® Break Up Pattern Shown

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY




Mossy Oak® Shadow Grass Pattern Shown


1


2


3


4


5

**1.** Convenient under-seat storage holds gear **2.** Optional Sponsons offer quicker planing and easier reboarding **3.** Rod/gun holder keeps everything within reach **4.** Spacious bow livewell/baitwell comes standard **5.** Command console allows for easy standing or leaning while operating




### SPECIFICATIONS

| | Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2070 | 20'0" | 96" | 70" | 1175 lbs. | 150 | 20" | 20 gal | Bow 23 gal/43" | 11'0" | 1 solid | 2 |
| 1870 | 18'0" | 96" | 70.5" | 1008 lbs. | 90 | 20" | 20 gal | Bow 24 gal/43" | 9'0" | 1 solid | 2 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PREDATOR
## SS
## 2070 / 1870




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

Dead Grass Green Pattern Shown


1


2


3


4


5

**1.** Command console offers comfort and ease of use **2.** Flip-up bench seat provides ample space for your gear **3.** Convenient rod storage keeps everything within reach **4.** Bow features 23-gallon livewell **5.** Large bow provides plenty of casting space




Mossy Oak® Break Up Pattern Shown

### SPECIFICATIONS

| Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 20'0" | 96" | 70" | 1175 lbs. | 150 | 20" | 20 gal | Bow 23 gal/43" | — | 1 solid | 2 | 2070 |
| 18'0" | 96" | 70.5" | 1008 lbs. | 90 | 20" | 20 gal | Bow 24 gal/43" | — | 1 solid | 2 | 1870 |




Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PREDATOR
## Tiller
## 2070 / 1870




Mossy Oak® Shadow Grass Pattern Shown

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY




Dead Grass Green Pattern Shown


1


2


3


4


5

**1.** Side rod and navigation light storage keeps everything out of the way **2.** Swivel seating provides all-day comfort **3.** Bow features 23-gallon aerated livewell/baitwell and ample storage **4.** Bag ladder provides boarding assistance **5.** Rear-mounted switches add convenience


2070 1870

### SPECIFICATIONS

| | Length | Beam | IPS™ 2 Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2070 | 20'0" | 96" | 70" | 994 lbs. | 90 | 20" | — | Bow 23 gal/43" | 10'6" | — | 2 |
| 1870 | 18'0" | 96" | 70.5" | 953 lbs. | 75 | 20" | — | Bow 24 gal/43" | 9'6" | — | 2 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank

# PREDATOR
## SS & Tiller
## 1760 / 1660




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

Dead Grass Green and Mossy Oak® Shadow Grass Patterns Shown


1


2


3


4


5

**1.** Flip-up bench seat provides ample space for your gear (SS) **2.** Bow features 20-gallon livewell and pass-through storage **3.** Swivel seating for all-day comfort **4.** Side rod and navigation light storage keeps everything out of the way **5.** Dual seating (SS) keeps captain and co-captain comfortable




Mossy Oak® Break Up Pattern Shown

### SPECIFICATIONS

| Length | Beam | IPS™ Chine Width | Approximate Weight | Maximum HP | Transom Height | Fuel Tank | Livewell Systems | Rod Storage Capacity | Seat Pedestals | Seat Bases | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 17'0" | 85" | 60" | 910 lbs. | 75 | 20" | 20 gal | Bow 18 gal/31.5" | 6'6"-7'6" | 1 solid | 2 | 1760 SS |
| 17'0" | 85" | 60.5" | 787 lbs. | 60 | 20" | — | Bow 18 gal/31.5" | 9'0" | — | 2 | 1760 |
| 16'0" | 85" | 60.5" | 670 lbs. | 50 | 20" | — | Bow 18 gal/31.5" | 7'0" | — | 2 | 1660 |

Storage Livewell Baitwell Seats Seat Bases Fuel Tank



# PONTOON
## Cruise
## 240 / 220 / 200




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY





1


2


3


4


5

**1.** Optional plush Captain's Chair makes navigating comfortable **2.** Optional aft changing station tucks neatly away **3.** Seating features double-stitched quilted lower lumbar area **4.** Standard table with tan interior includes two cupholders **5.** Modular helm features sleek dash with stereo, two-level footrest and storage compartment


240


220


200

### SPECIFICATIONS

| | Overall Length | Pontoon Length | Tube Diameter | Beam Width | Weight (2/3 Tubes) | People Capacity (2/3 Tubes) | Max Weight (2/3 Tubes) | Fuel Capacity | Fuel Capacity (Sport Package) | Fuel Capacity (Performance) | Max HP (2/3 Tubes) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 240 | 25'9" | 24" | 25" | 8'6" | 2765/3125 lbs | 12-13/14-15 | 2291/2691 lbs | 28 gal | 28 gal | 37 gal | 175/200 |
| 220 | 23'5" | 22" | 25" | 8'6" | 2540/2875 lbs | 10-11/12-13 | 2054/2396 lbs | 28 gal | 28 gal | 37 gal | 150/200 |
| 200 | 21'1" | 20" | 25" | 8'6" | 2305/2600 lbs | 9-10/11 | 1903/2211 lbs | 28 gal | 28 gal | 37 gal | 115/175 |

# PONTOON
## Walk-Thru
## 240 / 220 / 200




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1



2


3


4



**1.** Optional flip-up changing room offers privacy **2.** Standard reclining helm chair delivers exceptional all-day comfort **3.** Upgraded steering wheel delivers style, comfort and control **4.** Optional washdown makes cleaning a breeze **5.** Standard glovebox provides convenient storage at your fingertips


5



240 220 200

### SPECIFICATIONS

| Overall Length | Pontoon Length | Tube Diameter | Beam Width | Weight (2/3 Tubes) | People Capacity (2/3 Tubes) | Max Weight (2/3 Tubes) | Fuel Capacity | Fuel Capacity (Sport Package) | Fuel Capacity (Performance) | Max HP (2/3 Tubes) | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 25'9" | 24" | 25" | 8'6" | 2765/3125 lbs | 12-13/14-15 | 2291/2691 lbs | 28 gal | 28 gal | 37 gal | 175/200 (L-6) | 240 |
| 23'5" | 22" | 25" | 8'6" | 2540/2875 lbs | 10-11/12-13 | 2054/2396 lbs | 28 gal | 28 gal | 37 gal | 150/200 (L-4) | 220 |
| 21'1" | 20" | 25" | 8'6" | 2305/2600 lbs | 9-10/11 | 1903/2211 lbs | 28 gal | 28 gal | 37 gal | 115/175 | 200 |

# PONTOON
## Walk-Thru Dual Seating
## 240 / 220 / 200




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY




1


2


3


4


5

**1.** Helm features sleek dash w/ stereo and gauges, ergonomic steering wheel and two-level footrest **2.** Optional port Captain's Chair offers ultimate comfort **3.** Two standard courtesy lights provide onboard safety **4.** Standard throw cubby at helm keeps small items at the ready **5.** Standard table w/ cupholders accommodates gatherings


240


220


200

**SPECIFICATIONS**

| | Overall Length | Pontoon Length | Tube Diameter | Beam Width | Weight (2/3 Tubes) | People Capacity (2/3 Tubes) | Max Weight (2/3 Tubes) | Fuel Capacity | Fuel Capacity (Sport Package) | Fuel Capacity (Performance) | Max HP (2/3 Tubes) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 240 | 25'9" | 24" | 25" | 8'6" | 2765/3125 lbs | 12-13/14-15 | 2291/2691 lbs | 28 gal | 28 gal | 37 gal | 175/200 (L-6) |
| 220 | 23'5" | 22" | 25" | 8'6" | 2540/2875 lbs | 10-11/12-13 | 2054/2396 lbs | 28 gal | 28 gal | 37 gal | 150/200 (L-4) |
| 200 | 21'1" | 20" | 25" | 8'6" | 2305/2600 lbs | 9-10/11 | 1903/2211 lbs | 28 gal | 28 gal | 37 gal | 115/175 |

# PONTOON
## Fish & Cruise
## 240 / 220 / 200




BOATING'S BEST LIFETIME WARRANTY

*Boats may show factory and/ or dealer installed options. Please see dealer for details.*


1


2


3


4



**1.** Standard tilt wheel provides comfort for captains of all sizes **2.** Aft pilot chair upgrade delivers exceptional all-day comfort **3.** Standard aft fish station includes split door for easy access to aerated livewell/baitwell **4.** Standard rod locker holds four 8' rods **5.** Bow features comfortable, stylish dual lounges and table (upgraded table shown)


5



**240** **220** **200**

**SPECIFICATIONS**

| Overall Length | Pontoon Length | Tube Diameter | Beam Width | Weight (2/3 Tubes) | People Capacity (2/3 Tubes) | Max Weight (2/3 Tubes) | Fuel Capacity | Fuel Capacity (Sport Package) | Fuel Capacity (Performance) | Max HP (2/3 Tubes) | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 25'9" | 24" | 25" | 8'6" | 2765/3125 lbs | 12-13/14-15 | 2291/2691 lbs | 28 gal | 28 gal | 37 gal | 175/200 (L-6) | 240 |
| 23'5" | 22" | 25" | 8'6" | 2540/2875 lbs | 10-11/12-13 | 2054/2396 lbs | 28 gal | 28 gal | 37 gal | 150/200 (L-4) | 220 |
| 21'1" | 20" | 25" | 8'6" | 2305/2600 lbs | 9-10/11 | 1903/2211 lbs | 28 gal | 28 gal | 37 gal | 115/175 | 200 |

# PONTOON
## Fish
## 240 / 220 / 200




*Boats may show factory and/ or dealer installed options. Please see dealer for details.*

BOATING'S BEST LIFETIME WARRANTY






240



220



200



1



2



3



4



5

**1.** Horizontal rod locker keeps rods secure and out of the way **2.** Optional pop-up speaker delivers great sound **3.** Aft tackle station comes with plentiful storage for all your tackle **4.** Port bow livewell keep your catches lively **5.** Standard fishing seat is comfortable and convenient

**SPECIFICATIONS**

| | Overall Length | Pontoon Length | Tube Diameter | Beam Width | Weight (2/3 Tubes) | People Capacity (2/3 Tubes) | Max Weight (2/3 Tubes) | Fuel Capacity | Fuel Capacity (Sport Package) | Fuel Capacity (Performance) | Max HP (2/3 Tubes) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 240 | 25'9" | 24" | 25" | 8'6" | 2765/3125 lbs | 12-13/14-15 | 2291/2691 lbs | 28 gal | 28 gal | 37 gal | 175/200 (L-6) |
| 220 | 23'5" | 22" | 25" | 8'6" | 2540/2875 lbs | 10-11/12-13 | 2054/2396 lbs | 28 gal | 28 gal | 37 gal | 150/200 (L-4) |
| 200 | 21'1" | 20" | 25" | 8'6" | 2305/2600 lbs | 9-10/11 | 1903/2211 lbs | 28 gal | 28 gal | 37 gal | 115/175 |

# Pontoon Options & Accessories

## STANDARD FEATURES



Helm w/ stereo and gauges



10' bimini top



Helm glove box




Kicker stereo



Greywood table w/ cupholders
(Standard w/ grey Interior)



Mahogany table w/ cupholders
(Standard w/ tan Interior)

## OPTIONS



Stainless steel flip-up cleat




Ski tow bar



Changing room (WT floorplan shown)



Stainless steel ladder



VesselView®



Onboard charger with remote plug



Stitched brow
(Luxury Package required)



Washdown system
(LC/WT/WTDS models only)



Black acrylic table w/ four cupholders




Rockford Fosgate® stereo



In-floor ski locker w/ auto bilge
(Performance Plus Package only)



Docking lights

# Pontoon Options & Accessories

## SEATING

STANDARD



Fish Chair in Grey or Tan



Reclining Pilot Chair

OPTIONAL



ProRide Seats in Grey or Tan



Helm Captain's Chair

## FENCE COLORS



Blue Sapphire



Bronze Sand Metallic



Onyx Black



Grey Platinum

Optional Accent Colors:



Black



Tan



Grey

## FLOORING



Grey Seagrass



Grey Designer Weave



Grey Teak



Grey TPO



Tan Seagrass



Golden Sand Seagrass



Tan Teak



Tan TPO

## SPECIAL PACKAGES

- **CONVENIENCE PACKAGE** features a quick-release fender system, stainless steel flip-up cleats, an upgraded steering wheel and portable cupholder.
- **LUXURY PACKAGE** features a Captain's Chair, a stitched-brow upgrade to the helm, stainless steel cupholders, LED rope lighting at the seating base, a black acrylic table and a stainless steel boarding ladder.
- **SPORT PACKAGE** promotes improved buoyancy, speed and maneuverability for epic watersports adventures, thanks to the addition of a lowered center tube that creates a V-hull feel, lifting strakes on the inside of outer tubes, a reinforced nose cone, a full skin kit and a full keel.
- **PERFORMANCE PLUS** offers increased buoyancy, greater control, and improved speed, maneuverability and fuel capacity for a smoother, performance-forward ride. The package includes a 25-inch full-length lowered center tube, lifting strakes on all tubes, a reinforced nose cone, a skin kit, a full keel, an optional in-floor locker and a 37-gallon fuel tank.



Sport Package



Performance Plus Package

## SportTrak™ ACCESSORIES SYSTEM

Attach a variety of accessories like rod holders, cup holders and even electronics to your Lund without drilling holes in your boat. Heavy-duty SportTrak™ brackets mount securely along patented SportTrak™ gunnels so you can position gear just about anywhere. Available on Pro-V, Baron, Tyee, Sport Angler, Explorer, Impact, Pro Guide, Rebel XL, Outfitter, Alaskan and Predator models.



Bumper button & strap (bumper not included)



Rod holder w/ optional extension



Downrigger bracket for angled SportTrak (available on most aluminum models)



Cupholders




Tool holder (tools included)



Rod bracket (Sport Angler only)




Drink holder




Tool holder (tools not included)




Tackle bag (does not include plastic Plano boxes)

# Options & Accessories

## TRAILERS




Standard Roller trailer




Tandem Standard Roller trailer




Standard Bunk trailer



Tandem Custom Bunk trailer (galvanized trailer shown)

## TOP SETS

Premium high-quality materials, easy-to-use designs and attention to detail distinguish Lund top sets.*




Complete top set (1800 Tyee shown—style will vary by model. Eisenglass available on 2175/2075/1975/1875/1775 Pro-V, 2275 Baron, Magnum/2075/1900/1800 Tyee, 1875/1775/1675 Crossover.) *Full canvas enclosure should be used only when boat is anchored or at rest.




Optional sport top (Sport models only)




Bimini top




Premium sport top

## OPTIONAL DECAL PACKAGES

Lund's optional camouflage designs cover the interior and exterior surfaces for ultimate performance.



Lund Wetlands® camouflage exterior (available on Alaskan)



Lund Fall Marsh color option (available on select models)

# Options & Accessories



Grey pilot chair



Grey captain chair



Grey standard seat



ProRide seat



Aft flip-up seat (2175/2075/1975/1875 Pro-V)



Aft flip-up seat (2175/2075/1975/1875 Pro-V)



Aft flip-up seat (2175/2075/1975/1875 Pro-V) in lowered position with optional ski pylon



Tan bow cushions (Crossover)



Grey bow cushions (Crossover)



Aft flip-up seat (2175/2075 Pro-V, Impact, Rebel XS, Fury XL)

# Options & Accessories




Premium audio (includes Rockford Fosgate® stereo and speakers)



Tilt steering (see dealer for specific model availability)



Ski pylon (2175/2075 Pro-V, 2075/1875 Pro-V Bass XS, Baron, Tyee, Crossover, Impact XS and Rebel XS [pictured])



Splash pan inserts (Pro-V and Impact)




Bow rock guard




Mooring cover




Travel cover




Premium travel cover (Pro-V, Baron, Tyee, Crossover)




Premium graphics

# Options & Accessories




Bag ladder combined (Optional: SSV, WC, A; Standard: Rebel, Fury, Predator)



4-step transom mount ladder (Standard: Sport Angler, Impact [not XS], Pro Guide, Rebel XS, Fury XL, Outfitter, Alaskan)



Splash pan ladder (Impact [not XS], Rebel XS)



Ample bow storage




Professional 3-bank charger



VesselView™



Washdown system (Sport Angler shown)



Bow baitwell



Starboard rod tubes (Impact shown)



Snap-in carpet



Snap-in marine mat



Panther power steering

# Aluminum Colors

✓ Standard Color
● Optional Color

| | Pro-V | Pro-V Bass/XS | Baron | Tyee | Crossover | Sport Angler | Impact & Impact XS | Pro Guide | Renegade | Rebel XS | Rebel | Fury XL | Fury | Outfitter | Alaskan | SSV | WC | A | Jon | Predator |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **FREEBOARD COLORS** | | | | | | | | | | | | | | | | | | | | |
| Lund Red | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| Arctic White | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | — | — | — |
| Cobalt Blue | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | — | — | — |
| Graphite Metallic | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | ● | ● | — | ✓ | — | — | — | — | — |
| Wildfire Red | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ✓ | ✓ | — | — | — |
| Black | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — |
| Olive Drab Green | — | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ✓ | — |
| Lund Fall Marsh | — | — | — | — | — | — | — | — | — | — | — | — | ● | ● | ● | ● | ● | ● | — | — |
| Dead Grass Green | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ✓ |
| Dessert Sand | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ● |
| Mossy Oak® Breakup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ● |
| Mossy Oak® Shadow Grass | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ● |
| **HULL COLORS** | | | | | | | | | | | | | | | | | | | | |
| Silverstone | ✓ | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | ● | — | — | — | — | — | — | — | — | — | — |
| Aluminum | — | — | — | — | — | — | — | — | — | — | ✓ | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| Arctic White | — | — | — | — | — | — | — | — | ● | — | — | — | — | — | — | — | — | — | — | — |
| Lund Red | — | — | — | — | — | — | — | — | ● | — | — | — | — | — | — | — | — | — | — | — |
| Black | — | — | — | — | — | — | — | — | ● | — | — | — | — | — | — | — | — | — | — | — |
| Satin Beige | — | — | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| **INTERIOR COLORS** | | | | | | | | | | | | | | | | | | | | |
| Bronze | — | — | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Midnight Star | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — |
| Grey Fleck | — | — | — | — | — | — | — | — | — | — | — | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| **DECAL PACKAGES** | | | | | | | | | | | | | | | | | | | | |
| Lund Wetlands® | — | — | — | — | — | — | — | — | — | — | — | — | — | — | ● | — | — | — | — | — |

## EXTERIOR OPTIONS




## INTERIOR OPTIONS




## SPORTSMAN OPTIONS



# Fiberglass Features & Options



Optional full canvas *Full canvas enclosure should be used only when boat is anchored or at rest.



Optional sport top



Optional ski pylon



Aft storage pod (219 & 202 Pro-V GL only)




Optional fiberglass fender



Marine mat (189 GL)



Standard fiberglass trailer



Tandem fiberglass trailer with stainless fender option

## Fiberglass Colors

### Freeboard / Swoosh / Interior



Red / White / Gunmetal



Black / White / Gunmetal



Gunmetal / Silver / Silver



Red / Silver / Gunmetal



Black / Silver / Gunmetal



Blue / Silver / Gunmetal



White / Gunmetal / Gunmetal



Burgundy / Gunmetal / Gunmetal

# Standard & Optional Equipment

✓ Standard Feature
● Optional Equipment

| | **Pro-V** *(2175, 2075, 1975, 1875)* | **Pro-V** *(2075/1875 Pro-V Bass, 2075/1875 Pro-V Bass XS)* | **Pro-V GL** *(219, 208 Tiller, 202, 189)* | **Baron** | **Tyee** *(2075 Magnum, 2075, 1900, 1800)* | **Tyee GL** *(208, 189)* | **Crossover** | **Sport Angler** | **Impact & Impact XS** | **Pro Guide** | **Renegade** | **Rebel XS & Rebel** | **Fury XL & Fury** | **Outfitter** | **Alaskan** | **SSV, WC, A** | **Predator** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **FISHING** | | | | | | | | | | | | | | | | | |
| Advanced water control bow compartments | ✓ 2175<br>✓ 2075 | ✓ | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Aft baitwell | ✓ | ✓ | ✓ | — | — | ✓ | — | — | — | ✓ | — | — | — | — | — | — | — |
| Aft casting platform | ✓ | ✓ | ✓ | ✓ | ✓ 2075<br>✓ 1900<br>✓ 1800 | ✓ | ✓ | — | ✓ | ✓ | ✓ | ✓ XS | ✓XL Sport<br>✓ XL SS | — | — | — | ✓ |
| Aft flip-up seats | ● | ✓XS | — | ✓ | ✓ | ✓ | ✓ | — | ● Im-pact<br>✓ XS | — | — | ●XS Sport<br>● XS SS | ●XL Sport<br>● XL SS | — | — | — | — |
| Downrigger brackets | ● | ● | — | ● | ● | — | ● | ● | ● | ● | ● | ● | ● XL | ● | ● | — | — |
| Livewell | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | ✓ |
| Livewell pump out | ✓ 2175<br>✓ 2075 | ✓ | — | — | — | — | — | — | — | — | ✓ | — | — | — | — | — | — |
| **FURNITURE & FLOORING** | | | | | | | | | | | | | | | | | |
| Aft storage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ XL | — | ✓ 2000 | — | — |
| Bike seat | ● | ✓ | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | — | — |
| Bow cargo nets | ✓ 2175<br>✓ 2075<br>✓ 1975<br>✓ 1875 | — | ✓ 219<br>✓ 208<br>✓ 202 | ✓ | ✓ 2075<br>✓ 1900<br>✓ 1800 | — | — | — | ● | ✓ 2075<br>✓ 1875<br>● 1775<br>● 1675 | — | — | — | — | — | — | — |
| Bow multi base | — | — | — | — | — | — | — | — | ● 2075<br>● 1875<br>● 1775<br>● 1675<br>— XS | ✓ 2075<br>✓ 1875 | ● | — | — | — | ● 2000 | — | ✓ |
| Captain chair | ● | — | ● | ● | ● | ● | ● | ● | — | ● 2075 | — | — | — | — | — | — | — |
| Pilot chair | ● | — | ● | ● | ● | ● | ● | ● | ● | ● 2075<br>● 1875 | — | — | — | — | — | — | — |
| ProRide seats | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | ✓ 2075<br>✓ 1875<br>● 1775<br>● 1675 | ● | ● | ● | ● | ● | — | — |
| Solid seat, pedestals and bases | ✓ | ✓ | — | ✓ | ✓ | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | ✓ |
| Standard seats | ● | — | — | ● | ● | — | ● | ✓ | ✓ | ✓ 1775<br>✓ 1675 | ✓ | ✓ | ✓ | ✓ | ✓ | — | ✓ |

# Standard & Optional Equipment

✓ Standard Feature
● Optional Equipment

| | **Pro-V** *(2175, 2075, 1975, 1875)* | **Pro-V** *(2075/1875 Pro-V Bass, 2075/1875 Pro-V Bass XS)* | **Pro-V GL** *(219, 208 Tiller, 202, 189)* | **Baron** | **Tyee** *(2075 Magnum, 2075, 1900, 1800)* | **Tyee GL** *(208, 189)* | **Crossover** | **Sport Angler** | **Impact & Impact XS** | **Pro Guide** | **Renegade** | **Rebel XS & Rebel** | **Fury XL & Fury** | **Outfitter** | **Alaskan** | **SSV, WC, A** | **Predator** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CONVENIENCE** | | | | | | | | | | | | | | | | | |
| AirRide pedestals, mainstay | ✓ 2175<br>✓ 2075<br>● 1975<br>● 1875 | — | ✓ 219<br>✓ 208<br>✓ 202<br>● 189 | ✓ | ✓ 2075 Mag.<br>✓ 2075<br>● 1900<br>● 1800 | ✓ 208<br>● 189 | ● | ● | ● | ● | — | ● | ● | ● | ● | — | — |
| Boarding ladder | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ✓ | ✓ | ✓ | ✓ | ● | ✓ |
| Bow cushion | — | — | — | ● | ● 2075<br>● 1900<br>● 1800 | ● | ● | — | ● XS | — | — | — | — | — | — | — | — |
| Bow panel with trim switch | ✓ | ✓ | ✓ | — | — | ✓ | — | — | — | — | ✓ | — | — | — | — | — | ● |
| Bow rock guard | ● | — | — | ● | ● | — | ● | ● | ● | ● | — | ● XS | ● XL | — | ● | — | — |
| Bow stem protector | — | — | — | — | — | — | — | ● | — | — | — | — | — | ● | ● | — | — |
| Bow storage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● SSV-18<br>● SSV-16 | ✓ |
| CE certification | — | — | — | — | — | — | — | — | ● | ● | — | ● | ● | — | ● 1800<br>● 1600 SS | ● SSV-14<br>● WC-16<br>● WC-14 | — |
| Travel cover | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● XL | ● | ● | — | — |
| Driver seat slider | ● | — | ✓ | ● | ✓ | ✓ | ✓ | ● | ● | ● | — | ● XS | ● XL Sport<br>● XL SS | — | — | — | — |
| Grab handles | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ 2025 | ✓ 2075<br>✓ 1875<br>✓ 1775 | — | — | — | — | — | — | — |
| Heavy-duty gunwale extrusions | — | ✓ | — | — | — | — | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ XL | ✓ | ✓ | — | — |
| Interchangeable aerator/ bilge cartridges | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — |
| Bow Deck Extension | — | — | — | ✓ | ✓ 2075<br>✓ 1900<br>✓ 1800 | ✓ | ● | — | — | — | — | — | — | — | — | — | — |
| Recessed ring deck and controls | ✓ | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Self-draining splash pan | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ SSV | ✓ |
| Snap-in carpet | ● | ● | ● | ● | ● | ● | ● | — | ● | — | — | — | — | — | — | — | — |
| Solid pedestals | — | ✓ | ✓ 189 | — | ✓ 1900<br>✓ 1800 | ✓ 189 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | ✓ |

# Standard & Optional Equipment

✓ Standard Feature
● Optional Equipment

| | **Pro-V** *(2175, 2075, 1975, 1875)* | **Pro-V** *(2075/1875 Pro-V Bass, 2075/1875 Pro-V Bass XS)* | **Pro-V GL** *(219, 208 Tiller, 202, 189)* | **Baron** | **Tyee** *(2075 Magnum, 2075, 1900, 1800)* | **Tyee GL** *(208, 189)* | **Crossover** | **Sport Angler** | **Impact & Impact XS** | **Pro Guide** | **Renegade** | **Rebel XS & Rebel** | **Fury XL & Fury** | **Outfitter** | **Alaskan** | **SSV, WC, A** | **Predator** |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stainless steel bow rails | ● 2175<br>● 2075 | — | ✓ 219<br>✓ 202 | ✓ | ✓ | ✓ | — | — | — | — | — | — | — | — | — | — | — |
| Twin-plating bow to midship | ✓ | ✓ | — | ✓ | ✓ | — | ✓ | ✓ | ✓ | ✓ | — | ✓ XS | — | ✓ | — | — | — |
| Washdown system | ● | — | ● | — | ● 2075 | — | — | ✓ | ● 2025 | ● 2075 | — | — | — | — | — | — | — |
| **ELECTRONICS** | | | | | | | | | | | | | | | | | |
| Auto-style fuse panel and wiring harness | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| Additional trolling motor plug-in | ✓ 2175<br>✓ 2075<br>● 1975<br>● 1875 | — | — | — | — | — | — | — | ● | ● | — | ● | ● | ● | ● | — | — |
| Easy-access service portals | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | — | — | — | — |
| Factory kicker motor pre-rig | ● | — | ● | ● | ● | ● | ● | ● | ● 2025<br>● 1875<br>● 1850<br>● 1775 | ● 20<br>● 18 | — | — | — | — | — | — | — |
| Fire extinguisher | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | ● | ● | ● | ● | ● | ● | ● | — | — |
| Kicker stereo | ✓ 2175<br>✓ 2075<br>✓ 1975<br>✓ 1875 | ● | ✓ | ✓ | ✓ | ✓ | ✓ | ● | ● | ● | ● | ● XS | ● XL Sport<br>● XL SS | — | — | — | — |
| Interior lights | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ (1) | — | — | — | — | — |
| **HELM** | | | | | | | | | | | | | | | | | |
| Bubble windshield | ✓ SE | ✓ | — | — | — | — | — | — | ✓ SS | — | ✓ | ✓ XS SS | ✓ XL SS<br>● SS | — | ✓ SS | ● SSV | ✓ SS<br>✓ CC |
| Console storage | ✓ | ● | — | ✓ | ✓ | — | ✓ | ✓ | ✓ Sport | ✓ Command | — | ✓ XS Sport | ✓ XL Sport | — | ✓ DC | ● SSV-18 | ✓ CC |
| Custom dual consoles with walk-through windshield | ✓ IFS | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ Sport | — | — | ✓ XS Sport | ✓ XL Sport | — | ✓ DC | — | — |
| Side console | ● | ✓ | — | — | — | — | — | — | ✓ SS | — | ✓ | ✓ | ✓ | — | ✓ | ● SSV | ✓ SS |
| Horn | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ Rebel<br>● XS | ● | — | ● | — | ✓ SS<br>✓ CC |

# Standard & Optional Equipment

✓ Standard Feature
● Optional Equipment

| | Pro-V *(2175, 2075, 1975, 1875)* | Pro-V *(2075/1875 Pro-V Bass, 2075/1875 Pro-V Bass XS)* | Pro-V GL *(219, 208 Tiller, 202, 189)* | Baron | Tyee *(2075 Magnum, 2075, 1900, 1800)* | Tyee GL *(208, 189)* | Crossover | Sport Angler | Impact & Impact XS | Pro Guide | Renegade | Rebel XS & Rebel | Fury XL & Fury | Outfitter | Alaskan | SSV, WC, A | Predator |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lighted instrumentation | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓XS Sport<br>✓XS SS | ● | ✓ | ● DC<br>● SS | ● SSV | — |
| Lockable storage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓XS | ✓XL Sport | — | ✓DC | — | — |
| Mercury Pre-Rig | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓XS Sport<br>✓XS SS | ✓XL<br>✓SS | — | ✓DC<br>✓SS | ● SSV | ✓ |
| Mercury Pre-Rig with gauges | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓XS Sport<br>✓XS SS<br>● Rebel SS | ● XL Sport<br>● XL SS<br>● Fury SS | — | ● DC<br>● SS | ● SSV | ✓ |
| Mercury SmartCraft™ gauges | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | — | — | — | — | — | — |
| Padded bow bolsters | — | — | — | ● | ● | ● | — | — | — | — | — | — | — | — | — | — | — |
| Port console option (Double Bubble) | ● SE | ● | — | — | — | — | — | — | ● SS | — | — | ● XS SS | ● XL SS | — | ● 2000 SS | ● SSV-18 | — |
| Power tiller steering | — | — | ✓208 | — | — | — | — | — | — | ● 2075 | — | — | — | — | — | — | ● 20<br>● 18 |
| ProCapacity lockable in-floor rod storage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | — | ✓ | ✓ | ✓ | ✓XS | ✓XL | — | — | — | — |
| **PERFORMANCE** | | | | | | | | | | | | | | | | | |
| Built-in fuel system | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓XS | — | ✓ | ✓ | — | ✓SS<br>✓CC |
| Freshwater pickup system | ✓2175<br>✓2075<br>✓1975<br>✓1875 | — | ✓ | ✓ | — | ✓ | — | — | ✓2025 | ✓2075 | — | — | — | — | — | — | — |

**The following solid-construction features come standard on all Lund models**: aluminum bow and corner castings, double-riveted seams, heavy-duty treated transom, marine-grade 5052 H34 aluminum, oven-cured finish and poured foam for level flotation.**

### STANDARD FEATURES ON MOST* MODELS**:

- Accessory brackets (standard on all models except Fury, SSV, WC, A; optional on Crossover, Impact, Rebel XS, Fury XL, Outfitter, Alaskan)
- Bilge pump (standard on all models except SSV, WC, A)
- Bow eye (standard on all models)
- Built-in fuel tank (standard on all models except Fury XL, Fury, SSV, WC, A)
- Casting platform (standard on all models except 1800 Alaskan DC, 1800/1600 Alaskan, SSV, WC, A)
- Deck mounting pad (standard on all models except SSV, WC, A)
- Drink holders (standard on most models)
- Electronics package: depthfinder, trolling motor—see dealer for details
- Mercury outboard motor (standard on all models except Outfitter, SSV, WC, A)
- Navigation lights (standard on all models except A; optional on SSV, WC)
- Shoreland'r trailer (standard on all models except Outfitter, SSV, WC, A)

### POPULAR OPTIONS AVAILABLE ON MOST* MODELS**:

- Additional pedestal seats (optional on all models except SSV, WC, A)
- Battery charger (optional on all models except SSV, WC, A)
- Mooring cover (fish boats only)
- Travel cover

* Not all standard and optional equipment available on all models; see your Lund dealer for more information.

** See your Lund dealer or visit www.lundboats.com for Jon boat standards and options.

# Specifications

| | 2175 Pro-V IFS | 2075 Pro-V IFS | 219 Pro-V GL | 208 Pro-V GL Tiller | 202 Pro-V GL | 1975 Pro-V | 1875 Pro-V | 2075 Pro-V Bass XS | 1875 Pro-V Bass XS | 189 Pro-V GL | 2275 Baron | 2075 Tyee Magnum | 2075 Tyee | 208 Tyee GL |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PAGE NUMBER** | **7** | **7** | **8** | **10** | **8** | **11** | **11** | **9** | **12** | **13** | **14** | **15** | **15** | **16** |
| Horsepower Maximum | 350 | 300 | 350 *(Mercury only)* | 250 | 300 | 225 | 200 | 250 | 200 | 200 | 350 | 250 | 250 | 300 |
| Centerline Length | 21'10" | 20'10" | 21'9" | 20'8" | 20'2" | 19'8" | 18'10" | 20'10" | 18'9" | 18'9" | 22'9" | 20'8" | 20'8" | 20'8" |
| Beam Width | 102" | 102" | 102" | 96" | 102" | 100" | 97" | 96" | 96" | 102" | 102" | 99.5" | 99.5" | 96" |
| Stern Width | 101" | 101" | 100" | 95" | 100" | 100" | 97" | 95.5" | 95.5" | 98.5" | 101" | 96" | 98" | 95" |
| Amidship Depth | 40.5" | 40.5" | — | — | — | 39.5" | 37" | 32.25" | 32.25" | 45.5" | 52" | 48" | 48" | — |
| Bow Depth | 42.5" | 42.5" | — | — | — | 42.5" | 40.5" | 32.25" | 33.25" | 41.5" | 57" | 52" | 52" | — |
| Transom Height | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" |
| Standard Boat Weight (approx. lbs) | 2300 | 2150 | 3000 | 2400 | 2500 | 1940 | 1710 | 1850 | 1475 | 2550 | 2450 | 1920 | 1980 | 2500 |
| Capacity (lbs) | 2200 | 2100 | 2150 | 2100 | 2000 | 2000 | 1800 | 1800 | 1650 | 1900 | 2950 | 2350 | 2350 | 2000 |
| Fuel Tank (gal.) | 65 | 62 | 65 | 65 | 65 | 51 | 43 | 49 | 39 | 41 | 70 | 49 | 50 | 55 |
| Persons (maximum) | 7 | 7 | 8 | 5 | 7 | 6 | 6 | 5 | 5 | 8 | 12 | 9 | 9 | 8 |
| Hull Design | IPS2 | IPS2 | IPS3 | IPS2 | IPS3 | IPS2 | IPS2 | IPS2 | IPS2 | IPS3 | IPS2 | IPS2 | IPS2 | IPS2 |
| Thickness Freeboard/Bottom | .08/.125 | .08/.125 | — | — | — | .08/.1 | .08/.1 | .08/.1 | .08/.1 | — | .08/.125 | .08/.1 | .08/.1 | — |
| Twin Hull Plate Thickness | .225 | .225 | — | — | — | .2 | .18 | .2 | .18 | — | .225 | .2 | .2 | — |
| Gunwale | PTG | PTG | — | — | — | PTG | PTG | PTG | PTG | — | PTG | PTG | PTG | — |
| Seats | 4 AR | 4 AR | 4 AR | 4 AR | 4 AR | 4 AR | 3 AR | 2 solid/1B | 2 solid/1B | 3 solid | 3 solid/1AR | 3 solid/1AR | 3 solid/1AR | 4 AR |
| Seat Bases | 6 | 6 | 7 | 6 | 8 | 6 | 6 | 5 | 5 | 7 | 8 | 5 | 6 | 7 |
| Console (with steering) | T(◆✓H) | T(◆✓H) | T(✓H) | — | T(✓H) | T(✓H) | T(◆●H) | S(◆●H) | S(◆●H) | T(✓H) | T(✓H) | T(◆✓H) | T(◆✓H) | T(◆✓H) |
| Livewell | PLP | PLP | PLP | PLP | PLP | PLP | PLP | PL | PL | PLP | PLP | AL | AL | PL |
| Rod Storage | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L |
| Battery Holder | ✓5 | ✓5 | ✓5 | ✓5 | ✓5 | ✓5 | ✓3 | ✓3 | ✓3 | ✓5 | ✓5 | ✓5 | ✓5 | ✓5 |
| Canvas Top Set | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | — | ●TC●ST●CT | ●TC●ST●CT | ●TCST●CT | — | — | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT |
| Cockpit Depth | 21.5" | 21.5" | 24.5" | 22.5" | 25" | 21.25" | 21.25" | 20" | 20" | 25" | 30.5" | 30" | 30" | 26.5" |
| Bow Casting Platform Depth | 12.75" | 12.75" | 13" | — | — | 11" | 11" | 16.75" | 16.75" | 10.75" | 16.75" | 16" | 16" | — |

**SPECIFICATIONS LEGEND**

*(see page 72 for additional symbols)*

- ✓ Standard Feature
- ● Optional Equipment

**IPS** IPS™ Hull
**IPS2** IPS™ 2 Hull
**IPS3** IPS™ 3 Hull
**SVB** Semi V-Hull
**TLVB** True Lund V-Hull

**PTG** ProTrak™ Gunwale
**DTG** DualTrak™ Gunwale
**FBG** Fish Boat Gunwale

**AR** AirRide Pedestal Seats
**B** Bike Seat
**S** Side Console
**T** Twin Console with Walk-through Windshield

**H** Hydraulic Steering
◆ No-feedback Tilt Steering
✚ No-feedback Steering with Optional Tilt
▲ No-feedback Steering

# Specifications

| | 1900 Tyee | 1800 Tyee | 189 Tyee GL | 1875 Crossover XS | 1775 Crossover XS | 2000 Sport Angler | 1800 Sport Angler | 2025 Impact XS Sport | 1875 Impact Sport | 1875 Impact SS | 1875 Impact XS Sport | 1775 Impact Sport | 1775 Impact SS | 1775 Impact XS Sport |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PAGE NUMBER** | **17** | **18** | **19** | **20** | **21** | **22** | **22** | **23** | **24** | **24** | **25** | **26** | **26** | **27** |
| Horsepower Maximum | 200 | 175 | 200 | 175 | 150 | 225 | 175 | 200 | 150 | 150 | 150 | 125 | 125 | 125 |
| Centerline Length | 19'1" | 18'1" | 18'9" | 18'10" | 17'10" | 20'6" | 18'6" | 20'2" | 18'11" | 18'11" | 18'11" | 17'11" | 17'11" | 17'11" |
| Beam Width | 98" | 95" | 102" | 95" | 95" | 97" | 97" | 96" | 96" | 96" | 96" | 96" | 96" | 96" |
| Stern Width | 97" | 94" | 98.5" | 95" | 95" | 97" | 97" | 95" | 93.5" | 93.5" | 93.5" | 93.5" | 93.5" | 93.5" |
| Amidship Depth | 45" | 42.25" | 45.5" | 40.5" | 40.5" | 42.5" | 42.5" | 37" | 38.25" | 38.25" | 38.25" | 38.25" | 38.25" | 38.25" |
| Bow Depth | 48" | 45" | 41.5" | 43" | 43" | 46" | 46" | 39" | 42.25" | 42.25" | 42.25" | 42.25" | 42.25" | 42.25" |
| Transom Height | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" | 25" |
| Standard Boat Weight (approx. lbs) | 1750 | 1550 | 2500 | 1558 | 1450 | 1600 | 1460 | 1750 | 1410 | 1380 | 1520 | 1360 | 1310 | 1390 |
| Capacity (lbs) | 1800 | 1700 | 2100 | 1800 | 1750 | 2100 | 1900 | 2000 | 1800 | 1800 | 1800 | 1700 | 1700 | 1700 |
| Fuel Tank (gal.) | 41 | 31 | 41 | 35 | 28 | 52 | 44 | 46 | 36 | 36 | 36 | 30 | 30 | 30 |
| Persons (maximum) | 8 | 7 | 8 | 8 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 6 |
| Hull Design | IPS2 | IPS2 | IPS3 | IPS | IPS | IPS2 | IPS2 | IPS2 | IPS | IPS | IPS | IPS | IPS | IPS |
| Thickness Freeboard/Bottom | .08/.1 | .08/.1 | — | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.08 | .08/.08 | .08/.08 | .08/.08 | .08/.08 | .08/.08 |
| Twin Hull Plate Thickness | .2 | .2 | — | .16 | .16 | .2 | .2 | .18 | .16 | .16 | .16 | .16 | .16 | .16 |
| Gunwale | PTG | PTG | — | PTG | PTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG |
| Seats | 3 solid | 3 solid | 3 solid | 3 solid | 3 solid | 2 solid | 2 solid | 4 solid | 3 solid | 3 solid | 3 solid | 2 solid | 2 solid | 2 solid |
| Seat Bases | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 6 | 6 |
| Console (with steering) | T(◆✓H) | T(◆✓H) | T(✓H) | T(◆●H) | T(◆●H) | T(✚●H) | T(✚●H) | T(✚●H) | T(✚●H) | S(✚●H) | T(✚●H) | T(✚●H) | S(✚●H) | T(◆●H) |
| Livewell | AL | AL | PL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL |
| Rod Storage | ✓L | ✓L | ✓L | ✓L | ✓L | ✓ | ✓ | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L |
| Battery Holder | ✓3 | ✓3 | ✓5 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 |
| Canvas Top Set | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | ●TC●ST●CT | ●PCT●CT | ●PCT●CT | ●ST●CT | ●ST●CT | ●BT | ●ST●BT●CT | ●ST●CT | ●BT | ●BT |
| Cockpit Depth | 27" | 27" | 27" | 25" | 25" | 26.5" | 26.5" | 22.5" | 24" | 24" | 24" | 24" | 24" | 24" |
| Bow Casting Platform Depth | 11" | 11" | 12" | 11" | 11" | 13.5" | 13.5" | 12" | 12.5" | 12.5" | 12.5" | 12.5" | 12.5" | 10.5" |

**SPECIFICATIONS LEGEND**

- ✓ Standard Feature
- ● Optional Equipment

- **IPS** IPS™ Hull
- **IPS2** IPS™ 2 Hull
- **IPS3** IPS™ 3 Hull
- **SVB** Semi V-Hull
- **TLVB** True Lund V-Hull

- **PTG** ProTrak™ Gunwale
- **DTG** DualTrak™ Gunwale
- **FBG** Fish Boat Gunwale

- **AR** AirRide Pedestal Seats
- **B** Bike Seat
- **S** Side Console
- **T** Twin Console with Walk-through Windshield

- **H** Hydraulic Steering
- ◆ No-feedback Tilt Steering
- ✚ No-feedback Steering with Optional Tilt
- ▲ No-feedback Steering

# Specifications

| 1675 Impact Sport | 1675 Impact SS | 1675 Impact XS Sport | 2075 Pro Guide | 1875 Pro Guide | 1775 Pro Guide | 1675 Pro Guide | 1875 Renegade | 1775 Renegade | 1750 Rebel XS Sport | 1750 Rebel XS SS | 1650 Rebel XS Sport | 1650 Rebel XS SS | 1650 Rebel XS Tiller | 1600 Rebel SS | 1600 Rebel Tiller | 1625 Fury XL Sport | 1625 Fury XL SS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **28** | **28** | **29** | **30** | **30** | **31** | **31** | **32** | **33** | **34** | **34** | **35** | **35** | **36** | **37** | **37** | **38** | **39** |
| 90 | 90 | 90 | 200 | 90 | 90 | 75 | 115 | 90 | 115 | 90 | 90 | 90 | 60 | 50 | 40 | 60 | 60 |
| 16'10" | 16'10" | 16'10" | 20'9" | 18'10" | 17'9" | 16'9" | 18'9" | 17'9" | 17'6" | 17'6" | 16'6" | 16'6" | 16'6" | 16'5" | 16'5" | 16'3" | 16'3" |
| 90" | 90" | 90" | 93" | 93" | 93" | 90" | 95" | 95" | 85" | 85" | 84" | 84" | 84" | 77" | 77" | 80" | 80" |
| 89.5" | 89.5" | 89.5" | 93" | 93" | 93" | 88.25" | 95" | 95" | 83" | 83" | 82.5" | 82.5" | 82.5" | 73.5" | 73.5" | 77" | 77" |
| 36" | 36" | 36" | 36.5" | 37" | 34.5" | 34.5" | 26" | 26" | 34.5" | 34.5" | 33.5" | 33.5" | 33.5" | 31" | 31" | 32.5" | 32.5" |
| 39" | 39" | 39" | 38.75" | 38.5" | 37.5" | 37" | 24" | 24" | 36.75" | 36.75" | 36.5" | 36.5" | 36.5" | 33" | 33" | 35" | 35" |
| 25" | 25" | 25" | 25" | 25" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" |
| 1175 | 1125 | 1320 | 1500 | 1336 | 1225 | 1050 | 1270 | 1195 | 1135 | 1085 | 1025 | 975 | 920 | 710 | 647 | 902 | 862 |
| 1550 | 1550 | 1550 | 2000 | 1650 | 1600 | 1400 | 1325 | 1225 | 1400 | 1400 | 1350 | 1350 | 1350 | 1225 | 1225 | 1250 | 1250 |
| 22 | 22 | 22 | 43 | 35 | 30 | 22 | 22 | 22 | 22 | 22 | 21 | 21 | 21 | 6 | 6 | 12 | 12 |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 4 | 6 | 6 | 6 | 6 | 6 | 5 | 5 | 5 | 5 |
| IPS | IPS | IPS | IPS2 | IPS2 | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS |
| .08/.08 | .08/.08 | .08/.08 | .08/.1 | .063/.08 | .063/.08 | .063/.08 | .1/.1 | .1/.1 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 |
| .16 | .16 | .16 | .18 | .16 | .143 | .143 | — | — | .143 | .143 | .143 | .143 | .143 | — | — | — | — |
| DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG |
| 2 solid | 2 solid | 2 solid | 3 solid | 3 solid | 3 solid | 2 solid | 2S/1B | 2S/1B | 3 solid | 3 solid | 3 solid | 3 solid | 3 solid | 2 solid | 2 solid | 2 solid | 2 solid |
| 6 | 6 | 6 | 7 | 7 | 6 | 4 | 2 | 2 | 6 | 6 | 6 | 6 | 4 | 4 | 4 | 6 | 6 |
| T(✚●H) | S(✚●H) | T(◆●H) | — | — | — | — | S(✚) | S(✚) | T(▲) | S(▲) | T(▲) | S(▲) | — | S(▲) | — | T(▲) | S(▲) |
| AL | AL | AL | PLP | PLP | PL | PL | PL | PL | AL | AL | AL | AL | AL | AL | AL | AL | AL |
| ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓L | ✓ | ✓ | ✓ | ✓ |
| ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓3 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 |
| ●ST●CT | ●BT | ●BT | ●BT | ●BT | ●BT | ●BT | — | — | ●ST●CT | ●BT | ●ST●CT | ●BT | ●BT | — | — | ● | ● |
| 23" | 23" | 23" | 20.25" | 19.5" | 20" | 20.75" | 18.75" | 18.75" | 23.5" | 23.5" | 23" | 23" | 23" | 22" | 22" | 20" | 20" |
| 10.5" | 10.5" | 10.5" | 12.75" | 12.5" | 12.75" | 12.5" | 15.75" | 15.75" | 13.25" | 13.25" | 13" | 13" | 13" | 11.75" | 11.75" | 7.5" | 7.5" |

**AL** Aerated Livewell
**PLP** ProLong Plus Livewell
**PL** ProLong Livewell
**L** Lockable Rod Storage

**TC** Premium Travel Cover
**ST** Sport Top Set — Includes top with aluminum bows
**BT** Bimini Top

**CT** Complete Sport Top Set — Includes sport top, aluminum bows, bow cover, walkway curtain, side curtains, and aft slant curtain (most models)
**PCT** Premium Complete Top Set — Includes stainless steel bows, weather seal, bow cover, walkway curtain, side curtains, and aft slant curtain or aft drop curtain

# Specifications

| | 1625 Fury Tiller | 1600 Fury SS | 1600 Fury Tiller | 1400 Fury SS | 1400 Fury Tiller | 1750 Outfitter | 2000 Alaskan DC | 2000 Alaskan SS | 2000 Alaskan Tiller | 1800 Alaskan DC | 1800 Alaskan SS | 1800 Alaskan Tiller | 1600 Alaskan SS | 1600 Alaskan Tiller |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PAGE NUMBER** | **39** | **40** | **40** | **40** | **40** | **41** | **42** | **42** | **43** | **42** | **42** | **43** | **42** | **43** |
| Horsepower Maximum | 50 | 40 | 40 | 30 | 30 | 60 | 125 | 125 | 125 | 90 | 90 | 75 | 75 | 60 |
| Centerline Length | 16'3" | 16'2" | 16'2" | 14'9" | 14'9" | 17'7" | 20'6" | 20'6" | 20'6" | 18'9" | 18'9" | 18'9" | 16'10" | 16'10" |
| Beam Width | 80" | 73.5" | 73.5" | 69.5" | 69.5" | 77" | 90.5" | 90.5" | 90.5" | 83" | 83" | 83" | 81" | 81" |
| Stern Width | 77" | 64.75" | 64.75" | 64.75" | 64.75" | 74" | 85" | 85" | 85" | 79" | 79" | 79" | 79" | 79" |
| Amidship Depth | 32.5" | 30.5" | 30.5" | 30.5" | 30.5" | 32" | 35" | 35" | 35" | 33" | 33" | 33" | 33" | 33" |
| Bow Depth | 35" | 35.5" | 35.5" | 35.5" | 35.5" | 33" | 39" | 39" | 39" | 36" | 36" | 36" | 36" | 36" |
| Transom Height | 20" | 20" | 20" | 20" | 20" | 20" | 25" | 25" | 20" | 20" | 20" | 20" | 20" | 20" |
| Standard Boat Weight (approx. lbs) | 812 | 565 | 520 | 545 | 500 | 805 | 1275 | 1200 | 1105 | 1105 | 1030 | 975 | 915 | 860 |
| Capacity (lbs) | 1250 | 1200 | 1200 | 1080 | 1080 | 1400 | 2100 | 2100 | 2100 | 1600 | 1600 | 1600 | 1350 | 1350 |
| Fuel Tank (gal.) | 12 | — | — | — | — | 22 | 29 | 29 | 29 | 20 | 20 | 20 | 20 | 20 |
| Persons (maximum) | 5 | 5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 |
| Hull Design | IPS | IPS | IPS | IPS | IPS | TLVB | IPS | IPS | IPS | IPS | IPS | IPS | IPS | IPS |
| Thickness Freeboard/Bottom | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.08 | .063/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 | .08/.1 |
| Twin Hull Plate Thickness | — | — | — | — | — | .18 | — | — | — | — | — | — | — | — |
| Gunwale | DTG | FBG | FBG | FBG | FBG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG | DTG |
| Seats | 2 solid | 2 solid | 2 solid | 2 solid | 2 solid | 3 solid | 3 solid | 3 solid | 3 solid | 2 solid | 2 solid | 2 solid | 2 solid | 2 solid |
| Seat Bases | 4 | 4 | 3 | 3 | 3 | 4 | 5 | 5 | 4 | 5 | 5 | 4 | 4 | 3 |
| Console (with steering) | — | S(▲) | — | S(▲) | — | — | T(▲●H) | S(▲●H) | — | T(▲) | S(▲) | — | S(▲) | — |
| Livewell | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL | AL |
| Rod Storage | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Battery Holder | ✓2 | 1 | 1 | 1 | 1 | ✓1 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 |
| Canvas Top Set | ● | — | — | — | — | — | ●ST●CT | ●BT | ●BT | ●ST●CT | ●BT | ●BT | ●BT | ●BT |
| Cockpit Depth | 20" | 21" | 21" | 21" | 21" | 20" | 22.5" | 22.5" | 22.5" | 21" | 21" | 21" | 21" | 21" |
| Bow Casting Platform Depth | 7.5" | 13.5" | 13.5" | 13.5" | 13.5" | 7.5" | 14.75" | 14.75" | 14.75" | — | — | — | — | — |

**SPECIFICATIONS LEGEND**

- ✓ Standard Feature
- ● Optional Equipment

**IPS** IPS™ Hull
**IPS2** IPS™ 2 Hull
**IPS3** IPS™ 3 Hull
**SVB** Semi V-Hull
**TLVB** True Lund V-Hull

**PTG** ProTrak™ Gunwale
**DTG** DualTrak™ Gunwale
**FBG** Fish Boat Gunwale

**AR** AirRide Pedestal Seats
**B** Bike Seat
**S** Side Console
**T** Twin Console with Walk-through Windshield

**H** Hydraulic Steering
◆ No-feedback Tilt Steering
✚ No-feedback Steering with Optional Tilt
▲ No-feedback Steering

# Specifications

| SSV-18 | SSV-16 | SSV-14 | WC-16 | WC-14 | WC-12 | A-14 | A-12 | 2070 Predator CC | 2070 Predator SS | 2070 Predator Tiller | 1870 Predator CC | 1870 Predator SS | 1870 Predator Tiller | 1760 Predator SS | 1760 Predator Tiller | 1660 Predator Tiller |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **44** | **44** | **44** | **45** | **45** | **45** | **46** | **46** | **48** | **49** | **50** | **48** | **49** | **50** | **51** | **51** | **51** |
| 60 | 40 | 35 | 25 | 25 | 15 | 15 | 10 | 150 | 150 | 90 | 90 | 90 | 75 | 75 | 60 | 50 |
| 18'4" | 16'2" | 14'2" | 16'2" | 14'6" | 12'1" | 14'1" | 12'1" | 20'0" | 20'0" | 20'0" | 18'0" | 18'0" | 18'0" | 17'0" | 17'0" | 16'0" |
| 76" | 72" | 70" | 72" | 69" | 61" | 61" | 60" | 96" | 96" | 96" | 96" | 96" | 96" | 85" | 85" | 85" |
| 70.5" | 64.5" | 64.5" | 63" | 63" | 58" | 51.5" | 51.5" | 96" | 96" | 96" | 96" | 96" | 96" | 85" | 85" | 85" |
| 28.5" | 28.5" | 28.5" | 26.25" | 26.25" | 23" | 21" | 21" | 27" | 27" | 27" | 26.5" | 26.5" | 26.5" | 25.5" | 25.5" | 25.5" |
| 35" | 35" | 35" | 29.5" | 28.75" | 25.625" | 24.5" | 24.5" | 28.5" | 28.5" | 28.5" | 29.25" | 29.25" | 29.25" | 27.25" | 27.25" | 27" |
| 20" | 15"/20" | 15"/20" | 15"/20" | 15"/20" | 15" | 15" | 15" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" | 20" |
| 460 | 340/350 | 285/295 | 325/335 | 285/295 | 205 | 194 | 164 | 1175 | 1175 | 994 | 1008 | 1008 | 953 | 910 | 787 | 670 |
| 1500 | 1100/1200 | 915/1020 | 1150 | 1000 | 700 | 785 | 645 | 1762 | 1762 | 1900 | 1478 | 1478 | 1574 | 1228 | 1206 | 1009 |
| — | — | — | — | — | — | — | — | 20 | 20 | — | 20 | 20 | — | 20 | — | — |
| 7 | 5/6 | 4 | 5 | 4 | 3 | 3 | 3 | 7 | 7 | 7 | 7 | 7 | 6 | 5 | 5 | 4 |
| IPS | IPS | IPS | SVB | SVB | SVB | SVB | SVB | Mod-V | Mod-V | Mod-V | Mod-V | Mod-V | Mod-V | Mod-V | Mod-V | Mod-V |
| .063/.1 | .063/.08 | .063/.063 | .063/.063 | .063/.063 | .063/.063 | .063/.063 | .063/.063 | .1/.1 | .1/.1 | .1/.1 | .1/.1 | .1/.1 | .1/.1 | .1/.1 | .1/.1 | .1/.1 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| FBG | FBG | FBG | FBG | FBG | FBG | FBG | FBG | PTG | PTG | PTG | PTG | PTG | PTG | PTG | PTG | PTG |
| 4 bench | 4 bench | 4 bench | 5 bench | 4 bench | 4 bench | 3 bench | 3 bench | 2 | 3 | 1 | 2 | 3 | 1 | 3 | 1 | 1 |
| — | — | — | — | — | — | — | — | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| ●S(▲) | ●S(▲) | ●S(▲) | — | — | — | — | — | ✓ | ✓ | — | ✓ | ✓ | — | ✓ | — | — |
| — | — | — | — | — | — | — | — | AL | AL | AL | AL | AL | AL | AL | AL | AL |
| — | — | — | — | — | — | — | — | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ● | ● | ● | — | — | — | — | — | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 | ✓2 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | 21.5" | 21.5" | 23.75" | 21.5" | 21.5" | 23.75" | 20.5" | 22.25" | 22.25" |
| — | — | — | — | — | — | — | — | 6.5" | 6.5" | 6.5" | 6.5" | 6.5" | 6.5" | 5.5" | 5.5" | 5.5" |

**AL** Aerated Livewell
**PLP** ProLong Plus Livewell
**PL** ProLong Livewell
**L** Lockable Rod Storage
**TC** Premium Travel Cover
**ST** Sport Top Set — Includes top with aluminum bows
**BT** Bimini Top
**CT** Complete Sport Top Set — Includes sport top, aluminum bows, bow cover, walkway curtain, side curtains, and aft slant curtain (most models)
**PCT** Premium Complete Top Set — Includes stainless steel bows, weather seal, bow cover, walkway curtain, side curtains, and aft slant curtain or aft drop curtain

# Powerful Partners




**Lund prides itself on delivering the most rugged and dependable boats in the fishing industry, so it's no surprise that Lund teams up with Mercury® Marine to provide the solid and efficient power to get you there and back. Mercury is an industry leader in four-stroke and direct-injected two-stroke technology, and all of its engines run smoothly and responsively in any water conditions. Check out Mercury's latest and greatest offerings here, and for more information, visit www.mercurymarine.com.**

## OPTIMAX PRO XS

Mercury's OptiMax Pro XS outboards deliver unprecedented speed and acceleration to help you get to where the fish are biting—fast! Several qualities make the Pro XS the best-selling tournament outboard in the world. For starters, its two-stage direct-injection system and high-tech carbon fiber reeds make for incredibly quick response and outstanding performance. The Pro XS also boasts higher open-throttle rpm for remarkable acceleration.



## SPITFIRE PROPELLER

Mercury's FourStroke outboards have a partner in crime: the Spitfire propeller. Four bold and uncompromising blades with high rake angles and extra cup give Mercury's FourStrokes greater acceleration without compromising top speed.




## 150 FOURSTROKE

The 150 FourStroke is the lightest, most versatile and most durable outboard in its power class. Its remarkably low maintenance and top-of-the-line fuel efficiency allow fishermen (and their families) to spend more time out on the water. Sleek and reliable, the 150 FourStroke has everything you need.

## Lund Gear




## WEAR WITH PRIDE

You wouldn't be caught in any boat but a Lund while fishing your favorite waters. Now you can further look the part of a hardcore angler, thanks to Lund's extensive line of apparel. Men, women and children can sport clothing with a range of Lund logos from past to present and hats for sun protection. Show your Lund pride along with the pros by visiting www.lundboats.com and clicking on Gear.




## HIGHER STANDARDS

Every Lund boat is built to meet or exceed rigorous NMMA certification standards and Coast Guard regulations. But first, every Lund must pass the toughest test of all—our own standards for quality and craftsmanship.

## RESALE VALUE

When you buy a Lund boat, you become part of the Lund family and part of our tradition of excellence. When it comes time to sell your Lund boat, your investment in Lund quality will be rewarded.

## LUND DEALERS

Because we build the best boats on the water, we can afford to be selective with who sells them. When you see the Lund sign hanging in the window, you know the dealer inside meets Lund's strict standards for customer satisfaction. Stop by any of our dealers, and you'll see why they've earned the right to carry the Lund line.

## LUND PROFESSIONALS

Without the dedicated efforts of the people at Lund who build our boats and the professional anglers who help design them, the Lund tradition of excellence would not be possible. Thank you.

## NOTES

Some photos of Lund boats in this catalog show factory and/or dealer installed options. Photographs are taken under controlled conditions. Colors are subject to printing limitations and are approximations only.

**Because Lund is dedicated to constant product improvements, the specifications, options, color selections and model availabilities of our boats are subject to change without notification.**

ProTrak™ Cover Fastening System is patented (Patent # 6,886,489)
Boat With Enhanced Access to Engine and Stern is patented (Patent # 6,935,266)
Boat With Recessed Shifter is patented (Patent # 6,971,328)
Accessory Mounting System for a boat is patent pending
SportTrak™ Accessory Mounting System for a boat is patented (Patent # 7,341,231)

## SPECIAL THANKS

Auger's Pine View Resort, Lindner Media Productions, Mercury Marine, MotorGuide, Mr. Walleye Specialties, Plano Molding Company, Frabill, Gemini Sport Marketing.

MERCURY

NMMA CERTIFIED using ABYC standards

LUND AYA ANGLER & YOUNG ANGLER FISHING TOURNAMENTS

Please follow the rules of safe boating, take a boating safety course, be courteous to others and respect the marine environment.
Lund, a Brunswick Company. ©2017 Lund Boat Company. Printed in the USA.

BOATING'S BEST LIFETIME WARRANTY

## BOATING'S BEST LIFETIME WARRANTY

Lund's Lifetime Limited Warranty gives you the best overall coverage available. From bow to stern, gunwale to gunwale, your new Lund is backed with a transferable* warranty—and Lund's promise that we'll make sure any claims are handled with speed, ease and our full support.

It's because Lund boats are built so well that we can afford to give you this superior warranty. We don't think you'll need it; we have that much confidence in our boats. But if you do need warranty support, you can be sure you'll have the very best in the industry.

- Lifetime Warranty on double-riveted seams (Aluminum)
- Lifetime Warranty on all plywood panels, related materials and labor (Aluminum)
- Lifetime Warranty against structural hull defects (Fiberglass)
- Three-Year 100 Percent Bow-to-Stern Parts and Labor, some exclusions apply—ask your Lund dealer for details
- Transferable*

Lund's Three-Year Material and Workmanship Warranty is transferable*—ask your Lund dealer for details.

See dealer for full warranty details; standard exclusions apply.

*Lifetime warranty on double-riveted seams, plywood panel, and structural fiberglass hull are non-transferable. Second owner receives 10-year pro-rated warranty.

LUND

**Lund Boat Company**
**318 West Gilman St.**
**P.O. Box 248**
**New York Mills, MN**
**56567**
**218-385-2235**

**Lund Boats Canada, Inc.**
**98 PTH 52 West**
**Steinbach, MB**
**R5G 1Y1**

**Visit us at www.lundboats.com**
**For clothing, visit www.lundboats.com/gear**

# SECURE CHOICE




To truly relax and enjoy your time on the water, you need to be confident that you have the right insurance. Boater's Choice is one of the most respected names in boat insurance, offering broad coverage at competitive rates. And you have our guarantee that should you have a claim, our professionals can be reached 24/7 to assist you with prompt, professional, courteous service.

## Exclusive Insurance Offer

Boater's Choice is offering $10,000 worth of personal effects coverage, including fishing equipment, free of charge.*

* Offer available only on OneBeacon Policies. Underwriting restrictions apply.

BOATER'S CHOICE
INSURANCE

**For a no obligation quote, give us a call today.**

**800-768-2121**

**www.boaterschoiceinsurance.com**