



Arctic Fox



Arctic Fox

Quality By Design

www.northwoodmfg.com

QUALITY BY DESIGN

Welcome To Arctic Fox!


Interior Colors...



22G Solitaire Azul



35-57 Early Autumn



Tested Interference Grid Technology


25 Years of Quality by Design





1993 - 2018



32A Elegant Truffle



Arctic Fox Classic Travel Trailers



A 22G F



A 25R F



Solitaire Azul



Early Autumn



Arctic Fox Classic Travel Trailers



A 25W *F*

A 25Y *F*



What is ABSOLUTE NORTHWOOD?



Our Commitment to
**Quality
 Strength
 Durability**

When you purchase an Arctic Fox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.

ABSOLUTE CHASSIS 


✓ Custom Built, Tested, Certified

ABSOLUTE FRAME 


✓ Thick Wall Aluminum w/Solid Anchor Blocking

ABSOLUTE ROOF 

✓ Full Walk On, Bonded Roof Truss System


ABSOLUTE CABINETS 

✓ Wall & Ceiling Mounted, Face Frame Construction

ABSOLUTE INSULATION 

✓ A True 4 Season Coach

NORTHWOOD BUILT CERTIFIED CHASSIS



WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS
 We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.




THICK WALL TUBULAR ALUMINUM SUPERSTRUCTURE

.060"-.125"
 (Up to 1/8" Thick)
 heavy gauge thick wall aluminum tubing in our travel trailers & fifth wheels.



SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS



Now that's an **ABSOLUTE** Quality Superstructure!

OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF



UP TO 4" OF EXTRA HEADROOM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



CUSTOM BUILT FACE FRAME CABINETS

CABINETRY w/SOLID WOOD DOORS, BUILT USING RESIDENTIAL FACE FRAME CONSTRUCTION METHODS & INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG



Solid Wood cabinet doors ensure lasting beauty and rugged strength.



Face Frame construction gives our cabinets 'high end' residential quality.



Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.



A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN/HOT SOUTHERN CLIMATES

Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





Silver Fox Travel Trailers



A **28F**



Solitaire Azul



interference

Arctic Silver Fox Travel Trailers



A 29L F



A 32A F




Solitaire Azul



Elegant Truffle



Silver Fox Fifth Wheels



A 27-5L F



A 28-5C F



Solitaire Azul



Elegant Truffle

Tested with All major interference and Technology

Arctic Silver Fox Fifth Wheels



A **29-5K** *F*


A **29-5T** *F*



Arctic Silver Fox Fifth Wheels



A 32-5M *F*



A 35-5Z *F*



ABSOLUTE NORTHWOOD

✓ Our Commitment to
Quality
Strength
Durability



ROOF

- ✓ Full Walk On Roof with Bonded Roof Truss System

FRAME

- ✓ Thick Wall Aluminum w/Solid Anchor Blocking

SLIDE OUTS

- ✓ 4 Seals, Dual Rack & Pinion Rams (main slides)
- Insulated, Cross Ventilating Windows

FLOORS

- ✓ Commercial Grade Linoleum, Fully Insulated
- Tongue and Groove Plywood (not chipboard)

CHASSIS

- ✓ Custom Built, Independently Tested & Certified

CABINETS

- ✓ Wall & Ceiling Mounted, Face Frame Construction

INSULATION

- ✓ A True 4 Season Coach



D DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 22 Gray Accent Fiberglass Finish on Slide Out Side Wall
- 23 4 Seal System w/Inner & Outer Bulb Seal
- 24 ...including Wiper Seal for Continual Seal (Any Position)
- 25 ...and Outer Bulb Seals



A NORTHWOOD ROOF TRUSS SYSTEM

- 1 Heavy Gauge One Piece Roof Membrane
- 2 3/8" Plywood Sheathing (Bonded to Trusses)
- 3 R-15 Reflective 'Arctic' Foil Insulation
- 4 R-18 Dual Layer Fiberglass Insulation
- 5 Bow Style Roof Trusses (Bonded to Ceiling)
- 6 Interior Lamination Grade Luan Plywood
- 7 Ozite Ceiling Carpet Finish (Silver Fox only)

B HIGH DENSITY ONE PIECE LAMINATED WALLS

- 9 Designer Interior Decor Finish Paneling
- 10 Heavy Gauge Fully Welded Aluminum Superstructure
- 11 Solid Wood Fill - Full Thread Depth Anchor Blocking
- 12 Virgin 2 lb Rigid Dense Block Foam Insulation
- 13 Steel Inlaid Bonderizer Anchor Strips
- 14 Lamination Grade Luan Plywood Exterior Wall Layer
- 15 Second Luan Layer
- 16 Corona Treated High Durability Fiberglass Outer Layer

Arctic Fox is a True Four Season Coach

C ULTIMATE DURABILITY FLOOR STRUCTURE

- 17 Residential Quality Plush Commercial Carpeting
- 18 Commercial Grade Linoleum with 20 mil Surface
- 19 5/8" T&G Plywood Decking (not chipboard)
- 20 R-7 Residential Grade Fiberglass Insulation
- 21 Reinforced Woven Highway Moisture Barrier

E MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 26 Independently Certified Custom Built Northwood Chassis
- 27 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
- 28 Corrugated Underbelly Panels
- 29 Heated and Insulated Large Capacity Holding Tanks
- 30 Easy Lube Axles and Shocks
- 31 Heavy Duty Radial Tires
- 32 Sealed All Metal Heat Ducts
- 33 Aerodynamic Fiberglass Front Cap
- 34 Mor/ryde RPB pin box
- 35 All Foam Condensation Resistant A/C Ducts
- 36 Extra Large 'Starlite' Bedroom Skylight
- 37 Large Skylight
- 38 Hi Output Roof Mount A/C
- 39 Roto Molded High Durability Wheel Skirts
- 40 Diamond Scored Sidewall Skirts
- 41 Diamond Plate Gravel Guard



We stopped at the base of the Teton Mountains for lunch a couple weeks ago on our summer road trip this year in our 2016 Arctic Fox 30U. Got a chance to take a pretty cool picture, what a view! We are loving our new trailer by the way!! Thought you might enjoy seeing the picture.

Chris and Kellie Perry
Bend, OR



Thank You! To all of our Loyal Family of Northwood RV Enthusiasts



1993 - 2018



25 Years of Quality By Design



Arctic Fox Classic - Standard Features

Northwood Built, Independently Certified, Off-Road Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
One-Piece, Corona Treated, Continuous Fiberglass
Hot, Polyurethane Laminated, Multi-Layered Substrate Walls
Cathedral Arched Ceiling
High Density Block Foam Insulation
Wide-Body Floorplan
EZ Lube Axles
Aluminum Wheels / Tires & White Mod Spare
Shocks On All Four Wheels
Stabilizer Jacks / Aluminum Tread Entry Steps
All-Conditions/Four Seasons Insulation
R-18 Fiberglass Insulation in Ceiling
R-15 Reflective Foil Insulation in Roof
Heated Holding Tanks
Aerodynamic One Piece Front Cap w/BackRoad Armor
Integrated Easy Access LP Cover
Diamond Plate Bumper Wrap
*Most Models

Interior Command Center
Bedroom Carpet w/ Pad
Roller Bearing Drawer Glides
Fabric Night Shade Window Treatments
LED TV & DVD/CD AM/FM Player
Smoke, LPG & CO Leak Detectors
Charge Wizard
Booth Dinette
Sofa With Decorative Throw Pillows*
Residential, Built-In Microwave
Large Fridge w/ Multiple Raised Panels
Kitchen Skylight w/ Shade
Fan Vent (Bedroom)
Porcelain, Foot-Pedal Toilet / Bath Skylight
Residential Shower Enclosure
NW TruRest Queen Mattress w/ Bedspread
Magnetic Catches on Luggage Doors
20 Watt Solar Panel
2 USB Charging Stations in the Bedroom

LED Exterior Lighting
Roof Rack & Ladder
12V Light in Storage Compartment
LPG Quick Connect* & Black Water Flush System
Large Exterior Entry Grab Handle
Exterior Shower
Semi-Automatic Winterization/By-Pass System
DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner
Condensation-Resistant A/C Ducting
Carefree Travel'R 12V LED Awning
TV Antenna
Outside Speakers/Battery Disconnect
Tinted Windows
Satellite Ready / Solar Ready
LED Interior Lighting
Solid Surface Counter Tops
80 Watt Sidewall Solar Port

Silver Fox Edition - Additional Enhancements

10 Gal. DSI Gas/Electric Water Heater
Extra Large 8 Cubic Foot Fridge
Antique Glazed Kitchen Cabinetry
Chassis Mount Spare Tire Carrier
Variable Recessed LED Light
Low Profile Fluorescent Lights
Telescoping Lighted Vanity Mirror*
Gray Front Cap w/Easy Access LPG Tank Cover

1.5 Cu Ft Over-the-Range Convection-
Microwave w/ Range Hood
Carpet Ceiling Liner
12 Volt Power Jack
Custom Designer Back Splash
Slam Latch Luggage Doors
Molded Rear Fiberglass Cap
16" Aluminum Wheels
Bedroom Starlight with Shade

5th Wheel Exclusives

Gray Front Cap with Turning Radius
Wide Body Construction
Certified Store More Chassis
6'6" Slideout Height on 30 Ft & Larger
Ultra Deck Sleep System*
Exterior Convenience Center
Generator Ready
*Most Models



Description

Description	Classic						Silver Fox Edition						
	Travel Trailers						Fifth Wheels						
Model Number	22G	25R	25W	25Y	28F	29L	32A	27-5L	28-5C	29-5K	29-5T	32-5M	35-5Z
Dry Axle Weight (approx. Lbs.)	4589	5721	6593	6428	6727	6928	7350	8387	9321	9276	8853	10122	11147
Dry Hitch Weight (approx. Lbs.)	665	715	783	808	772	1040	973	2068	2313	2993	2023	2778	2673
Net Carrying Capacity	2246	3564	2624	2764	2901	2432	2077	2945	3866	3831	4624	3100	1980
Gross Dry Weight-lbs (approx. Lbs.)	5254	6436	7376	7236	7499	7968	8323	10455	11634	12269	10876	12900	12791
Gross Vehicle Weight Rating (GVWR)-Lbs.	7500	10000	10000	10000	10400	10400	10400	13400	15500	16100	15500	16000	15800
Exterior Length (approx. w/hitch)	23'10"	27'3"	29'6"	30'0"	30'0"	32'0"	34'4"	29'5"	31'11"	35'2"	33'11"	36'2"	38'11"
Exterior Height (approx. incl. AC unit)	11'3"	11'4"	11'4"	11'4"	11'9"	11'9"	11'9"	13'5"	13'7"	13'7"	13'7"	13'7"	13'7"
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'6"	8'0"	8'0"	8'0"	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
Tire Size	ST205 75R15	ST225 75R15	ST225 75R15	ST225 75R15	ST235 80R16	ST235 80R16	ST235 80R16	ST235 80R16	ST235 85R16	ST235 85R16	ST235 85R16	ST235 85R16	ST235 85R16
Load Range	D	E	E	E	E	E	E	E	G	G	G	G	G
Fresh Water w/ Water Heater (approx. gal.)	46	59	57	57	58	67	67	82	74	82	82	82	82
Gray Water Tank (approx. gal.)	42	44	35/35	47	40	24/35	55	67/35	54	67/35	67	67	67
Black Water Tank (approx. gal.)	35	35	35	35	35	42	42	65	42	65	65	65	65
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	20	20	20	20	20	20
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTU's)	25	25	30	30	30	30	30	35	35	35	35	35	35

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com - Arctic Fox
Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.



Updated June 2018