

# Camping Made Even Easier

# CLIPPER EXPRESS

### **CAMPING TRAILERS**


### THE EASIEST WAY TO GET UP & GO

Clipper tent-style, pop-up hybrids feel much bigger inside, with a rear entry for easy access. Unlatch, and the struts automatically lift the roof into position. Durable, lami-plast exterior walls and roof skin maintain structural integrity and can withstand the test of time.


Express delivers a lot of comfort features including a 5,000 BTU air conditioner and a 20,000 BTU furnace plus, unlike traditional teardrop models, you can stand upright and walk around in the living space. These models are lightweight, and easy to tow by most cars, crossovers, and small SUVs.



EXPRESS 9.0 UNDER 800 LBS.



EXPRESS 9.0TD V-PKG. OPTION - UNDER 1,250 LBS.



EXPRESS 12.0TD
RUGGED, OFF-ROAD OPTION - UNDER 2,100 LBS.



CLIPPER

**EXPRESS 9.0TD DELUXE** 





EXPRESS 9.0TD V-PKG.



EXPRESS 9.0TD V-PKG.



Express 9.0 TD Deluxe



**EXPRESS 12.0TD XL** 



**EXPRESS 12.0TD XL OFF ROAD** 





EXPRESS	9.0	9.0 TD	12.0 TD
Interior Box Size	8′ 9″	9'	12′
Travel Length	12′ 10″	13′	16′ 9″
Travel Width	6′ 7″	6′ 7″	7′ 2″
Travel Height	50-1/2"	69"	88"
Exterior Open Length	8′ 2″	13′	13′ 11″
Interior Open Height	6′ 6″	7′ 2″	7′ 2″
Sleeping Capacity	2	2	3
Front Sleeping Area	54" x 74"	54" x 74"	56" x 74"
Gaucho	N/A	N/A	STD
Radial Tire Size	ST145R12	ST145R13	ST205/75R14
Tire Load Range	Е	D	D
Hitch Weight (lbs.)	77	122	250
Axle Weight (lbs.)	590	970	1707
UVW (lbs.)	761	1080	1964
Cargo Capacity (Ibs.)	516	1042	1786
GVWR (lbs.)	1277	2122	3750
Coupler Size	2"	2"	2-5/16"

\*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.

• = STANDARD FEATURES

CLIPPER EXPRESS		BASIC	DELUXE	V-PKG.	DELUXE	OFF ROAD
EXTERIOR	9.0	9.0 TD	9.0 TD	9.0 TD	12.0 TD XL	12.0 TD XL
E -Coated Tubular Steel Frame	•	•	•	•	•	•
Tire Sizes	12"	13"	13"	15"	14"	15"
Heavy-Duty Tongue Jack w/Wheel	•	•	•	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•	•	•	•
Electric Brakes	•	•	•	•	•	•
Chrome Caps & Lugs				•	•	•
Radial Tires	•	•	•	•	•	•
Spare Tire & Carrier	OPT	OPT	OPT	OPT	OPT	•
Aluminum Rims		•	•			
(4) Heavy Duty Scissor Style Jacks	•	•	•	•	•	•
Laminated (Lami-Plast) Walls - Roof		•	•	•	•	•
Laminated Aluminum Skin Walls	•					
LED Exterior Lights	•	•	•	•	•	•
One-Piece Screen Door					•	•
Agua-Shield Tenting Material	•	•	•	•	•	•
Exterior Wall Mount LP Grill		•	•	•	•	•
16 Gallon Fresh Water Tank				•		
27 Gallon Fresh Water Tank					•	•
25 Amp Converter - Trickle Charger					•	•
12 Amp Converter – Trickle Charger			•	•		
120V GFI Recept			•	•	•	•
Flex Rod Tech Add A Room	OPT	OPT	OPT	OPT	•	•
"Jack It" Bike Rack	OPT	OPT	OPT	OPT	OPT	OPT
"Toylok" Cargo Security System	OPT	OPT	OPT	OPT	OPT	OPT
Patio Light			•	•	•	•
INTERIOR	9.0	9.0 TD	9.0 TD	9.0 TD	12.0 TD XL	12.0 TD XL
LED Interior Courtesy Lights (Floor)			•	•	•	•
100% Adhesion Residential Grade Linoleum	•	•	•	•	•	•
Dark Ash Cabinetry	•	•	•	•	•	•
Residential Laminated Countertops	•	•	•	•	•	•
Ultra Comfort 4" High Density Cushions					•	•
Deep Bowl Acrylic Sink				•	•	•
2-Burner High Output Range					•	•
12V On Demand Water Pump				•	•	•
DSI 6-Gallon Water Heater				•	•	•
20,000 BTU Furnace			•	•	•	•
12V LED Interior Lights	•	•	•	•	•	•
Retractable Clothes Bar					•	•
Jensen Bluetooth Stereo			•	•	•	•
3-Way 1.9 Cu. Ft. Refrigerator					•	•
1.6 Cu. Ft. Electric Refrigerator			•	•		
Thetford Porta Potti		OPT	OPT	•	•	•
5000 BTU Air Conditioner	OPT	OPT	•	•	•	•


# CLIPPER

**CAMPING TRAILERS** 

# Camping Made Easy

### EASY TO TOW . SET UP IN 10 MINUTES!


Value-added, Clipper Ultra Light Camping Trailers are easy to tow and maneuver at 1,500 - 2,500 lbs. These technologically advanced camping trailers are an easy way to experience the RV lifestyle. With exclusive cable supported structured platform bed systems, and the J-track metal door hook system, they're designed to make set up a breeze. It's easy to keep things fresh with Velcro attached valances and removable curtains.




### CLIPPER LS



## **CLIPPER LS**



806XLS NEW LARGER BUNK






128LS


**NEW STORAGE SHROUD & LID** 

## **CLIPPER SPORT**



**CLIPPER SPORT** 

860QS HEATED QUEEN BED



108ST

**EXCLUSIVE STEPPER DOOR** 





125ST

JACK KNIFE SOFA

		LS MODEL		SPORT			CLASSIC
	806XLS	107LS	128LS	860QS	108ST	125ST	1285SST
Interior Box Size	8′ 6″	10′	12'	8′ 6″	10′	12'	12'
Travel Length	12' 11"	13′ 2″	17′ 9″	12' 2"	16′ 10″	17′ 9″	19'
Travel Width	7′	7′ 1″	7′ 1″	7′ 1″	7′ 1″	7′ 1″	7′ 1″
Travel Height	56"	58"	58"	56"	58"	58"	55"
Exterior Open Length	17′ 11″	20′ 5″	23′ 5″	13′ 6″	20′ 9″	23′ 5″	23′ 5″
Interior Open Height	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″	6′ 10″
Sleeping Capacity	6	7	8	4	7	8	6
Front Sleeping Area	54" x 80"	58" x 80"	70" x 80"	58" x 80"	58" x 80"	70" x 80"	70" x 80"
Rear Sleeping Area	48" x 80"	54" x 80"	58" x 80"	N/A	58" x 80"	58" x 80"	58" x 80"
Dinette Area	38" x 64"	38" x 70"	38" x 64"	N/A	38" x 70"	38" x 70"	41" x 74"
"U" Dinette	N/A	N/A	42" x 80"	38" x 102"	N/A	N/A	N/A
Lounge Area	N/A	80"	N/A	N/A	24" x 70"	N/A	24" x 70"
Sofa Bed	N/A	N/A	N/A	N/A	34" x 76"	40" x 72"	N/A
Radial Tire Size	ST145R12	ST145R12	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	ST185/80R13
Tire Load Range	E	E	D	Е	D	D	D
Hitch Weight (lbs.)	167	208	223	203	187	241	296
Axle Weight (lbs.)	1338	1576	1962	1355	1667	2083	2403
UVW (lbs.)	1642	1801	2204	1577	1863	2396	2840
Cargo Capacity (lbs.)	1255	1137	1019	1365	824	845	456
GVWR (lbs.)	2897	2938	3223	2942	2687	3241	3296
Coupler Size	2"	2"	2"	2"	2"	2"	2"

<sup>\*</sup>Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.











1285SST

SPACIOUS SLIDE OUT WITH BATH PACKAGE

# **CLIPPER CLASSIC**

EXTERIOR	LS	SPORT	CLASSIC
E -Coated Tubular Steel Frame	•	•	•
Dual Drive Winch	•	•	•
Heavy Duty Tongue Jack - w/Wheel	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•
Electric Brakes	•	•	•
Chrome Caps & Lugs	•	•	
Radial Tires	•	•	•
Spare Tire & Carrier	•	•	•
Aluminum Rims			•
(4) Heavy Duty Scissor Style Jacks	•	•	•
Goshen Lift System	•	•	•
4-Layer Laminated Seamless Roof	•	•	•
"Zero Exposure" Bunk Technology		•	•
Laminated Insulated Bed Platforms	•	•	•
Laminated Aluminum Skin Walls	•	860QS	
Laminated Fiberglass Walls		•	•
LED Exterior Lights	•	•	•
Diamond Plate Front & Rear Walls		•	•
E-Z Swing Stepper Door		•	•
One-piece Screen Door	•	•	•
Prebraced for A/C	•	•	•
Exterior Wall Mount LP Grill w/Quick Connect	OPT	•	•
VRX Sectionalized Tent	•	•	•
Non Heated 4" Mats	•		
16 Gallon Fresh Water Tank	806XLS	860QS	
23 Gallon Fresh Water Tank	•	•	•
25 Amp Converter - Trickle Charger	•	•	•
12 Amp Converter – Trickle Charger	806XLS	860QS	
Patio Light (N/A 806XLS)		•	•
Super Sliding Storage			•
New Style Storage Lid & Shroud	•	•	•
Create-A-Breeze Power Roof Vent		•	•
Flex Rod Tech Add-A-Room Upgrade	806XLS	860QS	
Awning	•	•	•

• = STANDARD FEATURES

Screen Room w/Privacy Flaps

INTERIOR	LS	SPORT	CLASSIC
LED Interior Courtesy Lights (Floor)	•	•	•
100% Adhesion Residential Grade Linoleum	•	•	•
Dark Ash Cabinetry	•	•	•
Residential Laminated Countertops	•	•	•
Ultra Comfort 4" Heated Mattress		•	•
Ultra Comfort 4" High Density Cushions	•	•	•
Glide-N-Lock Cable Supported Beds	•	•	•
Privacy Drapes		•	•
E-Z Swing Galley With Drawer			•
Deep Bowl Acrylic Sink	•	•	•
2-Burner High Output Range	•	•	•
Bathroom Package (Opt. 125ST)			•
12 Volt On Demand Water Pump	•	•	•
Modular Cassette Potti (Opt. 108ST, 125ST)			•
DSI 6-Gallon Water Heater w/Outside Shower (108ST, 125ST) Outside Spray-away w/Quick Connect (1285SST)		•	•
20,000 BTU Furnace	•	•	•
3-Way Dometic Refrigerator 1.9 Cu. Ft.	•	•	•
12 Volt LED Interior Lights	•	•	•
LED Bunk Fan Lights	•	•	•
Retractable Clothes Bar			•
Bunk Storage Nets		•	•
Jensen Bluetooth Stereo (Std. 1285SST)			•
120 Volt GFI Recept	•	•	•
ESSENTIALS PACKAGE			
3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier	•	•	•
POPULAR OPTIONS			
13,500 BTU Air Conditioner			
40 Watt Zamp Portable Solar Panel			
80 Watt Zamp Portable Solar Panel			
"Jack It" Bike Rack			
"Toylok" Cargo Security System			
Stor-N-More Under Bunk Storage System			
Thetford Porta Potti			



**1285SST** - This spacious floor plan includes a slide out dinette.





Clipper's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (1285SST).



The E-Z one hand swing level galley (1285SST)



Bath Package - Modular Cassette Potti/Shower Combo


# CLIPPER VIREC OFF-ROAD CAMPING TRAILERS



- Lift System Lifetime Dexter® E-Z Lube® Axle 5 Years Vinyl Tent 5 Years Refrigerator 3 Years Roll-out System 5 Years
- Plumbing System 10/25 Years Roof Assembly 5 Years Electronic Converter 2 Years Roof Exterior 2 Years

EXTERIOR	V-TREC		V-TREC	
E -Coated Tubular Steel Frame	•	23 Gallon Fresh Water Tank	•	3-
Dual Drive Winch	•	25 Amp Converter - Trickle Charger	•	20
Heavy Duty Tongue Jack - W/Wheel	•	120 Volt GFI Recept	•	12
Wide Trac Ultra Lube Torsion Axle	•	Patio Light	•	LE
Electric Brakes	•	Create A Breeze Power Roof Vent	•	Je
15" Radial Tires	•	Awning	•	ES
Spare Tire & Carrier	•	INTERIOR		3-
Aluminum Rims	•	LED Interior Courtesy Lights (Floor)	•	Fu
(4) Heavy Duty Scissor Style Jacks	•	100% Adhesion Residential Grade Linoleum	•	_ <u>Sp</u>
Goshen Lift System	•	Dark Ash Cabinetry	•	13
4 Layer Laminated Seamless Roof	•	Residential Laminated Countertops	•	40
"Zero Exposure" Bunk Technology	•	Glide-N-Lock Cable Supported Beds	•	80
Laminated Insulated Bed Platforms	•	Ultra Comfort 4" Heated Mattress	•	Th
Laminated Fiberglass Walls	•	Ultra Comfort 4" High Density Cushions	•	W
LED Exterior Lights	•	Vented Privacy Drapes	•	Th
Diamond Plate Front & Rear Walls	•	E-Z Swing Galley With Drawer	•	SS
One-piece Screen Door	•	Deep Bowl Acrylic Sink	•	"J
Prebraced For A/C	•	2-Burner High Output Range	•	"T
Outside Spray-away	•	12 Volt On-Demand Water Pump	•	St
Exterior Wall Mount LP Grill w/Quick Connect	•	Bathroom Package (Std. V3, Opt. V2)	•	_
VRX Sectionalized Tent	•	DSI 6-Gallon Water Heater	•	

C		V-TREC
	3-Way 1.9 Cu. Ft. Refrigerator	•
	20,000 BTU Furnace	•
	12 Volt LED Interior Lights	•
	LED Bunk Fan Lights	•
	Jensen Bluetooth Stereo (V-3 Only)	•
	ESSENTIALS PACKAGE	
	3-Way 1.9 Cu. Ft. Refrigerator, 20,000 BTU Furnace, Awning, Electric Brakes, Spare Tire & Carrier	•
	POPULAR OPTIONS	
	13,500 BTU Air Conditioner	
	40 Watt Zamp Portable Solar Panel	
	80 Watt Zamp Portable Solar Panel	
	Thetford Modular Cassette Potti w/Electric Flush (Opt. V1, V2)	
	Thetford Porta Potti	
	SST – Super Sliding Storage Trunk (V1, V2)	
	"Jack It" Bike Rack	
	"Toylok" Cargo Security System	
	Stor-N-More Under Bunk Storage System	
	• = STANDAR	D FEATURES



V3 SOLID DIAMOND PLATE 4' DECK - DETACHABLE RAMP

# LET THE GOOD TIMES ROLL!



V-TREC	V1	V2	V3
nterior Box Size	10′	12′	12′
ravel Length	17′ 2″	18′ 3″	21′ 8″
ravel Width	7′ 1″	7′ 1″	7′ 1″
ravel Height	65"	65"	65"
xterior Open Length	20′ 5″	22′ 5″	23′ 5″
nterior Open Height	6′ 10″	6′ 10″	6′ 10″
leeping Capacity	6	6	6
ront Sleeping Area	58" x 80"	70" x 80"	70" x 80"
Rear Sleeping Area	58" x 80"	58" x 80"	58" x 80"
Dinette Area	38" x 70"	36" x 70"	41" x 74"
ounge Area	24" x 70"	24" x 70"	24" x 70"
Radial Tire Size	ST235/75R15	ST235/75R15	ST235/75R15
ire Load Range	С	С	С
litch Weight (lbs.)	274	290	427
xle Weight (lbs.)	2120	2291	2790
JVW (lbs.)	2394	2581	3217
Cargo Capacity (Ibs.)	1380	1209	1210
GVWR (Ibs.)	3774	3790	4427
Coupler Size	2-5/16"	2-5/16"	2-5/16"

\*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.



The easy-to-use dual drive winch and drill bit, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and the provided drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.



Exterior grill with Quick Connect (Opt. LS models)





Pass-through storage and outside shower



Convenient Bottle Opener



Bed step



Charging station



• More stable bed end vs. chipboard or spliced plywood


with 1" thick high density foam,

and laminated wood panels top

4" E-Z Sleep Mattress

**COLD OUTSIDE AIR** 

1-1/4" Laminated Insulated Bunkends • Two times thicker than others • Solid wood, steel reinforced frame,





Black tire rim



Lounge/Gaucho Bed



Reversible Gaucho Cushion



LED floor liaht



Exterior leash clip



LED bunk end fan lights



Clipper's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.



hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Clipper's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.



X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.




Competitors

and bottom



than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance. (Limited lifetime warranty)



Powerful Fantastic power roof vent moves air like no other. (N/A LS models)



Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers. (Standard on Classic and V-Trec models)

# CLIPPER

## **EXCLUSIVE FEATURES**









Dexter\* F-7 Lube\* Axles

## **ULTRA LIGHT CAMPING TRAILERS**

## Four Layer Insulated Roof Braced for Air Conditioning.

- 1. One Piece Seamless Fiberglass Skin
- 2. Lauan Plywood Underlayment

No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.

- 3. Foam Insulated Roof Structure
- 4. Vinyl Coated Ceiling Easy to clean and minimizes interior
- condensation
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

## Wide Trac Suspension Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection

# Camping Made Easy

## **CLIPPER RV**

580 West Burr Oak Street • P.O. Box 549 • Centreville, MI 49032 • 269-467-6321. To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit www.coachmenrv.com or call 1.800.353.7383.

YOUR CLIPPER CAMPING TRAILER DEALER







Check Out Oui Easy Set Up Video Here

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

**UVW** (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GWWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more

\*\*Estimated average based on standard build optional equipment.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision, @2020 Clipper RV, by Coachmen RV, a Division of Forest River, Inc., A Berkshire Hathaway company. All Rights Reserved. 2/20



### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



### 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE\*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL SUPPORT** DEALER LOCATOR **SERVICES** 



**\*VALID FOR 1 YEAR FROM DATE OF PURCHASE** 



#### Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company





### COACHMEN INTERACTIVE MOBILE MANUALS

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment

of your Coachmen product. Ranging from "How-To" videos,

pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.