



2021 TRUCK CAMPERS A REV GROUP BRAND





2021 TRUCK CAMPERS A REV GROUP BRAND



QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our journey is reflected in our current ultra-light
Truck Camper line featuring our computer designed and cut automated
manufacturing process with composite construction materials and
an emphasis on green manufacturing.

We've put in the time... so you can spend quality time.









QUALITY TAKES TIME

The word *quality* is thrown around a lot these days. We know because we have been in business since 1965. Many things have changed over the years and while we certainly have evolved, we have always focused on maintaining our values.

The culmination of our journey is reflected in our current ultra-light

Truck Camper line featuring our computer designed and cut automated

manufacturing process with composite construction materials and

an emphasis on green manufacturing.

We've put in the time... so you can spend quality time.









960 shown in Platinum w/optional theatre seating - ALL NEW!

Not actual photo. Visit our website for most accurate product information and imagery.



960 shown in Platinum w/optional theatre seating - ALL NEW!

Not actual photo. Visit our website for most accurate product information and imagery.



Not actual photo. Visit our website for most accurate product information and imagery.

1172 shown in Java



Not actual photo. Visit our website for most accurate product information and imagery.

1172 shown in Java



1172 shown with standard graphics



1172 shown with standard graphics







1172 Shown W/ Standard Graphics



650 shown in Platinum







1172 Shown W/ Standard Graphics



650 shown in Platinum



Not actual photo. Visit our website for most accurate product information and imagery.



Not actual photo. Visit our website for most accurate product information and imagery.

650 shown in Platinum



825 shown in Royal

DRIFTWOOD







Flooring

Countertops

Cabinetry



850 shown in Java

650 shown in Platinum



825 shown in Royal

DRIFTWOOD







Flooring

Countertops

Cabinetry



850 shown in Java







975 shown in Royal







975 shown in Royal


DESIGN & CONSTRUCTION

- A. The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free use.
- B. The roof is covered in energystar rated Polyvinyl Chloride (PVC) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- C. Interiors are constructed of Euro-Ply which Lance imports. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.
- D. With an aluminum-framed superstructure, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.
- E. All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.
- F. Lance utilizes an arrangement of composite materials in a laminated and pressure bonded sandwich construction for structural integrity, superior insulation and sound absorption.

- G. Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.
- H. Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. Its slick surface makes it easier to clean.

3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.

Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



SHORT BED











855S

865


DESIGN & CONSTRUCTION

- A. The slick, high gloss fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free use.
- B. The roof is covered in energystar rated Polyvinyl Chloride (PVC) material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- C. Interiors are constructed of Euro-Ply which Lance imports. This superior product is lighter, formaldehyde free and stronger providing both beauty and durability.
- D. With an aluminum-framed superstructure, the entire camper fits together like a perfect puzzle. "LanceLock™" features interlocking aluminum extrusions to connect all exterior panels.
- **E.** All seals use an anti-wicking material to prevent moisture from transferring into the laminate walls.
- F. Lance utilizes an arrangement of composite materials in a laminated and pressure bonded sandwich construction for structural integrity, superior insulation and sound absorption.

- G. Rigid block foam insulation fits tight to resist sagging and promotes structural strength. Four Season package also features insulated bed pad.
- H. Beautiful and aerodynamic, the nose cap is made of TPO, the same material used for bumpers on automobiles. Its high gloss finish is resilient and resistant to the abuses of the road. Its slick surface makes it easier to clean.

3D advanced CAD engineering create precise plans that run CNC machinery. The result is that every part is the same and perfect every time.

Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.



SHORT BED





650







855S

SHORT BED/LONG BED



SPECIFICATIONS, STANDARDS & OPTIONS

		SHC	ORT BED		SB/LB		L.	ONG BED		
	650	825	865	855S	850	960	975	995	1062	1172
Floor Length	6' 10"	8' 6"	8' 7"	8' 11"	8' 11"	9' 11"	10' 4"	9' 11"	10' 11"	11' 11"
Overall Length	15' 6"	16' 3"	16' 5"	18'	17' 7"	19' 0"	19' 5"	19'	20'	20' 4"
Overall Length w/Opt. ultraDECK+ Bumper	N/A	N/A	N/A	N/A	N/A	19' 5"	19' 10"	19' 5"	20' 5"	N/A
Exterior Height (w/Opt. 10K A/C)	8' 1"	8' 0"	8' 0"	8' 9"	8' 6"	9' 0"	9' 0"	9' 0"	9, 0,	9'0"
Width (Exterior)	86*	86"	86"	96"	96"	96*	96"	96"	96"	96"
Height (Interior)	81*	77"	77"	81"	76*	79"	79"	79"	79*	80*
Cabover Height	3' 2"	2'9"	2' 9"	3' 5"	3' 2"	3' 5"	3' 5"	3' 5"	3' 5"	3'8"
Dry Weight	1700	1837	2012	2997	2501	2970	3499	3354	3613	4174
Wet Weight	1903	2155	2330	3331	2835	3433	3962	3817	4073	4628
CG Front	21"	32"	34"	38"	34"	47*	49"	45"	48"	60"
CG Rear	57*	46"	44"	40"	62"	45*	47"	51"	48"	36"
Fresh Water, Gallons	22	30	30	30	30	45	45	45	45	42
Gray Water, Gallons	15	13	14	20	20	30	30	30	27	35
Black Water, Gallons	16	14	13	25	18	28	26	28	22	35
Propane Tank (#/Gal) (1 Gauge Only)	1/5	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/7
Sleeping Capacity, Min/Opt Max.	3/3	4/5	5/5	4/5	5/5	3	4/4	4/4	4/4	5/6
Convertible Dinette Bed	32" x 76"	36" x 70"	32" x 72"	44" x 72"	36" x 72"	N/A	44" x 78"	44" x 78"	44" x 78"	44" x 72"
Jack-Knife Sofa/Bed										36* x 59*



1172

850

LONG BED



Seating w/Tables & Armrest







975 1062 995 960 - ALL NEW!

SHORT BED/LONG BED




SPECIFICATIONS, STANDARDS & OPTIONS

		SHC	RT BED		SB/LB		L	ONG BED		
	650	825	865	855S	850	960	975	995	1062	1172
Floor Length	6' 10"	8' 6"	8' 7"	8' 11"	8' 11"	9' 11"	10' 4"	9' 11"	10' 11"	11' 11"
Overall Length	15' 6"	16' 3"	16' 5"	18'	17' 7"	19' 0"	19' 5"	19'	20'	20' 4"
Overall Length w/Opt. ultraDECK+ Bumper	N/A	N/A	N/A	N/A	N/A	19' 5"	19' 10"	19' 5"	20' 5"	N/A
Exterior Height (w/Opt. 10K A/C)	8' 1"	8' 0"	8' 0"	8' 9"	8' 6"	9' 0"	9' 0"	9' 0"	9' 0"	9' 0"
Width (Exterior)	86"	86"	86"	96"	96"	96"	96"	96"	96"	96"
Height (Interior)	81"	77"	77"	81"	76"	79"	79"	79"	79"	80"
Cabover Height	3' 2"	2' 9"	2' 9"	3' 5"	3' 2"	3' 5"	3' 5"	3' 5"	3' 5"	3' 8"
Dry Weight	1700	1837	2012	2997	2501	2970	3499	3354	3613	4174
Wet Weight	1903	2155	2330	3331	2835	3433	3962	3817	4073	4628
CG Front	21"	32"	34"	38"	34"	47"	49"	45"	48"	60"
CG Rear	57"	46"	44"	40"	62"	45"	47"	51"	48"	36"
Fresh Water, Gallons	22	30	30	30	30	45	45	45	45	42
Gray Water, Gallons	15	13	14	20	20	30	30	30	27	35
Black Water, Gallons	16	14	13	25	18	28	26	28	22	35
Propane Tank (#/Gal) (1 Gauge Only)	1/5	1/5	1/5	2/5	2/5	2/5	2/5	2/5	2/5	2/7
Sleeping Capacity, Min/Opt Max.	3/3	4/5	5/5	4/5	5/5	3	4/4	4/4	4/4	5/6
Convertible Dinette Bed	32" x 76"	36" x 70"	32" x 72"	44" x 72"	36" x 72"	N/A	44" x 78"	44" x 78"	44" x 78"	44" x 72"
Jack-Knife Sofa/Bed										36" x 59"



1172

LONG BED



Optional Theater

Optional Theater Seating w/Tables & Armrest







960 - *ALL NEW!* 975 995

AWARDS





Top Floor Plan



Industry Leading Innovation



Cutting Edge Design



Reader's Favorite



Overland Approved

SPECIFICATIONS, STANDARDS & OPTIONS

EXTERIOR			SHOR	T BE	D	SBAB	1 3	LONG	BED	i i		
Lamilate Fiberglass Bonded Exterior W/AZDEL Substrate Lamilux 1000 Fiberglass (Juli Gloss) Charling 1000 Fiberglass (Juli Gloss) Charling 1000 Fiberglass (Juli Gloss) Charlot Dobreglass (Juli Gloss) Charlot Basement Trough (Juli		20	52	88	555	1.50	99	73	8	062	172	Weight
WAZDEL Substrate Lamilux 1000 Fiberglass (Dull Gloss) One-Piece Formed TPO Cab-Over Front Cap Lance-Lok Trusses, Wings and Sideralis Lance-Lok Lite-Ply Wings Blood Index Sideralis Lance-Lok Lite-Ply Wings Index Sideralis Lance-Lok Lite		9	66	8	66	00	6	60	ŏ	=	-	(lbs.)
Lamilux 4000 Fiberglass (High Gloss)		•	•	•	•	•	•	•	•	•	•	
One-Piece Formed TPO Cab-Over Front Cap	Lamilux 1000 Fiberglass (Dull Gloss)	•	٠	٠								
Lance-Lok Irusses, Wings and Siderails Lance-Lok Lite-Ply Wings and Siderails Lance-Lok Il Basement Truss, Wing and Siderails Lance-Lok Il Basement Truss, Wing and Siderails Acme Camper Jacks Electric Remote Camper Jacks O O O O O O O O O O O O O O O O O O O	Lamilux 4000 Fiberglass (High Gloss)				٠	•				•	•	
Lance-Lok Lite-Pfy Wings and Sideralis Lance-Lok II Basement Truss, Wing and Sideralis Acme Camper Jacks Electric Remote Camper Jacks Swing-Out Jack Brackets Aluminum Rear Bumper ultraDECKplus Bumper ultraDECKplus Bumper ultraDECKplus Bumper Trim Deluxe Bumper Trim Pold-Over Step Oouble Step UltraSTEPplus (Backlit) Deluxe Bumper Trim Aluminum Rear Bumper UltraSTEPplus (Backlit) Deluxe Bumper Trim Aluminum Rear Rumper UltraSTEPplus (Backlit) Double Step Outle Step	One-Piece Formed TPO Cab-Over Front Cap	W	W	W	G	G	G	G	G	G	G	
Lance-Lok II Basement Truss, Wing and Siderails Acme Camper Jacks Comper Jacks Swing-Out Jack Brackets Aluminum Rear Bumper JultraDECKplus Bumper JultraDE	Lance-Lok Trusses, Wings and Siderails											
Acme Camper Jacks	Lance-Lok Lite-Ply Wings and Siderails		٠	•	•	•						
Electric Remote Camper Jacks	Lance-Lok II Basement Truss, Wing and Siderails						٠		٠	•		
Swing-Out Jack Brackets	Acme Camper Jacks	•	•	•		•						
Aluminum Rear Bumper ultraDECKplus Bumper ultraSTEPplus (Backlit) Deluxe Bumper Trim Fold-Over Step Double Step ultraSTEPglow Radius Ffull Torque* Frameless Tinted Insulated Dualpane Windows (Tempered) Radius Arrylic Tinted Plastoform Euro Windows Ladder and Maggie Rack - Anodized Exclusive Lance Load Roof Rack System Ladder and Maggie Rack - Anodized Exclusive Lance Load Roof Rack System LED Tail, Back-Up and Running Lights LED License Plate Light W/Holder Radius Cornered Storage Compartment Doors Keyed-Alike Entry and Storage Compartment Doors Keyed-Alike Entry and Storage Compartment Doors Reyless Entry Roof Vent in Cab-Over Roof Vent in Cab-Over Roof Vent in Cab-Over Biok Skylight Vent in Cab-Over Exit Vent in Cab-Over Exit Vent in Cab-Over Biok Skylight Loual Pane Over Galley Exterior Propane Connection Awning Rear Roll-Out Electric CS Awning 10*-4* w/LED Lighting Roof Vent In Sasist Handle O O O O O O O O O O O O O O O O CONSTRUCTION/INSULATION One-Plece PVC Roof Laminated, Insulated Floor, Cab-Over Bed and Roof Block Foam Insulation Throughout	Electric Remote Camper Jacks	0	0	0	•	0				•		53
Aluminum Rear Bumper ultraDECKplus Bumper ultraSTEPplus (Backlit) Delukze Bumper Trim Delouxe Bumper Trim Delouxe Bumper Trim Delouxe Bumper Trim Double Step Ouble Step Ouble Step Outland Trull Torque* Frameless Tinted Insulated Dualpane Windows (Tempered) Radius Acrylic Tinted Plastoform Euro Windows Ladder and Maggie Rack - Anodized Dualpane Windows (Tempered) Radius Acrylic Tinted Plastoform Euro Windows Ladder and Maggie Rack - Anodized OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	Swing-Out Jack Brackets				0	0	0	0	0	0		14
UltraDECKplus Bumper	CONTRACTOR OF THE SECRETARY OF THE SECRE				•							
UltraSTEPplus (Backlit)	ultraDECKplus Bumper						0	0	0	0		140
Deluxe Bumper Trim		0		0		0						
Fold-Over Step	reaction and the state of the s											
Double Step	umanutiou anath											
Radius "Full Torque" Frameless Tinted Insulated	Control of the Contro		0									
Radius Full Torque Frameless Tinted Insulated Dualpane Windows (Tempered)	Of the Control of the		-									
Radius Acrylic Tinted Plastoform Euro Windows	Radius "Full Torque" Frameless Tinted Insulated		٠	•	•	•		•	•	٠	•	
Exclusive Lance Load Roof Rack System 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		•					٠					
Exclusive Lance Load Roof Rack System 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	•	•						25
LED Tail, Back-Up and Running Lights LED License Plate Light w/Holder Radius Cornered Storage Compartment Doors Keyed-Allke Entry and Storage Compartment Doors Regidus Entry Door w/Window Regiless Entry O O O O O O O O O O O O O O O O O O O			0	0	0	0	0	0	0	0	0	35
LED License Plate Light w/Holder			•	•	•							
Radius Cornered Storage Compartment Doors Keyed-Alike Entry and Storage Compartment Doors Radius Entry Door w/Window Keyless Entry O O O O O O O O O O O O O O O O O O O	and a restrict of the control of the first of the first of the control of the con	•	•	•								
Keyed-Alike Entry and Storage Compartment Doors • • • • • • • • • • • • • • • • • • •			•	•								
Radius Entry Door w/Window												
Keyless Entry 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			•									
Egress Window in Cab-Over Roof Vent in Cab-Over Exit Vent in Cab-Over Heki Skylight Vent in Cab-Over Skylight - Dual Pane Over Galley Exterior Wash Station Exterior Propane Connection Awning Rear Roll-Out Electric Rear Awning 7'3" w/LED Lighting Electric CS Awning 10'-4" w/LED Lighting Electric CS Awning 12'-0" w/LED Lighting Electric CS Awning 14'-0" w/LED Lighting Awning Slide-Out Cover Swing-Out Entry Assist Handle Mountain Scene Graphics O O O O O O O O O O O O O O O O O O O	A CONTRACTOR OF THE CONTRACTOR	0	0	0	0	0	0	0	0	0	0	
Exit Vent in Cab-Over Exit Vent in Cab-Over Galley Exit Vent in Cab-Over Bed and Roof Exit Vent in Cab-Ove	A CONTROL OF THE CONT											
Heki Skylight Vent in Cab-Over Skylight - Dual Pane Over Galley Skylight - Dual Pane Over Over Over Over Over Over Over Ove												
Heki Skylight Vent in Cab-Over Skylight - Dual Pane Over Galley Skylight - Dual Pane Over Over Over Over Over Over Over Ove	Exit Vent in Cab-Over		-,	1000							_	
Exterior Wash Station						0						9
Exterior Wash Station						distant						-
Exterior Propane Connection												
Awning Rear Roll-Out		0	0	0	0	0	0	0	0	0	0	1
Electric Rear Awning 7'3" w/LED Lighting	NOT THE RESIDENCE OF THE PROPERTY OF THE PROPE					10-0						46
Electric CS Awning 10'-4" w/LED Lighting		-	-		-		0	0	0	0		60
Electric CS Awning 12'-0" w/LED Lighting (RS 995)		0	0	0		0				-		46
Electric CS Awning 14'-0" w/LED Lighting		-	-	-		-	0	0	0			48
Awning Slide-Out Cover 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td>0</td> <td>52</td>								1			0	52
Swing-Out Entry Assist Handle 0 <t< td=""><td></td><td></td><td></td><td></td><td>0</td><td></td><td></td><td>0</td><td>0</td><td>0/2</td><td>-</td><td></td></t<>					0			0	0	0/2	-	
Mountain Scene Graphics 0		0	0	0		0	0					1
One-Piece PVC Roof Laminated, Insulated Floor, Cab-Over Bed and Roof Block Foam Insulation Throughout						-					_	-
One-Piece PVC Roof Laminated, Insulated Floor, Cab-Over Bed and Roof Block Foam Insulation Throughout	CONSTRUCTION/INCLUATION	٠,٠										
Laminated, Insulated Floor, Cab-Over Bed and Roof Block Foam Insulation Throughout	그래요 그렇게 하는 사람들이 하는 사람들이 되었다. 그렇게 하는 사람들이 가장 그렇게 되었다. 나를 하는 것이다.	<u>۱</u>										
Block Foam Insulation Throughout												
and a significant transfer and the significant		•					0.14					
Aluminum Framed Walls Floor Cab-Over Red X Roof • • • • • • •	Aluminum Framed Walls, Floor, Cab-Over Bed & Roof	÷										

	3	SHOR	T BE	D	SBAB	- 13	LONG	BED			
	650	825	885	8555	850	960	975	982	1062	1172	Weigh (lbs.)
Azdel Interior Walls											
All Weather Package		0	0	0	0	0	0	0	0	0	6
-Insulated Battery and LP Compartments								Ť			
-Insulated Hatch Covers								-	-		
-Water Heater Bypas and Winterizing Valve											
-Insulated Bed Pad											
INTERIOR/DECOR											
Interior - Platinum	0	0	0	0	0	0	0	0	0	0	
Interior - Java	0	0	0	0	0	0	0	0	0	0	
Interior - Royal	0	0	0	0	0	0	0	0	0	0	
Surf-X Pseudo Solid Surface Lightweight Countertops and Tables	•	•	•	•	•	•	•	•	•	•	
Hardwood Framed Flat Panel Cabinet Doors (Shaker Styling)	٠	•	•	•	•	٠	•	٠	•	•	
Fingertip Positive Catch Cabinet Hardware		٠.		•							
Euro-Ply Cabinet Construction	•	•	•	•							
Valances w/Lambrequins											
Mini-Blinds in Galley											
Mini-Blinds in Cab-Over			•								
Day/Night Shades in Cab-Over w/Slow-Rise Feature											
Mini-Blinds in Dinette		•		•							
Day/Night Shades in Dinette w/Slow-Rise Feature											
Combo Screen/Shade on Windows								-			
Day/Nite Shades in Cab-Over and Dinette w/Slow-Rise Feature				0	0		0	0	0		
Entry Door Pull Shade	0	0	0	0	0	0	0	0	0	0	5
Pull-Out Basement Storage Tray						٠		٠			
Hidden Trash Can Compartment								٠	٠		
Wall Clock	•	•	•	•	•	٠				•	
Key Hanger	•	٠	•	•				٠			
Sofa Sleeper w/Kick Out Leg Rests & Pedestal Table										٠	
GALLEY/APPLIANCES & EQI	JIE	РΜ	ΕN	IT							
Stainless Steel 2-Burner Range	•	•	•								
Stainless Steel 3-Burner High Output Range w/Oven - 17" Oven			0	•	•	٠	•	•	•	•	44
Stainless Steel Microwave Convection Oven										0	10
Stainless Steel "Flat Bed" Microwave Oven	0	0	0	0	0	0	0	0	0	0	40
Refrigerator (Cu Ft) 3-Way	3	3	3	5	5	5	6	6	6	6	
Upgraded Stainless Steel Refrigerator Door Panels								•	•	•	
Matte Black Refrigerator Door Panels	•	•	•								
Furnace BTU	18K	18K	18K	20K	20K	14K	20K	20K	20K	20K	
Stainless Steel Range Hood w/Light and Fan		•	•	•	•			•		•	
Single Sink (Rectangular)	•	•									
Single Sink (Round)			•								
Double Sink (Rectangle)				٠	•						
Residential "Undermount" Large Single Sink								•		•	
Pantry w/Adjustable Shelves			•		•	•		•		•	
High Spout Galley Faucet											

AWARDS



Superior Quality



Top Floor Plan



Industry Leading Innovation



Cutting Edge Design



Reader's Favorite



Overland Approved

SPECIFICATIONS, STANDARDS & OPTIONS

		SHOR	T BEI	D	SB/LB		LONG	BED	ř.		
EVERNOR	920	825	865	8555	820	096	975	962	1062	1172	Weight (lbs.)
EXTERIOR	_					-	-	-	_	_	(idoi)
Laminated Fiberglass Bonded Exterior w/AZDEL Substrate	_		•	•	•				i		
Lamilux 1000 Fiberglass (Dull Gloss)	•	•	•								
Lamilux 4000 Fiberglass (High Gloss)				•	•	•	•	•	•	•	
One-Piece Formed TPO Cab-Over Front Cap	W	W	W	G	G	G	G	G	G	G	
Lance-Lok Trusses, Wings and Siderails										•	
Lance-Lok Lite-Ply Wings and Siderails	•	•	•	•	•						
Lance-Lok II Basement Truss, Wing and Siderails						•	•	•	•		
Acme Camper Jacks	•	•	•		•						
Electric Remote Camper Jacks	0	0	0	•	0	•	٠	•	٠	•	53
Swing-Out Jack Brackets				0	0	0	0	0	0	•	14
Aluminum Rear Bumper				•		•	•	•	•		
ultraDECKplus Bumper						0	0	0	0		140
ultraSTEPplus (Backlit)	0		0		0						
Deluxe Bumper Trim				•		•	•		•		
Fold-Over Step				•		•	•	•			
Double Step		0									
ultraSTEPglow										•	
Radius "Full Torque" Frameless Tinted Insulated Dualpane Windows (Tempered)		•	•	•	•		•	•	•	•	
Radius Acrylic Tinted Plastoform Euro Windows	•										
Ladder and Maggie Rack - Anodized		0	0	•	•				•		25
Exclusive Lance Load Roof Rack System		0	0	0	0	0	0	0	0	0	35
LED Tail, Back-Up and Running Lights	•	•	•	•	•						
LED License Plate Light w/Holder	•	•									
Radius Cornered Storage Compartment Doors	•	•	•	•							
Keyed-Alike Entry and Storage Compartment Doors											
Radius Entry Door w/Window	•	•	•		•						
Keyless Entry	0	0	0	0	0	0	0	0	0	0	
Egress Window in Cab-Over	•	•	•	•	•						
Roof Vent in Cab-Over										73-41	
Exit Vent in Cab-Over		.020					-	-	-	-	
Heki Skylight Vent in Cab-Over					0						9
Skylight - Dual Pane Over Galley					•						-
Exterior Wash Station	•										
Exterior Propane Connection	0	0	0	0	0	0	0	0	0	0	1
Awning Rear Roll-Out	0	0	0	0	0				-		46
Electric Rear Awning 7'3" w/LED Lighting		-	-	0	0	0	0	0	0		60
Electric CS Awning 10'-4" w/LED Lighting	0	0	0		0	U		0			46
Electric CS Awning 10 4 W/LED Lighting (RS 995)	0	0	-		U	0	0	0	-		48
Electric CS Awning 12-0 W/LED Lighting (15 999)						U	0	U	-	0	52
Awning Slide-Out Cover				0			0	0	0/2		15-35 ea.
Swing-Out Entry Assist Handle	0	0	0	0	0	0	0	0	0	0	10-33 ta.
Mountain Scene Graphics	0	0	0	0	0	0	0	0	0	0	- 1
Wouldain Scene Graphics	0	0	0	U	U	U	U	U	0	U	
CONSTRUCTION/INSULATION	NC	l									
One-Piece PVC Roof	•	•	•	•	•	•	•	•	•	•	
Laminated, Insulated Floor, Cab-Over Bed and Roof	•	•	•	•	•	•	•	•	•	•	
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	•	
Aluminum Framed Walls, Floor, Cab-Over Bed & Roof	•	•	•	•	•	•	•	•	•	•	

		SHOF	T BE	D	SB/LB		LONG	BED	-		w
	650	825	865	8555	850	960	975	995	1062	1172	Weigh (lbs.)
Azdel Interior Walls	•	•	•	•	•						
All Weather Package		0	0	0	0	0	0	0	0	0	6
-Insulated Battery and LP Compartments											
-Insulated Hatch Covers											
-Water Heater Bypas and Winterizing Valve											
-Insulated Bed Pad											
INTERIOR/DECOR											
Interior - Platinum	0	0	0	0	0	0	0	0	0	0	
Interior - Java	0	0	0	0	0	0	0	0	0	0	
Interior - Royal	0	0	0	0	0	0	0	0	0	0	
Surf-X Pseudo Solid Surface Lightweight Countertops and Tables	•	•	٠	•	•	•	•	•	•	•	
Hardwood Framed Flat Panel Cabinet Doors (Shaker Styling)	•	•	•	•	•	•	•	٠	•	•	
Fingertip Positive Catch Cabinet Hardware	•	•	•	•	•	•					
Euro-Ply Cabinet Construction	•	•	•	•	•	•			•	•	
Valances w/Lambrequins			•	•	•						
Mini-Blinds in Galley		•	•								
Mini-Blinds in Cab-Over			•	•	•						
Day/Night Shades in Cab-Over w/Slow-Rise Feature											
Mini-Blinds in Dinette		•	•	•	•			٠			
Day/Night Shades in Dinette w/Slow-Rise Feature				13.74							
Combo Screen/Shade on Windows											
Day/Nite Shades in Cab-Over and Dinette				0	0		0	0	0		
w/Slow-Rise Feature				_	_						
Entry Door Pull Shade	0	0	0	0	0	0	0	0	0	0	5
Pull-Out Basement Storage Tray						•	•	•	•		
Hidden Trash Can Compartment						•	•	•	•		
Wall Clock	•	٠	•	•	•	•	•	٠	•	•	
Key Hanger	•	٠	٠	•	•	•	٠	٠	•	•	
Sofa Sleeper w/Kick Out Leg Rests & Pedestal Table)									•	
GALLEY/APPLIANCES & EQ Stainless Steel 2-Burner Range	UII	PM	EN	IT							
Stainless Steel 2-Burner High Output Range w/Oven - 17" Oven	-		0	•	•	•	•	•	•	•	44
Stainless Steel Microwave Convection Oven										0	10
Stainless Steel "Flat Bed" Microwave Oven	0	0	0	0	0	0	0	0	0	0	40
Refrigerator (Cu Ft) 3-Way	3	3	3	5	5	5	6	6	6	6	
Upgraded Stainless Steel Refrigerator Door Panels					-					•	
Matte Black Refrigerator Door Panels		•	•		-						
Furnace BTU	18K	18K	18K	20K	20K	14K	20K	20K	20K	20K	
Stainless Steel Range Hood w/Light and Fan		•	•	•	•	7.111	•	•	2011	•	
Single Sink (Rectangular)		•		1.100			380	161			
Single Sink (Round)					-						
Double Sink (Rectangle)											
Residential "Undermount" Large Single Sink				-	-						
Pantry w/Adjustable Shelves									2.50)		
High Spout Galley Faucet					-						
riigii opout dalisy i aucet	•	-	70								

		SHOR	T BE	D	SBAB	1	LONG	BED			
	920	825	865	8555	850 8	960	975	986	1062	1172	Weigh (lbs.)
Pull-Out Sprayer Galley Faucet											
Silverware Organizer	•										
Sink Cover	0	0	0								1
Magazine and Spice Racks - Wood	0	0	0	0	0			0	0	0	3
Truma Combi Eco Plus			_			٠					
FRESH & WASTE WATER S	VCT	EN									
	131	Eľ	13			0.00					
Water Pump w/ln-Line Filter Water Heater - Tankless	÷	•	•	٠	•	•	•	•	•	•	-
	•		-	_	-			7740			
Water Heater Gas/Electric/DSI (6 gal.)		•	÷	•	•		•	•	•	•	
Enclosed, Insulated and Heated Holding Tanks		•	•	•	•	•	•	•	•	•	-
Water Heater - Truma						•					
BATHROOM											
Marine Toilet - Foot Pedal - Plastic	•	٠	•	•	•						
Black Tank Flush	•	•	•	•	•	•	•				
Medicine Cabinet w/Mirror Door					•						
Storage Cabinet											
Mirror on Bath Door	•		•	•							
Sliding Bath Door		•	•	•	•			Т			
Hinged Bath Door	•								٠		
Towel Rod	•	•		•							
Skylight - Dual Pane	•			•							
Ducted Heat	•	•	•								
Removable Clothes Rod	0	0	0	0	0	0	0		0	0	1
Adjustable Slide Bar Shower Head							٠			٠	
DINETTE											
	100		0.2	2.			-		-		
Convertible Dinette Bed	•	•	•	÷	•		•	•	•	:	
Facing Dinette Slide-Out				•		1000	•	•	•	•	TOD
Theater Seating W/Tables & Armrest						•					TBD
Dinette W/2 Swivel Chairs and Table(s)						•					
Roll-Out Storage Drawers in Dinette (2) w/Hardware Latches				•			•	•	•	•	
Locking Pull-Out Storage Drawers				٠			٠	•	٠	•	
Overhead Cabinet Bunk - 26" x 69"		0	٠		•						30
Bunk Bed w/Child Restraint* - 30" x 71" (200 lbs. lin	nit)			0						0	20
Child Restraint w/Bunk Pad		0	0		0	0					8
CABOVER											
	Top				-	13.50	-	2350			
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow	Тор										
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress	Тор	:	:								
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress Bedspread	Top •	:	:	:		٠	:	•	•	:	
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress Bedspread Headboard	Тор	:	•	:	:	•	:	:	:		
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress Bedspread Headboard LED Reading Lights	Тор	:	•	:	•	•	:	•	:		
CABOVER 60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress Bedspread Headboard LED Reading Lights Open Wire Side Overhead Shelves	Тор	:	:	:	•	:	:	•		:	
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow 60" x 80" Deluxe Queen Memory Foam Mattress Bedspread Headboard LED Reading Lights	Тор	:	•	:	•		:	•	•		

		SHOR	BE	-	SBAB		LONG	BED	-		Weter
	650	825	865	8555	820	960	975	995	1062	1172	(lbs.)
Front Corner Cabinets, Hamper, Storage Cabinets and O'Heads					٠						
C/S Wardrobe Cabinet w/Window, Hamper and Ent. Cabinet				•				•	•		
C/S Wardrobe Cabinet w/Window, Hamper and Storage Cabinet						8	•				
C/S Mirrored Wardrobe Cabinet w/Window										•	
Emergency Exit Window in Cab-Over	•	٠	•	٠	٠		٠	٠	٠	٠	
ELECTRICAL											
Systems Monitor Panel	•	•	•					٠			
Battery Condition Indicator - LED	•			•		•					
45 Amp Converter/Loadcenter	•	•	•	•							
Single Battery Compartment											
Dual Battery Compartment				0	0						5
Battery Disconnect	•										
Battery Separator	0	0	0	0	0	0	0	0	0	0	1
Lithium Battery (up to 2)	0	0	0	0	0	0	0	0	-	0	
EZ Charge Battery Charging Port	•										
LED Interior Lighting											
Wall Switched Lighting		- 1									
LED Wardrobe Light											
12V/USB Charging Port in Cab-Over		÷		÷							
12V/USB Charging Port in Cab-over	0	0	0	0	0		0	0	0	0	1
Pre-Wired for Roof A/C	•	•	•	•	•				•		- 1
A/C - Dometic 10K Low Profile w/Wall Control	0	0	0	0	0	0	0	0	0	0	98
Pre-Wired for Wall Thermostat	•	•		•							30
Pre-Wired for Fantastic Vent	÷	÷	÷	÷							
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0	0	5
Power Roof Vent in Bath	•	0	•	•	•		.0			•	3
Pre-Wired for TV Ant/Sat Dish/Park Cable	÷	÷	÷	÷	:		:		:	÷	
	÷	÷	÷	÷	÷				÷	:	
TV Antenna HD	•	•	0			0	0	0	0	0	9
Satellite Dish Self Locating	-	0	·U	0	0	U	0	0	U	1117	9
HDMI LCD/Satellite Receiver Receptacle Wall Plate	•	•	•	•	•	W.				•	
AM/FM/DVD/CD/USB Bluetooth Audio System w/App Control and Exterior Speakers	•	•	•	•	•	•	•	•	•		
TV 19" (12 Volt)	0	0	0		0						12
TV 28" (12 Volt)				0		0	0	0	0	0	16
Pre-Wired for Roof Mount Solar Panel	•	•	•	٠	•	•	•	•	•	•	
Roof Mounted 100W Solar Panel(s)	0	0	0	0	0	0	0	0	0	0	20
LED Patio Light - Switched	•	٠	•	•	•	•	•	•	•	•	
LED Side Patio Lights	0	0	0	0	0	0	0	0	0	0	1
LED Docking Lights	0	0	0	0	0	0	0	0	0	0	1
Wireless Remote Slide-Out Control				٠			•		•	٠	
Exterior 110V Patio Outlet	٠	•	•	•	•	•		•		•	
Generator Ready				•		•			•	•	
ourier atter (red o)											
Automatic Transfer Switch (Generator)				•				-			
				0		0	0	0	0	0	120

Option Weights – All weights are estimates and may vary.

• = Standard Option 0 = Optional Feature

*Not intended for children younger than 6 years old.

THE ADVANTAGES OF TRUCK CAMPER OWNERSHIP

UNMATCHED VERSATILITY

Often referred to as the most versatile RV on the market, the ability to go anywhere a pick-up truck can go and to tow just about anything are key reasons people love Lance truck campers. Additionally, the ability to unload your Lance camper and use your pick-up truck independently while camping and even as your daily commuter are fantastic benefits.

SUPERIOR MANEUVERABILITY

Maneuverability is best in class due to the more manageable size and smaller turning radius of the pick-up truck vs. larger RVs. A Lance truck camper will greatly increase your ability to explore on or off the road. Allowing more possible camping locations and traditional parking spots in town.

EASY TO DRIVE

Due to the ease and familiarity of driving a pick-up truck, many people who do not enjoy driving larger RVs, find Lance truck campers less stressful and a pleasure to operate.

OUTSTANDING OFF-ROAD CAPABILITY

When combining the off-road capability of a pick-up truck, especially a 4x4, with a Lance Campers compact size and options such as solar power and onboard generator, "boondocking" and "Overlanding" may become common phrases for you!

EXCELLENT RESALE VALUE

The versatile Lance truck camper has a history of holding a greater portion of its retail value than both its competitors and other types of RVs. Due to superior quality, properly cared for Lance truck campers are highly sought after, giving you more options when its time to look for your next new model.

	,	SHOR	T BEI	D	SBAB		LONG	BED			
	650	825	865	8555	820	960	975	995	1062	1172	Weight (lbs.)
Pull-Out Sprayer Galley Faucet											
Silverware Organizer	•		•								
Sink Cover	0	0	0								1
Magazine and Spice Racks - Wood	0	0	0	0	0			0	0	0	3
Truma Combi Eco Plus						٠					
FRESH & WASTE WATER SY	/ST	EM	15								
Water Pump w/In-Line Filter	•	-	•								
Water Heater - Tankless		. 77.12	-31	37.		56					
Water Heater Gas/Electric/DSI (6 gal.)											
Enclosed, Insulated and Heated Holding Tanks		÷	÷	÷	-		÷				
Water Heater - Truma		•		_	-	•					
DATUDO 014											
BATHROOM Marine Toilet - Foot Pedal - Plastic											
Black Tank Flush	•	•			•						
Medicine Cabinet w/Mirror Door											
Storage Cabinet											
Mirror on Bath Door	•		•								
Sliding Bath Door	- 38		•	•		50		1000	-		
Hinged Bath Door					-						
Towel Rod											
Skylight - Dual Pane	-										
Ducted Heat	-										
Removable Clothes Rod	0	0	0	0	0	0	0		0	0	1
Adjustable Slide Bar Shower Head							•			•	,
DINETTE											
Convertible Dinette Bed	•	•	•	•	•		•	•	•	•	
Facing Dinette Slide-Out				•			•	•	•	•	
Theater Seating W/Tables & Armrest						•					TBD
Dinette W/2 Swivel Chairs and Table(s)						•					
Roll-Out Storage Drawers in Dinette (2) w/Hardware Latches				•			•	•	•	•	
Locking Pull-Out Storage Drawers				•			•	•	•	•	
Overhead Cabinet Bunk - 26" x 69"		0	•		•	•					30
Bunk Bed w/Child Restraint* - 30" x 71" (200 lbs. lim	it)			0						0	20
Child Restraint w/Bunk Pad		0	0		0	0					8
CABOVER											
60" x 80" Deluxe Queen Innerspring Mattress w/Pillow	Ton										
60" x 80" Deluxe Queen Memory Foam Mattress	.op			1 100	72		***			0.00	
Bedspread	•										
Headboard											
riodal/out d				•		•					
LED Reading Lights	-	-	- 7		-	1000	-			1100	
		•									
LED Reading Lights Open Wire Side Overhead Shelves Privacy Curtain		•	•								
	•	:	:		•				•	•	

		SHOR	T BE		SB/LB		LONG	BED			w
	650	825	865	8558	820	960	975	982	1062	1172	Weigh (lbs.)
Front Corner Cabinets, Hamper, Storage Cabinets and O'Heads					•						
C/S Wardrobe Cabinet w/Window, Hamper and Ent. Cabinet				•				•	•		
C/S Wardrobe Cabinet w/Window, Hamper and Storage Cabinet						a	•				
C/S Mirrored Wardrobe Cabinet w/Window										•	
Emergency Exit Window in Cab-Over	٠	•	•	•	•		•	•	•	•	
ELECTRICAL											
Systems Monitor Panel				•							
Battery Condition Indicator - LED	•	•	•								
45 Amp Converter/Loadcenter	•	•	•	•	•						-
Single Battery Compartment						0			878	33	
Dual Battery Compartment				0	0						5
Battery Disconnect				•	•						- 0
Battery Separator	0	0	0	0	0	0	0	0	0	0	1
Lithium Battery (up to 2)	0	0	0	0	0	0	0	0	U	0	- 1
EZ Charge Battery Charging Port	•	•	•	•	•	U	U	U		U	
LED Interior Lighting	÷	÷	÷	÷	÷			-			-
	•	•	•	÷	÷			÷			
Wall Switched Lighting LED Wardrobe Light			-	÷		•		Ť			
		÷	÷	÷	÷			_	•		
12V/USB Charging Port in Cab-Over	•	•	•	•	•	•	•	•	•	•	-
12V/USB Charging Port in Dinette	0	0	0	0	0	•	0	0	0	0	1
Pre-Wired for Roof A/C	•	•	•	•	•	•	•	•	•	•	00
A/C - Dometic 10K Low Profile w/Wall Control	0	0	0	0	0	0	0	0	0	0	98
Pre-Wired for Wall Thermostat	•	•	•	•	•	•	•	•	•	•	
Pre-Wired for Fantastic Vent	•	•	•	•	•	•	•	•	•	•	-
Fantastic Roof Vent	0	0	0	0	0	0	0	0	0	0	5
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•	
Pre-Wired for TV Ant/Sat Dish/Park Cable	•	•	•	•	•	•	•	•	•	•	
TV Antenna HD	•	•	•	•	•	•	•	•	•	•	
Satellite Dish Self Locating	0.0	0	0	0	0	0	0	0	0	0	9
HDMI LCD/Satellite Receiver Receptacle Wall Plate	•	•	•	•	•	•	•	•	•	•	
AM/FM/DVD/CD/USB Bluetooth Audio System	_			1				2		2	
w/App Control and Exterior Speakers	•	•	•	•	•	•	•	•	•	•	10
TV 19" (12 Volt)	0	0	0	^	0	0	0	0	^	0	12
TV 28" (12 Volt)				0		0	0	0	0	0	16
Pre-Wired for Roof Mount Solar Panel	•	•	•	•	•	•	•	•	•	•	-00
Roof Mounted 100W Solar Panel(s)	0	0	0	0	0	0	0	0	0	0	20
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•	•	
LED Side Patio Lights	0	0	0	0	0	0	0	0	0	0	1
LED Docking Lights	0	0	0	0	0	0	0	0	0	0	1
Wireless Remote Slide-Out Control				•			•	•	•	•	
Exterior 110V Patio Outlet	•	•	•	•	•	•	•	•	•	•	
Generator Ready				•		•	•	•	•	•	
Automatic Transfer Switch (Generator)				•		•	•	٠	•	•	
Generator 2500 Watt LPG (Onan)				0		0	0	0	0	0	120
Backup Camera w/Truck Cab Wireless Monitor	0	0	0	0	0	0	0	0	0	0	2

Option Weights – All weights are estimates and may vary. \bullet = Standard Option O = Optional Feature *Not intended for children younger than 6 years old.

THE ADVANTAGES OF TRUCK CAMPER OWNERSHIP

UNMATCHED VERSATILITY

Often referred to as the most versatile RV on the market, the ability to go anywhere a pick-up truck can go and to tow just about anything are key reasons people love Lance truck campers. Additionally, the ability to unload your Lance camper and use your pick-up truck independently while camping and even as your daily commuter are fantastic benefits.

SUPERIOR MANEUVERABILITY

Maneuverability is best in class due to the more manageable size and smaller turning radius of the pick-up truck vs. larger RVs. A Lance truck camper will greatly increase your ability to explore on or off the road. Allowing more possible camping locations and traditional parking spots in town.

EASY TO DRIVE

Due to the ease and familiarity of driving a pick-up truck, many people who do not enjoy driving larger RVs, find Lance truck campers less stressful and a pleasure to operate.

OUTSTANDING OFF-ROAD CAPABILITY

When combining the off-road capability of a pick-up truck, especially a 4x4, with a Lance Campers compact size and options such as solar power and onboard generator, "boondocking" and "Overlanding" may become common phrases for you!

EXCELLENT RESALE VALUE

The versatile Lance truck camper has a history of holding a greater portion of its retail value than both its competitors and other types of RVs. Due to superior quality, properly cared for Lance truck campers are highly sought after, giving you more options when its time to look for your next new model.

STANDARD FEATURES



Aerodynamic TPO front nose cap protects your camper from debris and leaks while reducing drag and increasing fuel economy.



Residential queen 60"x80" innerspring mattress allows for quality rest leading to more adventure. - 650, 825, 865 memory foam



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - 855s, 975, 995, 1062 & 1172



100% LED lighting brightens your camp and is easy on your power supply.



Keyed alike system simplifies your key ring and keeps your belongings safe.



ultraSTEPglow provides sturdy selfilluminating steps for safe and secure entrance and exit. - 1172 only



Full view dual-pane tinted windows properly insulate your camper while looking good and crank out to let the breeze in. – N/A 650, 960



Magnetic exterior latches stay in place for hands free access.



Mountain scene graphics provide a fresh and unique aesthetic evoking the bold spirit of truck camping.



Exclusive Lance Load Roof Rack system safely stores your canoe, kayak, paddle boards, storage box.etc. - N/A 650



All new Onan 2500W Generator that features an ultra-quiet design. - 855s, 960, 975, 995, 1062, 1172

STANDARD FEATURES



Aerodynamic TPO front nose cap protects your camper from debris and leaks while reducing drag and increasing fuel economy.



Residential queen 60"x80" innerspring mattress allows for quality rest leading to more adventure. - 650, 825, 865 memory foam



Large lockable dinette storage drawers utilize residential dovetail construction for strength. - 855s, 975, 995, 1062 & 1172



100% LED lighting brightens your camp and is easy on your power supply.



Keyed alike system simplifies your key ring and keeps your belongings safe.



ultraSTEPglow provides sturdy selfilluminating steps for safe and secure entrance and exit. - 1172 only



Full view dual-pane tinted windows properly insulate your camper while looking good and crank out to let the breeze in. - N/A 650, 960



Magnetic exterior latches stay in place for hands free access.



Mountain scene graphics provide a fresh and unique aesthetic evoking the bold spirit of truck camping.



Exclusive Lance Load Roof Rack system safely stores your canoe, kayak, paddle boards, storage box..etc. - N/A 650



All new Onan 2500W Generator that features an ultra-quiet design. - 855s, 960, 975, 995, 1062, 1172

Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.

Automatic roof-mounted satellite

for you. - N/A 650

TV antenna quickly finds the signal

Exclusive Lance ultraSTEPplus gives

you safe and secure steps while not

impeding your ability to tow. - 650, 865 & 850 (Hitch Extension Not Included)



Stainless steel flat bed microwave oven.



Keyless entry with fob provides secure one button operation of your entry door, just like you have on your truck.



OPTIONAL FEATURES



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Wireless Bluetooth backup camera w/color display and sound.



Remote control operated electric jacks take the haste out of loading



Heki dual-pane vent increases ventilation in the cabover and lets you look out at the stars. - N/A 650, 825 & 865



Lance exclusive ultraDECKplus offers extra storage and a spacious entry/exit platform. - 960, 975, 995 & 1062

Latitude power awning provides unobstructed shade with direct response wind sensor & LED light bar.

Automatic roof-mounted satellite

for you. - N/A 650

TV antenna quickly finds the signal

Exclusive Lance ultraSTEPplus gives

you safe and secure steps while not

impeding your ability to tow. - 650, 865

& 850 (Hitch Extension Not Included)



Stainless steel flat bed microwave oven.



Keyless entry with fob provides secure one button operation of your entry door, just like you have on your truck.



OPTIONAL FEATURES



Dometic Penguin II 10K low profile a/c runs on 2,200w generator allowing for off the grid cooling.



Wireless Bluetooth backup camera w/color display and sound.



Remote control operated electric jacks take the haste out of loading and unloading your camper.



Heki dual-pane vent increases ventilation in the cabover and lets you look out at the stars. - N/A 650, 825 & 865



Lance exclusive ultraDECKplus offers extra storage and a spacious entry/exit platform. - 960, 975, 995 & 1062

OFF-GRID ADVENTURES & AVAILABLE BOONDOCKING FEATURES

MORTONS ON THE MOVE

"Years ago, we gave up the stationary life for one where we are constantly on the move. This year, we have been taking a Lance 1172 Truck Camper up through Canada and Alaska to the Arctic Ocean. The wilderness continues to call to us, and the Lance truck camper takes us confidently. Lance Truck Campers are known as "Alaska Tested Tough." After testing it ourselves on some of the longest and notorious dirt roadways in North America, we can say with great certainty that this rig was built for this job!"

- Tom & Cait Morton











Solar Panel Charge Monitor



100w Solar Panels (up to 2)



Lithium Battery (1 or 2)



NEW Ultra-Quiet 2500w Generator - 855s, 960, 975, 995, 1062, 1172



OFF-GRID ADVENTURES & AVAILABLE BOONDOCKING FEATURES

MORTONS ON THE MOVE

"Years ago, we gave up the stationary life for one where we are constantly on the move. This year, we have been taking a Lance 1172 Truck Camper up through Canada and Alaska to the Arctic Ocean. The wilderness continues to call to us, and the Lance truck camper takes us confidently. Lance Truck Campers are known as "Alaska Tested Tough." After testing it ourselves on some of the longest and notorious dirt roadways in North America, we can say with great certainty that this rig was built for this job!"

- Tom & Cait Morton











Solar Panel Charge Monitor



100w Solar Panels (up to 2)



Lithium Battery (1 or 2)



NEW Ultra-Quiet 2500w Generator - 855s, 960, 975, 995, 1062, 1172



4 SEASONS COMFORT TECHNOLOGY

(OPTIONAL)



KEY FEATURES



Ducted heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Insulated bed mat provides warmth, sound deadening and prevents moisture build-up underneath mattresses.



Insulated hatch covers add an additional layer of insulation to vents and sky lights.



Insulated battery & LP compartments keep your batteries protected and your tanks from freezing.

4 SEASONS COMFORT TECHNOLOGY

(OPTIONAL)



KEY FEATURES



Ducted heat is routed into individually insulated holding tanks to keep them, the valves and PEX lines warm.



Water heater bypass & winterizing valves make draining the system for winter storage a breeze.



Insulated bed mat provides warmth, sound deadening and prevents moisture build-up underneath mattresses.



Insulated hatch covers add an additional layer of insulation to vents and sky lights.



Insulated battery & LP compartments keep your batteries protected and your tanks from freezing.



TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*



SuperTruss Part No.	Wire Harness Part No.	Overhang
E1521	W6021	21" rear camper overhang or less
E1524	W6024	21" - 24" rear camper overhang
E1528	W6028	24" - 28" rear camper overhang
E1536	W6036	28" - 36" rear camper overhang
E1542	W6042	36" - 42" rear camper overhang
E1548	W6048	42" - 48" rear camper overhang
E1560	W6060	48" - 60" rear camper overhand

The face of the SuperTruss extension needs to be as close to the face of the most outward point on the rear of the camper as possible (usually the camper bumper). A few inches recessed is acceptable. however, flush with the face of the camper bumper or slightly extending past is preferred for turning radius. SuperTruss only works with SuperHitch.

RECEIVER	TONGUE WEIGHT	PULL WEIGHT
REQUIRIN	ES (IN POUNDS) FOR THE G ONLY A TORKLIFT SU AGNUM RECEIVER HIT	JPERHITCH
	Mandan HEDENTEN IIII	011
15K	1.500	15.000
15K 20K	1,500 2,000	15,000 20,000

TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH **MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION**

Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.

EXTENSION LENGTH	WEIGHT CARRYING TONGUE WEIGHT	WEIGHT DISTRIBUTION TONGUE WEIGHT
32"	6,500/650	12,000 /1200
42" or 48"	6,000/600	12,000 /1200
60" extension	5,000 /500	10,000/1000

"Always observe your trucks" tow ratings. Follow the advice of your Factory Authorized Lance Dealer.

TRUCK/CAMPER **COMPATIBILITY GUIDE**

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing - how much optional equipment is added to the camper - what you tow - and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it. Lance makes no warranties or representation - express or implied - as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/ camper rigs.

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan®/Toyota® Tundra®

5'+ short beds Lance 650 6"+ shart beds Lance 825 Lance 865



LIGHT-DUTY F-150/1500 SERIES

*When Properly Equipped

5'+ short beds Lance 650 6"+ short beds Lance 825

Lance 865



HEAVY-DUTY F-350/3500 SERIES (or larger) Single-rear-wheel 8' long beds

Lance 850 Lance 960 Lance 975 Lance 995

Lance 1062



HEAVY-DUTY F-250/2500 SERIES

6"+ short beds Lance 825 Lance 865

Lance 855S Lance 850



Lance 850 Lance 960 Lance 975

Lance 995 Lance 1062



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance 850 Lance 960





TOWING

When towing behind a larger camper, extending the hitch rearward is necessary. Lance recommends the Torklift SuperHitch receiver hitch and hitch box extension. It replaces standard truck factory receivers to allow for greater towing capacities.*



SuperTruss Part No.	Wire Harness Part No.	Overhang
E1521	W6021	21" rear camper overhang or less
E1524	W6024	21" - 24" rear camper overhang
E1528	W6028	24" - 28" rear camper overhang
E1536	W6036	28" - 36" rear camper overhang
E1542	W6042	36" - 42" rear camper overhang
E1548	W6048	42" - 48" rear camper overhang
E1560	W6060	48" - 60" rear camper overhang

The face of the SuperTruss extension needs to be as close to the face of the most outward point on the rear of the camper as possible (usually the camper bumper). A few inches recessed is acceptable, however, flush with the face of the camper bumper or slightly extending past is preferred for turning radius. SuperTruss only works with SuperHitch.

RECEIVER	TONGUE WEIGHT	PULL WEIGHT
REQUIRIN	IES (IN POUNDS) FOR TH IG ONLY A TORKLIFT S IAGNUM RECEIVER HI	UPERHITCH
15K	1,500	15,000
15K 20K	1,500 2,000	15,000 20,000

TOW CAPACITIES (IN POUNDS) FOR LANCE MODELS REQUIRING BOTH A TORKLIFT SUPERHITCH MAGNUM RECEIVER HITCH & HITCH BOX EXTENSION

Dealer modifications required. Consult your Factory Authorized Lance Dealer for professional technical advice and proper equipment installation.

EXTENSION LENGTH	WEIGHT CARRYING TONGUE WEIGHT	WEIGHT DISTRIBUTION TONGUE WEIGHT
32"	6,500 /650	12,000 /1200
42" or 48"	6,000 /600	12,000 /1200
60" extension	5,000 /500	10,000 /1000

*Always observe your trucks' tow ratings. Follow the advice of your Factory Authorized Lance Dealer.

TRUCK/CAMPER **COMPATIBILITY GUIDE**

These are general guidelines to use when matching a Lance camper to your truck and assumes standard equipment on both the truck and camper. Whether any camper can be used with your truck is dependent on your truck configuration (2WD vs. 4WD, standard cab vs. extended cab, etc.) and its capacities for carrying and /or towing - how much optional equipment is added to the camper - what you tow - and the weight of passengers and all other items you carry in your truck and camper. Because we're unfamiliar with your specific truck and how you intend to use it, Lance makes no warranties or representation - express or implied - as to performance or reliability of your truck with a Lance camper. For professional guidance, always consult with your Factory Authorized Lance Dealer. They're trained in properly matching truck/ camper rigs.

IMPORT FULL-SIZED SHORT BEDS

Nissan® Titan™/Toyota® Tundra™

5'+ short beds Lance 650 6'+ short beds Lance 825 Lance 865



LIGHT-DUTY F-150/1500 SERIES

*When Properly Equipped

5'+ short beds Lance 650 6'+ short beds Lance 825

Lance 865



HEAVY-DUTY F-350/3500 SERIES (or larger) Single-rear-wheel 8' long beds

Lance 850

Lance 960 Lance 975 Lance 995

Lance 1062

HEAVY-DUTY F-250/2500 SERIES

6'+ short beds Lance 825 Lance 865

Lance 855S Lance 850



HEAVY-DUTY F-350/3500 SERIES

(or larger) Dual-rear-wheel 8' long beds

Lance 850 Lance 960 Lance 975 Lance 995

Lance 1062 Lance 1172



HEAVY-DUTY F-250/2500 SERIES

(or larger) Single-rear-wheel 8' long beds

Lance 850 Lance 960



DEALER INSTALLED SUPPORT EQUIPMENT

- Receiver hitch extension increases your trucks towing capacities and extends your receiver past the camper.
- Wireless Bluetooth Rear-View
 Camera/ Microphone and In-Cab
 LCD Monitor lets you see and hear what's behind you.
- Front & Rear Turnbuckles are mounted to the frame to safely and securely attach and anchor the camper to your truck.
- Air Bags / Air springs provide better handling and control under heavily loaded conditions.
- Upgraded Shocks can greatly improve ride in all weather and road conditions.
- Rear-Mounted Centering Guides assist in positioning your camper within the truck bed, and are available for most truck models.
- Sway bars reduce body roll providing better vehicle control.



DEALER INSTALLED SUPPORT EQUIPMENT

- Receiver hitch extension increases your trucks towing capacities and extends your receiver past the camper.
- Wireless Bluetooth Rear-View
 Camera/ Microphone and In-Cab
 LCD Monitor lets you see and hear what's behind you.
- 3. Front & Rear Turnbuckles are mounted to the frame to safely and securely attach and anchor the camper to your truck.
- 4. Air Bags / Air springs provide better handling and control under heavily loaded conditions.
- Upgraded Shocks can greatly improve ride in all weather and road conditions.
- Rear-Mounted Centering Guides assist in positioning your camper within the truck bed, and are available for most truck models.
- Sway bars reduce body roll providing better vehicle control.









Please see lancecamper.com/ warranty for details. 2021 LANCE TRUCK CAMPER BROCHURE @2021 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPplow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE, LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models shown in promotion materials and/or on its websites. All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Overall length Is measured from tip of the front cap to the rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20K, 02/21, Rev. 1.5.

The information provided in this brochure applies to all product manufactured after February 2021.







Please see lancecamper.com/ warranty for details. 2021 LANCE TRUCK CAMPER BROCHURE @2021 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, Bed-Maid, LanceLock, ultraDECKplus, ultraSTEPplus, ultraSTEPglow, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks or designations are trademarks, service marks or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings in this book were as accurate as possible at press time. Subsequent refinements during the model year may be evident in the actual product. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models shown in promotion materials and/or on its websites. All weights, fuel and liquid capacities are approximate and dimensions are nominal. It is the owner's sole responsibility to select the proper Lance camper model and support equipment appropriate to their truck without exceeding safe weight operating capacities. Your Factory Authorized Lance Dealer can advise you of the operating parameters for your particular configuration, and can confirm prices and product specifications material prior to making your purchase decision. See website for full warranty information. Overall length Is measured from tip of the front cap to the rear bumper (excludes accessories). Excludes safety equipment and awnings. Actual propane capacity is 80% of water listing as required by the safety code. Brochure printed in the USA on FSM paper. 20K, 02/21, Rev. 1.5.

The information provided in this brochure applies to all product manufactured after February 2021.