



**QUALITY
BUILT IN.**



**HEAVY DUTY OPEN
& DUMP TRAILERS**



QUALITY BUILT IN.

CAM Superline® exceeds expectations when the job calls for consistent reliability and long-term performance. Long recognized for industry-leading quality, CAM Superline strives to build the best trailer for the most demanding applications. When you invest in a CAM trailer, not only are you investing in a superior trailer, you're backed by our knowledgeable sales and engineering staff, service network and a comprehensive warranty.

WE MEAN BUSINESS.

CAM Superline is a division of Novae LLC, one of the largest, fastest-growing trailer manufacturers in the USA. Our entire company is driven by the knowledge that many of our customers rely on our trailers for their very livelihood. When it comes to providing you with smart engineering, exceptional build quality and top-of-the line components, we will never compromise.

VISIT OUR SITE!
camsuperline.com



TABLE OF CONTENTS

04 **LANDSCAPE UTILITY**

06 **CAR HAULERS**

08 **EQUIPMENT HAULER**

12 **TILT BED**

16 **HYDRAULIC DUMP**

20 **DECKOVER**



LANDSCAPE UTILITY TRAILERS

Whether you're a weekend warrior or full-time lawncare professional, you can enjoy complete peace of mind when you haul your lawn equipment on any CAM Superline Landscape Utility Trailer. That's because we design and build our trailers to work as hard as you do – from our smallest single axle to our largest tandem axle trailer.




THE CAM EDGE

SETBACK JACK



Our Setback jacks ensures your tailgate is not damaged when opening the tailgate while the trailer is hitched.

ADJUSTABLE COUPLER



Our adjustable coupler allows a level ride, no matter your truck's hitch configuration.

*10K Models Only

TUBE RAILING



Tube-top railing adds rigidity and durability to our landscape trailers frames

ENCLOSED WIRING HARNESS



Protects the wiring from weather, dust & debris.

SINGLE AXLE


LANDSCAPE UTILITY TRAILERS



FEATURES

- Setback Jack
- PPG Paint Finish
- Tube Top Railing
- Spare Tire Mount
- Fold-flat Gate

Size	GVWR	Payload
5' x 10'	2990	2030
6' x 10'	2990	2000
6' x 12'	2990	1875
7' x 12'	2990	1690



TANDEM AXLE


LANDSCAPE UTILITY TRAILERS



FEATURES

- Electric Brakes
- Setback Jack
- PPG Paint Finish
- Tube Top Railing
- Fold-flat Gate

Size	GVWR	Payload
7' x 14'	7000	5300
7' x 16'	7000	5100
7' x 18'	7000	4800
7' x 18'	9900	7460
7' x 20'	9900	7360



CAR HAULER TRAILERS

We understand peace of mind is most important when transporting your prized vehicle. We ensure our car haulers designed and assembled to the highest quality. Whether you are transporting your classic car or hauling vehicles every day for your clients, we offer wood deck and steel deck car haulers to meet your needs.



THE CAM EDGE

SETBACK JACK



Our Setback jack ensures your tailgate is not damaged when opening the tailgate while the trailer is hitched.

DRIVER-SIDE REMOVABLE FENDER



The removable fender adds clearance preventing damage to your vehicle while loading and unloading. (Std. on Steel Deck)

SPARE TIRE MOUNT



Our spare tire mount provides a convenient place to store a spare tire in case of an emergency.

SLIDE-OUT RAMPS



Our slide-out ramps are easy to stow and provide convenient storage while not in use.

WOOD DECK

CAR HAULER




TONGUE AREA

FEATURES

Setback Jack
Adjustable Coupler
PPG Paint Finish
Diamond Plate Fenders
Spare Tire Mount

Size	GVWR	Payload
7' x 18'	7000	5000
7' x 18'	9900	7800
7' x 20'	9900	7650
7' x 22'	9900	7500



SLIDE-OUT RAMPS



SPARE TIRE MOUNT

STEEL DECK

CAR HAULER



REMOVABLE FENDER (DRIVER SIDE)

FEATURES

Driver-side Removable Fender
Setback Jack
PPG Paint Finish
Adjustable Coupler
Spare Tire Mount

Size	GVWR	Payload
7' x 18'	7000	4800
7' x 18'	9900	7600
7' x 20'	9900	7320
7' x 22'	9900	7100



By Novae®

EQUIPMENT HAULER TRAILERS

At **CAM Superline** we know your equipment plays a crucial role in the operation of your business. That's why we build versatile equipment haulers to safely transport your machinery from jobsite to jobsite. From our 7K Angle Frame to our 16K Gooseneck Full Width Drive-Over-Fender trailer, we have an Equipment Trailer to for everyone. With standard features like Slipper-Spring Suspension and Brakes on both axles, our Equipment Haulers deliver a smooth ride for your valued equipment.



THE CAM EDGE

SETBACK JACK



Safely located out of reach of your tailgate to help prevent accidental damage.

ADJUSTABLE COUPLER



Ensure your trailer is level regardless of your towing configuration.

FULL SIZE INTEGRATED TOOLBOX



Safely store tools in our lockable steel toolbox.


SPARE TIRE MOUNT



A convenient place to store a spare tire in case of an emergency.

ANGLE FRAME

EQUIPMENT HAULER



DROP-IN TOOLBOX



PALLET FORK CARRIER

FEATURES

- Drop Leg Setback Jack
- PPG Paint Finish
- Adjustable Coupler
- Spare Tire Mount
- 5' Quick Release Ramps

Size	GVWR	Payload
5' x 14'	7000	5450
6' x 16'	9900	7750
7' x 18'	13200	10240
7' x 18'	15400	12200
7' x 18'	17600	13790



WOOD FILLED RAMPS

12K DROP LEG JACK
*7K JACK ON 13.2K & SMALLER

CHANNEL FRAME

EQUIPMENT HAULER



7K BOLT-ON DROP LEG JACK



PALLET FORK CARRIER

FEATURES

- Drop Leg Setback Jack
- PPG Paint Finish
- Adjustable Coupler
- Electric Brake Axles (2)
- 5' Quick Release Ramps

Size	GVWR	Payload
7' x 18'	13200	10040
7' x 18'	15400	12200
7' x 18'	17600	13790



ELECTRIC BRAKE AXLES

CHANNEL FRAME WITH BEAVERTAIL

EQUIPMENT HAULER



SELF-CLEANING BEAVERTAIL



FEATURES

7k Bolt-on Drop Leg Setback Jack
PPG Paint Finish
Adjustable Coupler
Electric Brake Axles (2)
Self-cleaning Beavertail

Size	GVWR	Payload
7' x 16' + 2'	11000	8260
7' x 16' + 2'	15400	12199
7' x 18' + 2'	15400	12000



FULL WIDTH

EQUIPMENT HAULER



DRIVE-OVER FENDERS



Size	GVWR	Payload
8' x 18' + 2'	11000	8100
8' x 18' + 2'	15400	12240
8' x 20' + 2'	15400	12050
8' x 22' + 2'	15400	11620
8' x 18' + 2'	17600	13540
8' x 20' + 2'	17600	13390
8' x 22' + 2'	17600	13240

FEATURES

7k Bolt-on Drop Leg Setback Jack
PPG Paint Finish
Adjustable Coupler
Electric Brake Axles (2)
Diamond Plate Drive-over Fenders

THE BEAST EQUIPMENT

EQUIPMENT HAULER



FULL-SIZE INTEGRATED TOOLBOX

FEATURES

HD 8" I-Beam Tongue
Adjustable Pintle Hitch
3' Self-Cleaning Beavertail
5' Spring-Assisted Mesh Ramps
Full-Size Integrated Toolbox
D-Ring Tie-downs
LED Toolbox Light
Deck Access Steps

Size	GVWR	Payload
15' + 3'	22000	17830
17' + 3'	22000	17665
19' + 3'	22000	17500





THE BEAST
Equipment Hauler

TILT TRAILERS

CAM Superline offers a variety Split Tilt and Full Tilt trailer options to suit the needs of any customer. Equipped with features like D-Ring Tie-Downs, Adjustable Coupler, Adjustable Hydraulic Dampener, and a Knife-Edge approach, our Tilt Trailers allow you to dependably load and haul your equipment.



THE CAM EDGE

SETBACK JACK



Safely located out of reach of your tailgate to help prevent accidental damage.

ADJUSTABLE COUPLER



Ensure your trailer is level regardless of your towing configuration.

FULL SIZE INTEGRATED TOOLBOX



Safely store tools in our lockable steel toolbox.

SPARE TIRE MOUNT



A convenient place to store a spare tire in case of an emergency.

SINGLE AXLE TILT

EQUIPMENT TRAILER



ADJUSTABLE COUPLER



FEATURES

Adjustable Coupler
PPG Paint Finish
Spare Tire Mount
Diamond Plate Fenders
7K Bolt-On Drop Leg Jack

Size	GVWR	Payload
6' x 12'	7800	6100



TANDEM AXLE TILT

EQUIPMENT TRAILER



TONGUE AREA



FEATURES

Adjustable Coupler
PPG Paint Finish
Spare Tire Mount
Diamond Plate Fenders
7K Bolt-On Drop Leg Jack

Size	GVWR	Payload
6' x 12'	11000	8700
7' x 12'	11000	8650
7' x 14'	11000	8440



EXTRA WIDE SPLIT DECK

TILT TRAILER



REMOVABLE FENDERS



TILT LOCK LATCH

Size	GVWR	Payload
7' x 15' + 4'	13200	9920
7' x 16' + 4'	13200	9820
7' x 17' + 4'	13200	9720
7' x 15' + 4'	15400	11900
7' x 16' + 4'	15400	11790
7' x 17' + 4'	15400	11680
7' x 15' + 4'	17600	13370
7' x 16' + 4'	17600	13250
7' x 17' + 4'	17600	13130

FEATURES


Adjustable Coupler
Steel Toolbox
Brakes on Both Axles
Removable Fenders
81.5" Between Fenders




By Novae®

FULL DECK

TILT TRAILER



DROP-IN TOOLBOX



Size	GVWR	Payload
7' x 18'	13200	10120
7' x 20'	13200	9920
7' x 18'	15400	12120
7' x 20'	15400	11900
7' x 18'	17600	13610
7' x 20'	17600	13370

FEATURES

- Bolt-on Drop Leg Setback Jack
- PPG Paint Finish
- Knife-edge Approach
- Adjustable Coupler
- Spare Tire Mount

SPLIT DECK

TILT TRAILER



PALLET FORK CARRIER



Size	GVWR	Payload
7' x 15' + 4'	13200	9820
7' x 16' + 4'	13200	9720
7' x 17' + 4'	13200	9620
7' x 15' + 4'	15400	11900
7' x 16' + 4'	15400	11790
7' x 17' + 4'	15400	11680
7' x 15' + 4'	17600	13370
7' x 16' + 4'	17600	13250
7' x 17' + 4'	17600	13130

FEATURES


- Bolt-on Drop Leg Setback Jack
- PPG Paint Finish
- Adjustable Coupler
- Spare Tire Mount

THE BEAST FULL DECK

TILT TRAILER



FULL-SIZE INTEGRATED TOOLBOX



12K 2-SPEED JACK

FEATURES

HD 8" I-Beam Tongue
Deck Access Steps
Adjustable Pintle Hitch
Knife-Edge Approach
LED Toolbox Light
12k 2-Speed Setback Jack

Size	GVWR	Payload
18'	22000	17160
20'	22000	16860
22'	22000	16560



THE BEAST SPLIT DECK

TILT TRAILER



FULL-SIZE INTEGRATED TOOLBOX



12K 2-SPEED JACK

FEATURES

HD 8" I-Beam Tongue
Adjustable Pintle Hitch
Knife-Edge Approach
Full-Size Integrated Toolbox
12K 2-Speed Setback Jack
LED Toolbox Light

Size	GVWR	Payload
16' + 4'	22000	16660
16' + 6'	22000	16560
18' + 4'	22000	16460




HYDRAULIC DUMP TRAILERS

Whether you're removing junk or hauling gravel to the jobsite, we offer a wide variety of Dump trailers durable and versatile enough to handle any job. Available in Scissor Hoist, Single Telescopic and Dual Ram Hoist configurations, there's a **CAM** Dump Trailer for everyone. With standard features like a 3-Way Rear Door, brakes on both axles, and a Storage Tray, our Dump Trailers provide you with convenience and productivity.



THE CAM EDGE

INTEGRATED TARP SHROUD




For easy installation of a tarp.

ADJUSTABLE COUPLER



Ensure your trailer is level regardless of your towing configuration.

PUMP BOX WITH 20' REMOTE CONTROL



Safe storage for your battery, remote control and anything else you might need on the job.

TRIPLE-ACTING TAILGATE W/ CHAINS



Easily access, spread, or dump any type of load.

SINGLE AXLE

HYDRAULIC DUMP TRAILER



ADJUSTABLE COUPLER



FEATURES

7k Bolt-on Drop Leg Jack
Double-Acting Tailgate
Electric Nev-R-Adjust Brakes
Double Eye Suspension
PPG Paint Finish

Size	GVWR	Payload
5' x 8'	5000	3750

DECKOVER

HYDRAULIC DUMP TRAILER



REAR 2-WAY GATE



FEATURES

7k Bolt-On Drop Leg Jack
Double-Acting Tailgate
Double Eye Suspension
PPG Paint Finish

Size	GVWR	Payload
6' x 10'	9900	7800

STANDARD DUTY LOW PROFILE

HYDRAULIC DUMP TRAILER



TARP SHROUD



20.5" SIDES

FEATURES

7k Bolt-On Drop Leg Jack
Triple-Acting Tailgate w/ Chains
Double Eye Suspension
Lockable Pump Box
PPG Paint Finish
Power-Up, Power-Down
Slide-Out Ramps

Size	GVWR	Payload
5' x 10'	7000	5220
6' x 10'	7700	5800
6' x 10'	9900	7820
6' x 12'	9900	7560

By Novae®

HEAVY DUTY SCISSOR HOIST

HYDRAULIC DUMP TRAILER



TRIPLE ACTING TAILGATE



24" SIDES



Size	GVWR	Payload
7' x 12'	12000	7900
7' x 14'	14000	9620
7' x 16'	14000	9340
7' x 14'	16000	11220
7' x 16'	16000	10940

FEATURES

- Mesh Tarp w/ Anti-Sail Rod Installed
- 12k Bolt-On Drop Leg Jack
- Triple-Acting Tailgate w/ Chains
- Slipper Spring Suspension
- 110V Battery Maintainer
- Board Holders

THE BEAST DUAL TELESCOPIC

HYDRAULIC DUMP TRAILER



ADJUSTABLE COUPLER

FEATURES

- 12k 2-Speed Jack
- 7 Gauge Steel Floor
- Rear Stabilizer Legs
- Mesh Tarp with Anti-Sail Rod Installed
- 3' x 2' Top Rail
- 110V Battery Maintainer

Size	GVWR	Payload
7' x 12'	13200	8960
7' x 14'	15400	10860
7' x 16'	17600	12300



24" SIDES

HYDRAULIC DUMP TRAILERS



THE BEAST

Hydraulic Dump Trailer

DECKOVER TRAILERS

At **CAM Superline** we know your equipment plays a crucial role in the success of your business. That's why we build versatile EquipmentHaulers to safely transport your machinery from jobsite to jobsite. From our 7K GVWR Scout to our 16K GVWR Gooseneck Full Width Drive-Over-Fender Trailer, we have an Equipment Trailer to for everyone. With standard features like Slipper-Spring Suspension and brakes on both axles, our Equipment Haulers deliver a smooth ride for your valued equipment.



THE CAM EDGE

SPRING-ASSISTED RAMPS




No matter what equipment you haul, we offer the right ramp to load it safely.

PIERCED I-BEAM FRAME



For improved stability and durability.

TOOLBOX



Securely store tools and accessories in a toolbox that's out of the way.

ADJUSTABLE COUPLER



Ensure your trailer is level regardless of your towing configuration.

GENERAL DUTY

DECKOVER TRAILER



6' SPRING-ASSISTED RAMPS



DROP-IN TOOLBOX



Size	GVWR	Payload
8' x 15' + 3'	11000	8250
8' x 17' + 3'	11000	8100
8' x 16'	11000	8400
8' x 18'	11000	8250
8' x 20'	11000	8100

FEATURES

- 7k Bolt-on Drop Leg Jack
- 6' Spring-Assisted Angle Ramps
- Adjustable Stabilizer Legs
- Stake Pockets with Rub Rail
- PPG Paint Finish
- Drop-In Toolbox

*FLAT DECK MODEL WITH SLIDE OUT RAMPS AVAILABLE

STANDARD DUTY

DECKOVER TRAILER



DROP-IN TOOLBOX



FEATURES

- 12k Jack
- 6' Spring-assisted Angle Ramps
- Slipper Spring Suspension
- PPG Paint Finish
- Drop-In Toolbox

Size	GVWR	Payload
8' x 16' + 4'	13200	9580
8' x 16' + 4'	15400	11680
8' x 16' + 4'	16000	11950



HEAVY DUTY

DECKOVER TRAILER



5' BEAVERTAIL

FEATURES

- Pierced I-Beam Frame
- 12k Jack
- PPG Paint Finish
- Adjustable Coupler
- Drop-In Toolbox
- Self-Cleaning Beavertail

Size	GVWR	Payload
20' + 5'	22500	16960
20' + 5'	25900	20060
25' + 5'	22500	15550
25' + 5'	25900	18750



By Novae®

THE BEAST 10, 12 & 15 TON

DECKOVER TRAILER



DUAL 12K 2-SPEED JACKS



WOOD FILLED RAMPS



Size	GVWR	Payload
20' + 5'	26450	20000
20' + 5'	30650	24000
20' + 5'	37500	30000
25' + 5'	26450	19250
25' + 5'	30650	23250
25' + 5'	37500	29125

FEATURES

- Dual 12k 2-Speed Jacks
- Full Pierced I-Beam Frame
- Oil Bath Axles
- PPG Paint Finish
- Drop-In Toolbox
- Lay-Down Ramp Lock

THE BEAST 20 & 25 TON AIR BRAKE

DECKOVER TRAILER



MULTIPLE COLOR OPTIONS



I-BEAM TONGUE



*ALSO AVAILABLE AS
A 30 TON MODEL

FEATURES

- Dual 25k 2-Speed Jacks
- Hi-tensile Steel Construction
- Leaf Spring Suspension
- Deck Access Step
- PPG Paint Finish
- Drop-In Toolbox
- Lay-Down Ramp Lock

Size	GVWR	Payload
20' + 5'	51750	42655
24' + 5'	65000	53425



DECKOVER TRAILERS

FULL DECK TILT

DECKOVER TRAILER



TILT LOCK LATCH



DROP IN TOOLBOX

FEATURES

Adjustable Coupler
12k Bolt-On Drop Leg Jack
Knife-Edge Approach
Dual Hydraulic Cylinders
Power-Up, Power-Down

Size	GVWR	Payload
8' x 22'	15400	11120
8' x 22'	17600	12760
8' x 24'	15400	10870
8' x 24'	17600	12500



SPLIT DECK TILT

DECKOVER TRAILER



KNIFE EDGE APPROACH



DUAL HYDRAULIC CYLINDERS

FEATURES

Adjustable Coupler
12k Bolt-On Drop Leg Jack
Knife-Edge Approach
Dual Hydraulic Cylinders
Rear Impact Guard
Power-Up, Power-Down

Size	GVWR	Payload
8' x 20' + 4'	15400	10820
8' x 20' + 4'	17600	12470





CAM Superline Division
Novae LLC
4763 Zane A. Miller Drive
Waynesboro, PA 17268



SCAN TO VISIT
OUR WEBSITE



Authorized CAM Superline Trailer Dealer



camsuperline.com

This document is provided for informational purposes only. Pictures, illustration, and text may include options and accessories not available at all times or as standard equipment. Contact your local dealer (sales representative) for exact specifications. All trademarks, services marks, trade names, trade dress, products names and logo appearing in this document are the property of their respective owners. Novae® and CAM Superline® are registered trademarks of Novae LLC. All rights reserved. © 2023 Novae LLC