


860LS

806L OPPOSING GAUCHOS

107LS

VERSATILE SEATING & SLEEPING





OPTIONAL



128LS

e______

OPTIONAL BATH PACKAGE 108ST

1285SST

SPACIOUS SLIDE OUT WITH STANDARD BATH PACKAGE

CLIPPER	LS MODEL				SPORT	CLASSIC	
DIMENSIONS	806XLS	107LS	1288LS	860LS	108ST	1285SST	
Interior Box Size	8'-6"	10'	12'	8'-6"	10'	12'	
Travel Length	12'-11"	13'-2"	17'-9"	12'-2"	16'-10"	19'	
Travel Height	56"	58"	58"	56"	58"	55"	
Exterior Open Length	17'-11"	20'-5"	23'-5"	13'-6"	20'-9"	23'-5"	
Interior Open Height	6'-10"	6'-10"	6'-10"	6'-10"	6'-10"	6'-10"	
Sleeping Capacity	6	7	8	4	7	6	
Front Sleeping Area	48" x 80"	58" x 80"	70" x 80"	58" x 80"	58" x 80"	70" x 80"	
Rear Sleeping Area	48" x 80"	54" x 80"	58" x 80"	N/A	58" x 80"	58" x 80"	
Dinette Area	N/A	N/A	N/A	N/A	38" x 70"	41" x 74"	
"U" Dinette	N/A	N/A	80" x 70"	38" x 102"	N/A	N/A	
Lounge Area	(2) 60"	(2) 70"	(2) 70"	N/A	24" x 70"	24" x 70"	
Sofa Bed	N/A	N/A	N/A	N/A	34" x 76"	N/A	
Radial Tire Size	ST145R12	ST185/80R13	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	
Tire Load Range	E	D	D	E	D	D	
Hitch Weight (lbs.)	167	208	223	203	187	296	
Axle Weight (lbs.)	1,338	1,576	1,962	1,355	1,667	2,403	
UVW (lbs.)	1,642	1,801	2,204	1,577	1,863	2,840	
Cargo Capacity (lbs.)	1,255	1,137	1,019	1,65	824	456	
GVWR (lbs.)	2,897	2,938	3,223	2,942	2,687	3,296	
Coupler Size	2"	2"	2"	2"	2"	2"	
Fresh Water Tanks (Gal.)	16	23	23	16	23	23	





[•] Standard Features. *Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds.

FEATURES

CLIPPER

FOUR LAYER INSULATED ROOF

BRACED FOR AIR CONDITIONING

- 1. ONE-PIECE SEAMLESS FIBERGLASS SKIN
- 2. LAUAN PLYWOOD UNDERLAYMENT No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.
- 3. FOAM INSULATED ROOF STRUCTURE
- 4. VINYL COATED CEILING

Easy to clean and minimizes interior condensation. Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.



EXCLUSIVE "GLIDE-N-LOCK" CABLE

This exclusive cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place in under 30 seconds. A manual crank is also provided.



INSULATED BUNKENDS

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth

LIMITED WARRANTY

- Lift System
- Dexter® Torflex® Axle
- Dexter® E-Z Lube® Axle
- VRX Vinyl Tent
- Roll-out System
- Roof Assembly

Please refer to www.vikingrv.com for complete warranty information.



X-CABLE **TECHNOLOGY**

adds additional stability to the roof and prevents over cranking of the roof

SPECIFICATIONS

DUAL DRIVE WINCH

with your cordless drill, raises or lowers the roof in

under 30 seconds. A manual crank is also provided.

The easy-to-use dual drive winch and drill bit,



NOW AVAILABLE

EXTERIOR	LS	SPORT	CLASSIC
E-Coated Tubular teel Frame	•	•	•
Dual Drive Winch	•	•	•
Heavy Duty Tongue Jack	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•
Electric Brakes	•	•	•
Radial Tires	•	•	•
(4) Heavy Duty Scissor Style Jacks	•	•	•
Goshen Lift System	•	•	•
4-Layer Laminated Seamless Roof	•	•	•
Laminated Insulated Bed Platforms	•	•	•
Automotive Grade Metal	•	•	•
LED Exterior Lights	•	•	•
Diamond Plate Front & Rear Walls	•	•	•
One-Piece Screen Door	•	•	•
Prebraced for A/C	•	•	•
Exterior Wall Mount w/LP Quick Connect	•	•	•
VRX Sectionalized Tent	•	•	•
LED Patio Lights	•	•	•

INTERIOR	LS	SPORT	CLASSIC
LED Int. Courtesy Lights (Floor)	•	•	•
Residential Laminated Countertops	•	•	•
Ultra Comfort 4" High Density Cushion	•	•	•
Privacy Drapes	•	•	•
Glide-N-Lock Cable Supported Beds	•	•	•
E-Z Swing Galley w/Drawer (N/A 860LS)	•	•	•
Deep Bowl Acrylic Sink	•	•	•
2-Burner High Output Range	•	•	•
Bathroom Package (Opt. 128LS)			•
12V On-Demand Water Pump	•	•	•
Modular Cassette Potti (Opt. 108ST)			•
Outside Shower		•	•
20,000 BTU Furnace	•	•	•
12V 1.7 Cu. Ft. Refrigerator (N/A 806)	•	•	•
12V LED Interior Lights	•	•	•
LED Bunk Fan Lights	•	•	•
POPULAR OPTIONS			
13,500 BTU Air Conditioner	LP Gas Gri	ddle w/Brack	et

SOLAR PACKAGE 200 W with 30 Amp Roof Ramp - Thule

POWER PACKAGE ALL MODELS

LIFETIME

10 YEARS

5 YEARS

5 YEARS

5 YEARS

5 YEARS

12 Volt Outlet, USB Charging Port, Power Converter, Interior & Exterior 110 Volt Power Outlets, 12 Volt Power Fan, 7 Way Hook Ups

ESSENTIALS PACKAGE

12V 1.7 cu. ft. Refer, 20K BTU Furnace, Frame Mounted Stabilizer Jacks, Awning, Spare Tire & Carrier, Outside LP Quick Connect, 20# LP Tank

ESSENTIALS PACKAGE SPORT, CLASSIC

12V 1.7 cu. ft. Refer, 20K BTU Furnace, Frame Mounted Stabilizer Jacks, Awning, Spare Tire & Carrier, Outside LP Quick Connect, 20# LP Tank

ESSENTIALS PACKAGE

Frame Mounted Stabilizer Jacks, Spare Tire & Carrier, Large U-Shaped Goucho/Dinette w/ Storage, Removable Table w/Folding Legs, 20K BTU Furnace, 20 lb. LP Tank, Outside Quick Connect




MODELS EXCEPT 806


PACKAGE INCLUDES:

- 15" OFF-ROAD TIRES & SPARE
- LENGTH STABILIZING
- EXTENDED JACKS
- OFF-ROAD LIFTED AXLE GRAB HANDLE
- DOUBLE STEP






ESCAPE 9.0 TD GARAGE-ABLE!




12.0 TD PREMIER UNDER 2,500 LBS.

Water Tank Size (Gal.)


N/A



EXPRESS 9.0 TD GARAGE-ABLE!/SIDE A/C



12.0 TD PRO
UNDER 2,500 LBS./PULL-OUT KITCHEN



EXPLORE 9.0 TD GARAGE-ABLE!/SIDE A/C





12.0 TD MAX UNDER 2,500 LBS.

CLIPPER	9.0 TD			12.0 TD			
DIMENSIONS	ESCAPE	EXPRESS	EXPLORE	PREMIER	MAX	PRO	
Interior Box Size	10'-2"	10'-2"	10'-2"	12'	12'	12'	
Travel Length	14'-2"	14'-2"	14'-2"	17'-5"	17'-5"	17'-5"	
Travel Width	6'-10"	6'-10"	6'-10"	7'-1"	7′-1"	7′-1"	
Travel Height	6'-5"	6'-5"	6'-5"	7'-5"	7′-5"	7′-5"	
Exterior Open Length	13'	13'	13'	13'-11"	13'-11"	13'-11"	
Interior Open Height	6'-4"	6'-4"	6'-4"	6'-4"	6'-4"	6'-4"	
Sleeping Capacity	2	2	2	3	3	3	
Front Sleeping Area	54" x 72"	54" x 72"	54" x 72"	60" x 74"	54" x 74"	54" x 74"	
Gaucho	N/A	N/A	N/A	74"	64"	64"	
Radial Tire Size	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15	
Tire Load Range	D	D	D	D	D	D	
Hitch Weight (lbs.)	150	172	245	220	220	340	
Axle Weight (lbs.)	2,000	2,000	2,000	3,500	3,500	3,500	
UVW (lbs.)	1,459	1,587	1,724	TBD	2,164	2,493	
Cargo Capacity (lbs.)	691	585	521	TBD	1,556	1,347	
GVWR (lbs.)	2,150	2,172	2,245	3,720	3,720	3,840	
Coupler Size	2"	2"	2"	2-5/16"	2-5/16"	2-5/16"	




[•] Standard Features. *Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds.

27

FEATURES





INTERIOR							
LED Interior Courtesy Lights (Floor)		•	•	•	•	•	
100% Adhesion Residential Grade Linoleum	•	•	•	•	•	•	
Residential Laminated Countertops	•	•	•	•	•	•	
Ultra Comfort 4" High Density Cushions				•	•	•	
Deep Bowl Acrylic Sink		•	•	•	•	•	
2-Burner High Output Range					•		
12V On Demand Water Pump		•	•	•	•	•	
12V LED Interior Lights	•	•	•	•	•	•	
5,000 BTU Air Conditioner	N/A	STANDARD	STANDARD	N/A	N/A	N/A	
13,500 BTU Air Conditioner	N/A	N/A	N/A	OPT	OPT	OPT	



6'-4" INTERIOR HEIGHT

• A teardrop trailer you can stand up in!



ONE-PIECE 5/8" FLOOR STRUCTURE

Clipper's one-piece 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



BATH PACKAGE

- Modular Cassette Potti/ Shower Combo
- 12.0 Pro & 12.0 Premier



CHARGING STATION

SPECIFICATIONS

9.0 ESCAPE PACKAGES

9.0 ESCAPE PACKAGE Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20K BTU Furnace, 20 lb. LP Tank, Outside LP Quick Connect

9.0 ESCAPE

POWER PACKAGE

Hookups, Solar Prep

9.0 EXPLORE PACKAGE

Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12VDC/110VAC Portable Refer/Freezer, 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, A/C, Campside Pull-Out Kitchen w/Griddle

9.0 EXPLORE PACKAGES

9.0 EXPLORE POWER PACKAGE

12 Volt Outlet, USB
Charging Port, Interior &
Exterior 110 V Outlets,
12 Volt Power Fan, 7-Way
Lockurs Color Prep

12 Volt Outlet, USB Charging Port,
Interior & Exterior 110 V Outlets,
12 Volt Power Fan, 7-Way Hookups,
Solar Prep

9.0 EXPRESS PACKAGES 9.0 EXPRESS PACKAGE

Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12 V 1.7 cu. ft. Refer, 6 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, Air Conditioner

9.0 EXPRESS POWER PACKAGE

12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Solar Prep

12.0 MAX, PREMIER, PRO PACKAGES

12.0 ESSENTIALS PACKAGE

Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12 V 1.7 cu. ft. Refer, 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, Microwave (n/a in XL), Campside Pull out Kitchen w/Griddle & 12VDC/110VAC Portable Refer/Freezer (Pro Only), Bunk Beds (XL only)

12.0 POWER PACKAGE

12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Electronic Roof Actuators



STANDARD ON ALL TEARDROPS EXCEPT N/A ON 9.0 ESCAPE MODEL

PACKAGE INCLUDES: • 200 WATT SOLAR PANEL W/30

AMP DIGITAL SOLAR CONTROLLER



PACKAGE INCLUDES:

- 15" OFF-ROAD TIRES & SPARE
- FLIPPED AXLE