

Designed For Mountain Tough Four Seasons Camping

### WHERE IF WOUR WEXT CAMPING ADVENTURES





The Mountain Series is our most versatile series! Designed for camping adventures in all climates and terrain (We combined our most popular features into this one series). These people love camping in all areas. (State & National Parks, National Forest, RV Resorts, KOA, BLM, Off-Grid, etc.)

Available in CreekSide, TimberRidge, & BlackStone Classes. Class names denote size and weight. Glacier Peak Class - 5th Wheel







### HIGHLIGHTED FEATURES:

#### Kitchen

Single Basin Farm Sink w/ Protective Metal Basin Grid
LG Solid Surface Countertops
Sunken Range w/ Glass Front
Glass Top Range, Knife Rack & Granite Designed Backsplash
Bottom Mount Metal Sink w/ High Rise Pull Out Faucet
Pot & Pan Drawer (Most Models)
Residential Height Countertops
Full Extension 1001b Metal Drawer Guides
Hardwood Drawer Fronts (All Drawers)

### Living Room / Slide-Out / Dinette

Vaulted Radius Ceiling Providing Approx. 5" of Addl Headroom
Dual Pane Living Room Skylight w/ Shade
Ultra Leather Furniture & Dinette Seats
12V Triple Charge Station (Charges ipads & Cell Phones)
Mountain Dinette w/ Family XL Table
XL Dinette Drawers
XL Panoramic Slide-Out Windows
12V LED Living Room TV
HDMI Bluetooth DVD Sound System

#### Bedroom

Mountain Comfort Mattress
12V USB Ports by Both Night Stands
Drawers Underneath Both Sides of Bed
XL Bed Night Stands
Plywood Bed Support w/ Bed Storage

#### Bathroom

Porcelain Toilet
USB Charging Port
Convenient Water Pump Switch
Shower Skylight (Extra Head Room)



TITANIUM

The Titanium Series is our Premium Trim Package that can be applied to all of the floorplans offered in the Mountain Series. If You are the person that loves the features of the premium trim levels in today's trucks (King Ranch, Denali, Laramie Longhorn, High Country, 1794) - then the Titanium Series is definitely for you.

Available in CreekSide, TimberRidge, & BlackStone Classes. Class names denote size & weight.

Glacier Peak Class - 5th Wheel



### Premium Exterior Features

Ground Control TT Auto Leveling System
Lamilux HD 4000 High Gloss Silver Fiberglass
Silver Fiberglass Front Cap
Sleek Design Frameless Thermal Pane Windows
Frameless Window Entry Door w/ Black Out Privacy Shade
Wireless Rear Observation Camera
Slide Topper Awnings - Where Applicable

Chrome Door Locks Brushed Aluminum Grab Bar Handle Chrome Luggage Door Handles 15K A/C Rear Back Up Lights Remote Camping Package (Inc: Slideouts, Awning, Outside Lights)







**Custom Built Cambered Off Road Chassis (USA Sourced Steel)** 

Heavy Duty Shackle Supports & Rugged A-Frame for Increased Ground Clearance



**KYB Gas Monotube Shocks** 

- Up to 25% more control
- Tow ready
- Removes wheel hop
- Adds stability
- Off-Road capable



**Heavy Duty Dexter Axles** 

Max Hitch Capacity 150 LRS

> Goodyear Endurance Tires (E Range 10 Ply, Made in the USA) Select Floor Plans Have 16" Tires Optional/Standard

### OUTBOORS RV

# RUGGED MOUNTAIN TOUGH CAMPING "IT'S WHO WE ARE"

Here at the factory in the mountains of Eastern Oregon we know what it's like to camp 15 miles down the back-country dirt road as we are surrounded by mountains on all sides! Some of the most pristine / secluded camp sites are in places just like this! We wanted our customers to be able to enjoy these places just like we do, that's why we put so much effort in design underneath the RV looking at the dirt!

#### Standard Off-Road X4 Suspension Package

- HD KYB Gas Shocks w/ XL Shock Plate
- MorRyde CRE 3000 Suspension (3" additional Vertical Travel)
- -MorRyde Shackle Kit(Upgraded Bronze Bushings & 7 Grease Fittings)



### STANDARD!



"Mountain Extreme" Thermal Pane Windows



**Insulated Nightstands** 

## EQUIPPED FOR EXTREMES



Thermal Insulated Bedroom Celling Vent



Exterior Shower Insulated by 1" Thick Thermal Insulated Luggage Door



**15% Langer XL Furnace** (Extreme Camping Heat System)



**Roof Insulation** 



Designed for Mountain States & Western Canada



Fully Enclosed Front to Back Heated & Insulated Underbelly / Mountain Floor Insulation



1" Thick Thermal Insulated **Luggage Door Compartments** 




Reflective Insulation Blanket Applied to Roof, Slide-Out Floor, Entire Underbelly, Additional Wrap Around Holding Tanks

# CREEK SIDE CLASS



### COMPACT DESIGN FOR LIGHT-DUTY TOW VEHICLES & SMALLER CAMPSITES. FIBERGLASS FRONT CAP



DRY WEIGHT: 5650 ~ FLOOR LENGTH: 19'




DRY WEIGHT: 5500 ~ FLOOR LENGTH: 20'

DRY WEIGHTS UNDER 6,000 LBS




FLOOR LENGTH FROM 19FT TO 21FT



DRY WEIGHT: TBD ~ FLOOR LENGTH: 21'





### TIMBER RIDGE CLASS

DESIGNED w/ RUGGED 8" CHASSIS, 5100 LB AXLES, XL GROUND CLEARANCE, FIBERGLASS FRONT CAP, 10 GALLON WATER HEATER, & XL (8 Cu FT) FRIDGE.




DRY WEIGHT: 6300 ~ FLOOR LENGTH:22'



DRY WEIGHT: 6775 ~ FLOOR LENGTH:24'



DRY WEIGHT: 6450 ~ FLOOR LENGTH:23'



DRY WEIGHT: 6600 ~ FLOOR LENGTH:24'

# ALL MODELS AVAILABLE IN BOTH MOUNTAIN AND TITANIUM SERIES

## DRY WEIGHTS FROM 6000 TO 7750 LBS

### FLOOR LENGTH FROM 22FT TO 28FT




DRY WEIGHT: 6800 ~ FLOOR LENGTH:24'



DRY WEIGHT: 7100 ~ FLOOR LENGTH: 27'



DRY WEIGHT: 7200 ~ FLOOR LENGTH:27'



DRY WEIGHT: 7495 ~ FLOOR LENGTH:28'


## BLACK STONE

### DRY WEIGHTS OVER 7000 LBS

### FLOOR LENGTH FROM 26FT TO 31FT



DRY WEIGHT: 7375 ~ FLOOR LENGTH:26'



DRY WEIGHT: 7300 ~ FLOOR LENGTH:28'



DRY WEIGHT: 7850 ~ FLOOR LENGTH: 28'

#### MULTIPLE SLIDE-OUTS. DESIGNED w/ RUGGED 8" CHASSIS, 5200 LB AXLES, XL GROUND CLEARANCE, FIBERGLASS FRONT CAP, 10 GALLON WATER HEATER, XL (8 CU FT) FRIDGE, & 16" TIRES STANDARD

### AVAILABLE IN BOTH MOUNTAIN & TITANIUM SERIES

60" X 80" QUEEN BED

> BENCH HAMPER




45 x 84 MOUNTAIN DINETTE

280KVS

DRY WEIGHT: 7800~ FLOOR LENGTH: 28'







DRY WEIGHT: 8210~ FLOOR LENGTH: 31'

# GLACIER PEAK 5<sup>TH</sup> WHEEL CLASS

# AVAILABLE IN BOTH MOUNTAIN AND TITANIUM SERIES



# DESIGNED w/ RUGGED 8" CHASSIS, 6000 LB AXLES, XL GROUND CLEARANCE, 16" E RATED TIRES, 50 AMP SERVICE, AUTO LEVELING SYSTEM, 10 GALLON WATER HEATER, XL FRIDGE (8 CU FT) & 15K A/C



DRY WEIGHT: 9500 ~ FLOOR LENGTH: 27'



DRY WEIGHT: 9875 ~ FLOOR LENGTH: 29'





DRY WEIGHT: 10225 ~ FLOOR LENGTH: 31'

## LET YOUR OUTDOOR ADVENTURE BEGIN...

#### **MOUNTAIN & TITANIUM SERIES**

#### **COMPACT DESIGN** CREEKSIDE CLASS

21RBS

5600

24'10"

78

6

ST225

75 15E

4000 (2)

400

Up To 200

25K

XL (8)

11'4"

6'11"

8'

NA

60

50

40

2650

650

19MKS

5650

24'1"

78

6

ST225

75 15E

4000 (2)

400

Up To 200

25K

XL (8)

11'4"

6'11"

8'

NA

60

50

40

2600

650

8250

Full Featured Dry Weight (lbs)\*\*\*

ength (Hitch to Back of Ladder)

Fresh Water Capacity (gal)

Water Heater Capacity (gal)

Goodyear Tire Size (load range)

Heavy Duty 5 Lug Axles (lbs)

Heavy Duty 6 Lug Axles (lbs)

Climate Designed Furnace

12v Off Grid Fridge Size

Height (including A/C)

nterior Height

Exterior Width\*\*\*\*

Propane Capacity (lbs)

Hitch Dry Weight (lbs)\*\*\*

**Titanium Series** 

Maximum Trailer Weight (lbs)

Full Featured Dry Weight (Approx. lbs)

Grey Water Holding Tank (gal)

Black Water Holding Tank (gal)

Cargo Carrying Capacity (lbs)\*\*\*

50 Amp Service

FSI Off Grid Solar Standard (Watt)

Exterior Portable Solar Port (Watts)

SINGLE SLIDE OUTS - 6,000-7,750 LBS TIMBERRIDGE CLASS

MULTIPLE SLIDE OUTS OVER 7,000 LBS BLACKSTONE CLASS

5TH WHEEL CLASS Designed With 16" Goodyear

Compact Design For Light Duty Tow Vehicles & Smaller Campsites

21KVS

5900

25'10"

78

6

ST225

75 15E

4000 (2)

400

Jp To 200

25K

XL (8)

11'4"

6'11"

8'

NA

60

40/40

40

2350

670

8250

22FQS

6300

26'8"

80

10

ST235/

80 16E

5100 (2)

400

Up To 200

35K

XL (10)

11'7"

6'11"

8'

NA

60

50

40

3695

700

9995

6780

21MKS

6100

26'9"

78

6

ST225/

75 15F

4000 (2)

400

Up To 200

25K

XL (8)

11'4"

6'11"

8'

NA

60

50

40

2150

650

8250

24RLS

6775 28'8"

80

10

ST235/

80 16E

5100 (2)

400

Up To 200

35K

XL (10

11'7"

6'11"

8'

NA

60

50

40

3220

850

9995

7255

80 16E

5100 (2)

400

Jp To 200

35K

XL (10)

11'7"

6'11"

8'

NA

60

40/40

40

3395

750

9995

7080

Designed With Rugged 8" Chassis, 5100 Lb Axles, XL Ground Clearance, Fiberglass Front Cap

80 16E

5100 (2)

400

Up To 200

35K

XL (10)

11'7"

6'11"

NA

60

40/40

40

3195

850

9995

7280

80 16E

5100 (2)

400

Up To 200

35K

XL (10)

11'7"

6'11"

8'

NA

60

50

40

2895

720

9995

7580

80 16E

5100 (2)

400

Up To 200

35K

XL (10)

11'7"

6'11"

8'

NA

60

40/40

40

2795

770

9995

7680

24RKS	24BKS	25RDS	26KVS	28BKS	250RKS	250RDS	260KVS	260KRS
6600	6800	7100	7200	7495	7500	7300	7850	7800
28'8"	28'10"	31′2″	31'2"	32′8″	31′2″	32'3"	32'2"	32'4"
80	80	80	80	80	80	80	80	80
10	10	10	10	10	10	10	10	10
ST235/	ST235/	ST235/	ST235/	CT23E/	ST235	ST235	CT23E	ST235

80 16

5100

Up To 2

400

35K

XL (10

11′7

6'11

8'

NA

60

40/40

40

2500

875

999

7975

S	250RKS	250RDS	260KVS	260KRS	280RKS	280KVS	П	F
J	7500	7300	7850	7800	8210	8400		·
,	31'2"	32'3"	32'2"	32'4"	34'11"	34'11"	lŀ	_
	80	80	80	80	80	80		_
	10	10	10	10	10	10	П	
5/	ST235	ST235	ST235	ST235	ST235	ST235		
E	80 16E	Н						
(2)	5200 (2)	5200 (2)	5200 (2)	5200 (2)	5200 (2)	5200 (2)	Ш	(
	400	400	400	400	400	400	Ц	
200	Up To 200	Ш	U					
	35K	35K	35K	35K	35K	35K		
0)	XL (10)	II.						
٧	11′7″	11′7″	11′7″	11′7″	11′7″	11′7″		
,	6′11″	6'11"	6′11″	6′11″	6′11″	6′11″	L	
	8′	8′	8′	8′	8′	8′		
	OPT.	OPT.	OPT.	OPT.	OPT.	STD.	H	
	60	60	60	60	60	60	Ш	
)	40/40	50	40/40	40/40	40/40	40/40	Ц	
	50	50	50	50	50	50	IL	
)	3500	3700	3150	3200	2790	2600		
	780	820	850	825	805	995	IL	
)	11000	11000	11000	11000	11000	11000		
5	7980	7780	8330	8280	8690	8880		

Cap		Tires. Auto-Leveling / 50 Amp							
IKVS		F26RKS	F27MKS	F27KVS	F28RKS				
400		9500	9875	9910	10225				
/11"		30'6"	32'0"	32'9"	34'8"				
30		80	80	80	80				
10		10	10	10	10				
235		ST235	ST235	ST235	ST235				
16E	-	80 16E	80 16E	80 16E	80 16E				
0 (2)		6000 (2)	6000 (2)	6000 (2)	6000 (2)				
00	ı,	400	400	400	400				
o 200		Up To 200	Up To 200	Up To 200	Up To 200				
5K		35K	35K	35K	35K				
(10)	ŀ	XL (10)	XL (10)	XL (10)	XL (10)				
1′7″	ŀ	13'0"	13'0"	13'0"	13′0″				
11"	Ī	8'3"	8′3″	8'3"	8'3"				
8′		8'	8′	8′	8′				
TD.		STD.	STD.	STD.	STD.				
50	L	60	60	60	60				
0/40		40/40	40/40	40/40	40/40				
50		50	50	50	50				
500		3495	3120	3085	2770				
95		2100	2135	2150	2375				
000		12995	12995	12995	12995				
380	ı	9775	10150	10185	10500				

Please check out our website, www.outdoorsrvmfg.com for standard/optoional features, product videos, photo galleries & the most current product information

Outdoors RV encourages our customers to support the communities they live in and their local Outdoors RV Dealer





Your Local Outdoors RV Dealer is:













<sup>\*</sup>Optional Goodyear 16" 235 80 16E Tires Available on TimberRidge Class (Will Add 1" to Overall Height)

<sup>\*\*</sup>Prices, materials, designs and specifications are subject to change without notice.

<sup>\*\*\*</sup>The posted weights above do not account for water, propane, batteries or factory installed options

<sup>\*\*\*\*</sup>Approx. trailer width of wall to wall measurement