

CFMOTO

OFF-ROAD



2025



You asked. We engineered.

Defined right here by folks who work, play, and ride across the American frontier, our newest machines embody the spirit of true American grit. Our investment in a brand-new US-based Design and Innovation Group (The DIG) ushers in the next era of off-road machines. They're high performance vehicles equipped with premium features and materials for people who refuse to be gouged.

Z10



Adventure junkies, here's your perfect 10. The ZFORCE Z10 and Z10-4 feature a turbocharged triple-cylinder engine, cutting-edge electronics, FOX QSE shocks with Eibach springs, and a premium sport interior. It's a 143 HP, high-performance beast at an unbeatable price point.



U10 PRO



The UFORCE U10 Pro and U10 Pro XL are built to scale—American scale. Featuring high-end refinement and the power of a new triple-cylinder engine, these workhorses come with robust interiors, a full sound system, and an electronically operated, hydraulic tilt bed.



CFORCE 1000 OVERLAND



With its powerful 84 HP twin-cylinder engine and brand-new OmniDrive™ CVT, this fast leader boasts high-pressure adjustable gas shocks with piggyback reservoirs along with 12 inches of ground clearance, letting you go where few quads have gone before.





TECHNOLOGY

All new power, precision, and control. A solid Z10 out of 10.

Push the start button on the steering wheel to fire up the all-new turbocharged triple-cylinder engine and prepare for launch. Navigate your experience with the CFMOTO RideSync™ multi-media interface (MMI) with Apple CarPlay, your touchscreen link to connectivity and control. Our redesigned OmniDrive™ CVT delivers seamless transitions so fluid they slip by unfelt. And as for the rough stuff, those FOX QSE shocks, adjusted via steering wheel controls and FOX app integration, level the gnarliest playing fields.

Standard on the all-new Z10 models.

143 HP
Turbocharged 998cc Triple -Cylinder

FOX
QSE Shocks with Eibach Springs

Redesigned OmniDrive™ CVT

NFC
Key

7"
LCD Instrument Panel

12.3"
CFMOTO RideSync™ MMI Display with Backup Camera

Defined for the USA

CFMOTO isn't just in the off-road game, we're changing it.

Our brand-new U.S. headquarters in Minneapolis, Minnesota, isn't just a building—it's a beacon of state-of-the-art design and innovation, laser-focused on the American rider. We're creating access to the off-road without a hint of compromise. Delivering surprise after surprise with machines that stand out—and stand resilient. Built tough, easy to service, and ready for your unique touches.



CFMOTO USA.
600 DEALERS STRONG AND REVVING.





Reliable as the American Spirit

Our newest machines are designed right here to be as dependable as the folks who call this place home: Built strong, packed with power, and tested to handle whatever you throw at them.



Greenbacks Go Further

We're reversing inflation while bringing all-new machines—because we can. If you want to spend more, go right ahead, it's a free country.



Trailblazing Tech

Advanced ride modes, adjustable suspensions, intuitive interfaces, and seamless connectivity. It's everything you need to dominate any terrain with unshakable confidence.

ZFORCE

Performance Side-by-Sides



Lights! Camera! Traction!

The ZFORCE lineup continues to thrill adrenaline junkies with the launch of an all-new flagship. Powered by a ferocious 998cc triple-cylinder turbocharged engine pumping out 143 horsepower, this machine puts you in the director's chair of this year's blockbuster side-by-side. Take control with a multi-function steering wheel, electronically adjustable FOX QSE shocks, and our state-of-the-art CFMOTO RideSync™ MMI 12.3" touchscreen with Apple CarPlay—as you're about to see, there's nothing like being at the center of every high-octane action scene.

Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.

Z10 & Z10-4





Doubling down wasn't enough. We give you the new triple.

You wanted a machine that can take on the gnarliest American terrain with power and confidence, at a competition-crushing price. Enter the ZFORCE Z10 and Z10-4 featuring our brand-new 143 HP triple-cylinder turbocharged engine. Built with you in mind, every element from the push button starter on the supercar-inspired steering wheel to the FOX QSE shocks to the redesigned OmniDrive™ CVT, is CFMOTO's answer to your call for the ultimate sport side-by-side. Just wait until you grip the wheel and interact with the crystal clear 12.3" responsive CFMOTO RideSync™ MMI touchscreen. This isn't just control, it's command of the wilds wrapped in the thrill of the ride.

998cc
Turbocharged 998cc Triple -Cylinder

143HP
@ 7750 RPM

12.3"
CFMOTO RideSync™ MMI Display

64"
Stance

Defined for the USA

Z10/Z10-4 Standard Features

1. Electronic Power Steering with 4 Modes (Auto/Low/Mid/High)
2. 4500 lb. Winch with Synthetic Rope
3. Electronic Throttle with 3 Ride Modes (Comfort/Trail/Sport)
4. 12.3" CFMOTO RideSync™ MMI Touchscreen Display with Backup Camera and LCD Display
5. CFMOTO LED™ Headlights/Taillights/Backup Lights
6. Half Doors
7. Multi-Function Steering Wheel
8. Fox QSE Shocks with 3 Adjustable Suspension Modes (Soft, Medium, Firm)
9. HDPE Skid Plate and Aluminum Bash Plate
10. NFC Key
11. 14" Aluminum Wheels with 30" Tires
12. Wide 64" Stance









ZFORCE SPORT


With its 60" stance and a towering foot of ground clearance, this beast is all about crushing conventions and taking names. Under the hood? A snarling 963cc V-Twin EFI engine that muscles through mud, dunes, and rocks like they're mere bumps in the road. Beefy 27" CST Stag tires claw into the dirt, daring the earth to fight back. The suspension, boasting adjustable gas shocks and quick-ratio steering, is ready to rule the outdoors and bend the wild to your will.



ZFORCE Sport Standard Features

1. Hardtop Roof
2. TTA Rear Suspension
3. Aluminum Alloy Wheels and Go-Anywhere Tires
4. Room for Four (950 Sport 4)
5. Electronic Power Steering
6. Electronic Throttle with Ride Modes (Normal/Sport)
7. LED Headlights/Taillights with Backup Lights
8. Powerful Winch with Synthetic Rope (3500 lb. on Sport/4500 lb. on Sport 4)
9. Wide 60" Sport Stance
10. Protective Half Side Doors
11. Adjustable Gas Shocks
12. Rear Cargo Box Cover

Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.



ZFORCE TRAIL

It's your all-access pass to the American trail system, packed with top-tier features at a price that puts the competition to shame. This trail-legal 950, with a sleek 50" stance, slips through gates and glides over paths less traveled. The ride-by-wire throttle ensures instant response the moment you put your foot down. The independent suspension featuring compression-adjustable gas shocks makes bumps disappear beneath you. Drive it. Push it. Let it show you what you're made of.



Shown with optional accessories.

ZFORCE Trail Standard Features

1. Hardtop Roof
2. TTA Rear Suspension
3. Aluminum Alloy Wheels
4. Adjustable Gas Shocks (950 Trail)
5. Electronic Power Steering
6. Electronic Throttle with Ride Modes (Normal/Sport)
7. LED Headlights/Taillights with Backup Lights
8. 3500 lb. Winch
9. 50" Trail Stance
10. Protective Half Side Doors
11. LCD Display







Z10

143 HP 998cc Inline
Triple-Cylinder Turbocharged **64" Wide**



Z10-4

143 HP 998cc Inline
Triple-Cylinder Turbocharged **64" Wide**



950 SPORT

83 HP 963cc V-Twin EFI **60" Wide**



950 SPORT 4

83 HP 963cc V-Twin EFI **60" Wide**



950 TRAIL

83 HP 963cc V-Twin EFI **50" Wide**



800 TRAIL

58 HP 800cc V-Twin EFI **50" Wide**

ZFORCE FEATURES

	800 TRAIL	950 TRAIL	950 SPORT	950 SPORT 4	Z10	Z10-4
Electronic Power Steering	●	●	●	●	●	●
4 Adjustable EPS Modes (Auto/Low/Mid/High)	–	–	–	–	●	●
3500 lb. Winch	●	●	●	–	–	–
4500 lb. Winch with Synthetic Rope	–	–	–	●	●	●
Electronic Throttle with Normal/Sport Modes	●	●	●	●	–	–
Electronic Throttle with Comfort/Trail/Sport Modes	–	–	–	–	●	●
LCD Display	●	●	●	●	●	●
12.3" CFMOTO RideSync™ MMI Touchscreen with Backup Camera	–	–	–	–	●	●
T-Box	●	●	●	●	●	●
CFMOTO RideSync App Compatible	●	●	●	●	●	●
12V Outlet and USB Port	●	●	●	●	●	●
LED Headlights/Taillights with Backup Lights	●	●	●	●	–	–
CFMOTO LED™ Headlights/Taillights with Backup Lights	–	–	–	–	●	●
Roof	●	●	●	●	○	○
Fender Flares	●	●	●	●	–	–
Tilt Steering	●	●	●	●	●	●
Adjustable Driver's Seat	●	●	●	●	●	●
Adjustable Passenger's Seat	–	–	–	–	–	●
Half Doors	●	●	●	●	●	●
Rear Cargo Box Cover	○	○	●	●	–	–
2" Receiver	●	●	●	●	–	–
Multi-function Steering Wheel	–	–	–	–	●	●
FOX® QSE Shocks with 3 Adjustable Suspension Modes (Soft/Medium/Firm)	–	–	–	–	●	●
HDPE Skid Plate	●	●	●	●	●	●
Aluminum Bash Plate	–	–	–	–	●	●
Front Bumper	●	●	●	●	●	●
NFC Key	–	–	–	–	●	●
Bus Bar	●	●	●	●	●	●
Front & Rear Recovery Hooks	–	–	–	–	●	●
Front & Rear Swaybars	●	●	●	●	●	●

● Standard ○ Accessory

ZFORCE SPECIFICATIONS

	800 TRAIL	950 TRAIL	950 SPORT	950 SPORT 4	Z10	Z10-4
Engine Type	V-Twin, liquid-cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid-cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid-cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid-cooled, 4-stroke, SOHC, 8-valve	3 cylinder, 4-stroke, liquid-cooled, DOHC, Turbo	3 cylinder, 4-stroke, liquid-cooled, DOHC, Turbo
Displacement	800cc	963cc	963cc	963cc	998cc	998cc
Max Power	58 HP @ 7500 RPM	83 HP @ 7500 RPM	83 HP @ 7500 RPM	83 HP @ 7500 RPM	143 HP @ 7750 RPM	143 HP @ 7750 RPM
Max Torque	50 LB-FT @ 5750 RPM	63 LB-FT @ 5000 RPM	63 LB-FT @ 5000 RPM	63 LB-FT @ 5000 RPM	100 LB-FT @ 7000 RPM	100 LB-FT @ 7000 RPM
Fuel System	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI
Drive	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
Transmission	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L
LxWxH	121" x 50" x 72"	121" x 50" x 72"	121" x 60" x 74"	151" x 60" x 74"	129" x 64" x 68.5"	159" x 64" x 68.5"
Wheelbase	90"	90"	90"	120"	99"	129"
Dry Weight	1290 lbs.	1314 lbs.	1436 lbs.	1700 lbs.	1863 lbs.	2105 lbs.
Ground Clearance	10"	10"	12"	12"	14"	14"
Fuel Tank Capacity	9.8 gal.	9.8 gal.	9.8 gal.	9.8 gal.	9.9 gal.	9.9 gal.
Suspension	Front: Independent arched dual A-arm/Rear: TTA Suspension (Dual A-arm & connection rod)	Front: Independent arched dual A-arm/Rear: TTA Suspension (Dual A-arm & connection rod)	Front: Independent arched dual A-arm/Rear: TTA Suspension (Dual A-arm & connection rod)	Front: Independent arched dual A-arm/Rear: TTA Suspension (Dual A-arm & connection rod)	Front: High clearance A-arm, independent/Rear: Trailing arm independent	Front: High clearance A-arm, independent/Rear: Trailing arm independent
Wheels	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy with beadlocks	Front/Rear: 14" Aluminum Wheels	Front/Rear: 14" Aluminum Wheels
Tires	Front: 26" x 8" x R14 Rear: 26" x 9" x R14	Front: 26" x 8" x R14 Rear: 26" x 9" x R14	Front: 27" x 9" x R14 CST Stag Rear: 27" x 11" x R14 CST Stag	Front: 27" x 9" x R14 CST Stag Rear: 27" x 11" x R14 CST Stag	Front & Rear: 30" X 10" X 14" CST Pulse XT	Front & Rear: 30" X 10" X 14" CST Pulse XT
Shocks	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: High pressure gas w/ piggyback reservoir, 3-position compression adjustable	Front/Rear: High pressure gas w/ piggyback reservoir, 3-position compression adjustable	Front/Rear: High pressure gas w/ piggyback reservoir, 7-position compression adjustable	FOX adjustable piggyback reservoir (2.5") gas shock with CAB controlled compression switch	FOX adjustable piggyback reservoir (2.5") gas shock with CAB controlled compression switch
Brakes	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc	Front/Rear: Hydraulic disc
Wheel Travel	Front: 10"/Rear: 12"	Front: 10"/Rear: 12"	Front: 12.1"/Rear: 13.1"	Front: 12.1"/Rear: 13.1"	Front: 17"/Rear: 20"	Front: 17"/Rear: 20"
Winch	3500 lbs.	3500 lbs.	3500 lbs.	4500 lbs.	4500 lbs.	4500 lbs.
Colors	Nebula Black	Nebula Black, Magma Red	Nebula Black, Magma Red, Twilight Blue	Nebula Black, Magma Red, Twilight Blue	Nebula Black, Lava Orange	Nebula Black, Lava Orange



UFORCE

Utility Side-by-Sides

This much progress deserves a steak dinner.

With the UFORCE U10 Pro as your partner, hauling feed, mending fences, or checking up on the herd becomes an effortless task. And with the U10 Pro's premium features including a CFMOTO RideSync™ MMI touchscreen, audio package, and 4500 lb. winch, they're jobs you look forward to. So pull up a chair, Mr. Rancher, because with this machine or any UFORCE by your side, every challenge met is another reason to toast a job well done. After all, this isn't just progress; it's a revolution in how you live with your land. And that, partner, deserves the finest steak on your plate.



U10 PRO & U10 PRO XL





You asked for a utility vehicle that's as versatile as you are.

Long days are about to get more productive—and enjoyable. The smooth, quiet power of the 88 HP engine and brand new OmniDrive™ CVT is a utility vehicle game-changer. Flip between 'Normal' and 'Work' drive modes as easily as you switch from adventurer to doer. Enjoy the comfort of the plush 3-person bench seat (6-person capacity on the U10 Pro XL). The 1000-lb. capacity electronic/hydraulic tilting cargo box makes hauling and unloading effortless. The NFC key, standard audio system, tilt steering, and a crystal-clear 8" CFMOTO RideSync™ MMI touchscreen make this vehicle the ultimate utility companion.

998CC
Triple-Cylinder Engine

88 HP
@ 7250 RPM

70 LB-FT
@ 6500 RPM

2500 LBS.
Towing Capacity

1000 LBS.
Electronic/Hydraulic Tilting Cargo Box

U10 Pro/U10 Pro XL Standard Features

1. Hardtop Roof
2. Electronic Power Steering
3. Ride Modes (Work/Normal)
4. 8" CFMOTO RideSync™ MMI Touchscreen Display
5. Side Mirrors
6. CFMOTO LED™ Headlights/Taillights/Backup Lights
7. 4500 lb. Winch with Synthetic Rope
8. 14" Aluminum Alloy Wheels with 29" Tires
9. Audio Package
10. 3-Person Bench Seat (6-Person Capacity on U10 Pro XL)
11. Side Nets
12. 1000-lb. Capacity Electronic/Hydraulic Tilting Cargo Box


8" CFMOTO RideSync™ MMI Touchscreen


Plush 3-Person Bench Seats


In-Cab Cargo Box Control



Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.

UFORCE 1000 & 1000 XL

Designed to thrive in the demanding conditions of the American ranch or farm, both the UFORCE 1000 and 1000 XL pack a serious punch with their 963cc V-Twin engines. And with room for three to six adults across models, these vehicles are not just powerful—they're practical. Built tough, priced smart, and engineered to haul, tow, and command your land with ease, this is your ultimate ally in the quest for efficiency and performance on the land you love.




Shown with optional accessories.

UFORCE 1000/1000 XL Standard Features


1. Hardtop Roof
2. Electronic Power Steering with Tilt Steering Wheel
3. Ride Modes (Work/Normal)
4. TFT Display
5. Side Mirrors
6. LED Headlights and Taillights with Backup Lights
7. Powerful Winch with Synthetic Rope (3500 lb. on 1000/4500 lb. on 1000 XL)
8. Aluminum Alloy Wheels with 27" CST Performance Tires
9. Side Nets
10. 3-Person Bench Seat (6-Person Capacity on 1000 XL)
11. 12-Volt Outlet and USB Port
12. 1000-lb. Capacity Tilting Cargo Box



3-Person Bench Seat(s) with Under-Seat Storage



Aluminum Alloy Wheels with 27" Performance Tires



Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.

UFORCE 600 & 800 XL

Here's proof that great things come in powerful, compact packages. These mid-size UTVs are your ultimate tool for tackling diverse terrains and challenging tasks. The UFORCE 600 is perfect for navigating narrow trails and tight work sites. Stepping up in size, the UFORCE 800 XL expands on the 600's robust framework with more room for passengers and an increased horsepower. Both models boast a sophisticated suspension that offers a smoother ride and greater control on uneven terrain.



UFORCE 600/800 XL Standard Features

1. Hardtop Roof
2. Electronic Power Steering with Tilt Steering Wheel
3. Ride Modes (Work/Normal)
4. LCD Display
5. Side Mirrors
6. LED Headlights and Taillights with Backup Lights
7. Powerful Winch (3500 lb. with Steel Rope on 600/ 4500 lb. with Synthetic Rope on 800 XL)
8. Aluminum Alloy Wheels
9. Side Nets
10. 12-Volt Outlet and USB Port
11. High-Capacity Dumping Cargo Box (600-lb. capacity on 600 660-lb. capacity on 800 XL)
12. 2" Receiver



2-Person Bench Seat(s) with Under-Seat Storage



Electronic Power Steering with Tilt Wheel



U10 PRO XL

88 HP 998cc Inline Triple EFI




U10 PRO

88 HP 998cc Inline Triple EFI




1000 XL

71 HP 963cc 8-valve V-Twin EFI




1000

71 HP 963cc 8-valve V-Twin EFI



800 XL

63 HP 800cc 8-valve V-Twin EFI



600

36 HP 580cc 4-valve V-Twin EFI

UFORCE FEATURES

	600	800 XL	1000	1000 XL	U10 PRO	U10 PRO XL
Electronic Power Steering	●	●	●	●	●	●
Bosch® Electronic Throttle with Work/Normal Modes	●	●	●	●	●	●
3500 lb. Winch	●	–	●	–	–	–
4500 lb. Winch with Synthetic Rope	–	●	–	●	●	●
2-Person Bench Seat(s)	●	●	–	–	–	–
3-Person Bench Seat(s)	–	–	●	●	●	●
LED Headlights/Taillights with Backup Lights	●	●	●	●	–	–
CFMOTO LED™ Headlights/Taillights/Backup Lights	–	–	–	–	●	●
Tilt Steering Wheel	●	●	●	●	●	●
5" LCD Display	●	●	–	–	–	–
5" TFT Display	–	–	●	●	–	–
8" CFMOTO RideSync™ MMI Touchscreen Display	–	–	–	–	●	●
T-Box	●	●	●	●	●	●
CFMOTO RideSync App Compatible	●	●	●	●	●	●
12V Outlet and USB Port	●	●	●	●	●	●
Push-Button Shifting	–	–	–	–	●	●
NFC Key	–	–	–	–	●	●
2" Receiver	●	●	●	●	●	●
Mirrors	●	●	●	●	●	●
Side Nets	●	●	●	●	●	●
Roof	●	●	●	●	●	●
Locking Rear Differential	●	●	●	●	●	●
Large Adjustable Driver's Seat	●	●	●	●	●	●
Large Adjustable Passenger's Seat	–	–	–	–	●	●
Under-seat Storage	●	●	●	●	–	–
Removable Storage Box	–	–	●	●	–	–
Front Bumper	●	●	●	●	–	–
Electronic/Hydraulic Tilt Bed	–	–	–	–	●	●
Skid Plate	●	●	●	●	●	●
Front Sway Bar	–	–	–	–	●	●
Rear Sway Bar	●	●	●	●	●	●
Hill Descent Control	–	–	–	–	●	●
Buss Bar	○	○	○	○	●	●
Audio Package	○	○	○	○	●	●

● Standard ○ Accessory

UFORCE SPECIFICATIONS

	600	800 XL	1000	1000 XL	U10 PRO	U10 PRO XL
Engine Type	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	3 cylinder,4-stroke, liquid-cooled, DOHC	3 cylinder,4-stroke, liquid-cooled, DOHC
Displacement	580cc	800cc	963cc	963cc	998cc	998cc
Max Power	36 HP @ 6250 RPM	63 HP @ 7000 RPM	71 HP @ 7000 RPM	71 HP @ 7000 RPM	88 HP @ 7250 RPM	88 HP @ 7250 RPM
Max Torque	33 LB-FT @ 4750 RPM	51 LB-FT @ 5500 RPM	54 LB-FT @ 6500 RPM	54 LB-FT @ 6500 RPM	69 LB-FT @ 6500 RPM	69 LB-FT @ 6500 RPM
Fuel System	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI
Drive	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
Transmission	CVTech® Automatic P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L
LxWxH	111" x 57" x 76"	143" x 60" x 79"	116" x 63.5" x 73"	148" x 63.5" x 73"	117" x 64" x 77"	148" x 64" x 77"
Wheelbase	76"	109.1"	80.7"	112"	81.1"	112.5"
Dry Weight	1345 lbs.	1629 lbs.	1537 lbs.	1853 lbs.	1742 lbs.	2061 lbs.
Ground Clearance	10.5"	11.8"	11.4"	12"	13"	13"
Fuel Tank Capacity	9.25 gal.	10.5 gal.	10.6 gal.	10.6 gal.	11.8 gal.	11.8 gal.
Cargo Capacity	600 lbs.	660 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
Turning Radius	14.9'	18'	13.4'	18'	13.9'	17.7'
Suspension	Front: High clearance A-arm independent Rear: Double A-arm independent	Front: High clearance A-arm independent Rear: Double A-arm independent	Front: High clearance A-arm independent Rear: Double A-arm independent	Front: High clearance A-arm independent Rear: Double A-arm independent	Front: High clearance A-arm independent Rear: Double A-arm independent	Front: High clearance A-arm independent Rear: Double A-arm independent
Wheels	Front/Rear: 12" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy
Tires	Front: 26" x 8" x R12 Rear: 26" x 10" X R12	Front: 27" x 9" x 14" Rear: 27" x 11" x 14"	Front: 27" x 9" x R14 CST Rear: 27" x 11" x R14 CST	Front: 27" x 9" x R14 CST Rear: 27" x 11" x R14 CST	Front: 29" x 9" x R14 CST Rear: 29" x 11" x R14	Front: 29" x 9" x R14 CST Rear: 29" x 11" x R14
Shocks	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped
Brakes	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with electronic parking brake	Front/Rear: Hydraulic disc with electronic parking brake
Wheel Travel	Front: 7.9"/Rear: 8.3"	Front: 8.9"/Rear: 8.9"	Front: 9"/Rear: 9"	Front: 9"/Rear: 9"	Front: 11"/Rear: 10.4"	Front: 11"/Rear: 10.4"
Towing Capacity	1500 lbs.	1500 lbs.	2500 lbs.	2500 lbs.	2500 lbs.	2500 lbs.
Colors	Nebula Black, TrueTimber® Camo	Nebula Black, Twilight Blue, TrueTimber® Camo	Nebula Black, Twilight Blue, TrueTimber® Camo	Nebula Black, Twilight Blue, TrueTimber® Camo	Nebula Black, Bordeaux Red, TrueTimber® Camo	Nebula Black, Bordeaux Red, TrueTimber® Camo

CFORCE

All-Terrain Vehicle



Wandering until you're lost. That's called wanderlust.

For those with mud in their veins and adventure in their hearts, our latest machines, including the all-new 1000 Overland and the powerhouse Touring ATVs, are here to ignite your primal urge to explore. What's the big news? An all-new platform with an even more powerful engine, redesigned OmniDrive™ CVT, cutting-edge suspension, and next-gen connectivity. Whether you have a map or not, it's time to let these ATVs and your wanderlust lead the way.

CFORCE 1000 OVERLAND





When this beast hits the trail, others play dead.

You're not looking for average, are you? This beast packs a 963cc V-Twin engine and a revolutionary suspension to chew up any terrain. Need to keep tabs on everything? The advanced 7" TFT display has got your back with all the diagnostics and entertainment you could want. This is your new partner in adventure, featuring Adjustable Electronic Power Steering, three ride modes (Work/Normal/Sport), and Downhill Assist Control. Heavy-duty steel bumpers and an aluminum bash plate declare, "bring it on." And two removable hard side travel cases declare, "bring it all."

963cc V-Twin Engine

84 HP @ 7500 RPM

62 LB-FT @ 5500 RPM

9" Wheel Travel

1800 LBS. Towing Capacity

CFORCE 1000 Overland Standard Features

1. Adjustable Electronic Power Steering with 4 Modes (Auto/Min/Mid/Max)
2. Ride Modes (Work/Sport/Normal)
3. Windshield and Hand Guards
4. CFMOTO LED™ Headlights & Taillights with Daytime Running Lights
5. LED Floodlights
6. Large Bumpers
7. 3500 lb. Winch with Synthetic Rope
8. Aluminum Bash Plate and HDPE Skid Plate
9. Cast Aluminum Wheels with Beadlock Rims and 27" Clincher Tires
10. Fender Flares
11. 2 Removable Hard Side Travel Cases
12. Downhill Assist Control










Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.

CFORCE 1000 TOURING & 800 TOURING

Engineered for smooth rides and sharp turns, these ATVs boast a ride-by-wire throttle, adjustable suspension, and all-new OmniDrive™ CVT clutch. Sink into the plush seats and take charge with state-of-the-art electronic power steering. With the advanced TFT display you're always in command—navigate new trails, monitor performance, or groove to your favorite tunes on the move. This is top-tier two-up touring at an amazing value.



Shown with optional accessories.

CFORCE 1000 Touring/ 800 Touring Standard Features

1. Adjustable Electronic Power Steering with 4 Modes (Auto/Min/Mid/Max)
2. Ride Modes (Work/Sport/Normal)
3. Hand Guards
4. Front and Rear Composite-Over-Steel Racks
5. CFMOTO LED™ Headlights & Taillights with Daytime Running Lights
6. Heavy-Duty Steel Bumpers
7. 3500 lb. Winch with Synthetic Rope
8. Aluminum Bash Plate and HDPE Skid Plate
9. Cast Aluminum Wheels
10. Fender Flares
11. Sculpted 2-Up Seating
12. Downhill Assist Control

Fully-Adjustable Gas Shock Suspension (1000)

7" TFT Display



Shown with optional accessories. Ask your dealer about adding accessories to your vehicle.

CFORCE 600 & 600 TOURING

These mid-size ATVs can do pretty much anything the big boys can do. Powered by a robust 580cc engine and seamless CVTech clutch, these 600 class wheelers punch well above their weight. Settle into the ergonomic seat and take command with precision electronic power steering, tailor-made for adventurers who demand control and comfort. The perfect all-rounder for those who are ready to work, play, and explore without boundaries.



Shown with optional accessories.

CFORCE 600/600 Touring Standard Features

1. Electronic Power Steering
2. Bosch® Electronic Throttle with Work/Normal Modes
3. Hand Guards
4. Front and Rear Composite-Over-Steel Racks
5. Ridevision™ LED Headlights and Taillights with Backup Lights
6. 3500 lb. Winch with Synthetic Rope
7. Aluminum Alloy Wheels
8. Sculpted 2-up Seating (600 Touring)
9. LCD Display with Bluetooth Call Indicator
10. 12V Outlet and USB Port
11. 2" Receiver



Aluminum Alloy Wheels



Composite-Over-Steel Racks



CFORCE 500

From tearing up rugged trails to plowing snow like a pro, the CFORCE 500 does it all. This bad boy comes tricked out with electric power steering (EPS), a crisp 5-inch digital gauge, and a muscle-bound 2,500 lb. winch with a handlebar-mounted switch to yank you, or a buddy, out of any mess. And let's not forget those tough-as-nails 12" cast aluminum rims. All these features and your wallet won't even break a sweat.



CFORCE 500 Standard Features

1. Electronic Power Steering
2. Aluminum Alloy Wheels
3. 2500 lb. Winch
4. Ridevision™ LED Headlights and Taillights with Backup Lights
5. Front and Rear Composite-Over-Steel Racks
6. LCD Display
7. USB Port
8. 2" Receiver



CFORCE 400

When you need relentless reliability and a bargain price, the CFORCE 400 is your go-to companion. But don't be fooled by its humble demeanor. This workhorse doesn't have to flaunt flashy finishes to impress. Not when it's hauling, towing, and tackling whatever you throw at it. That 2" receiver says, "bring it on!" And with 9.8 inches of ground clearance and an independent double A-arm suspension, on-and-on it goes no matter the terrain.



CFORCE 400 Standard Features

1. Front and Rear Bumper
2. Halogen Headlights with LED Accents
3. Steel Racks
4. LCD Display
5. USB Port
6. 2" Receiver




1000 OVERLAND

84 HP 963cc 8-valve V-Twin EFI engine




1000 TOURING

84 HP 963cc 8-valve V-Twin EFI engine




800 TOURING

70 HP 800cc 8-valve V-Twin EFI engine



600 TOURING

44 HP 580cc 4-valve V-Twin EFI engine



600

44 HP 580cc 4-valve V-Twin EFI engine



500

34 HP 500cc 4-valve V-Twin EFI engine



400

30 HP 400cc 4-valve V-Twin EFI engine

CFORCE FEATURES

	400	500	600	600 TOURING	800 TOURING	1000 TOURING	1000 OVERLAND
Electronic Power Steering	–	●	●	●	–	–	–
Adjustable Electronic Power Steering	–	–	–	–	●	●	●
Bosch® Electronic Throttle with Work/Normal Modes	–	–	●	●	–	–	–
Bosch® EFI with Work/Normal/Sport Modes	–	–	–	–	●	●	●
2500 lb. Winch with Steel Cable	○	●	–	–	–	–	–
3500 lb. Winch with Synthetic Rope	–	–	●	●	●	●	●
Halogen Headlights with LED Accents, LED Taillights with Backup Lights	●	–	–	–	–	–	–
Ridevision™ LED Headlights and Taillights with Backup Lights	–	●	●	●	–	–	–
CFMOTO LED™ Headlights & Taillights with Daytime Running Lights	–	–	–	–	●	●	●
LED Floodlights	–	–	–	–	–	–	●
Steel Racks	●	–	–	–	–	–	–
Steel Racks with Composite Cover	–	●	●	●	●	●	●
LCD Display	●	●	●	●	–	–	–
7" TFT Display	–	–	–	–	●	●	●
Bluetooth Call Indicator	–	–	●	●	●	●	●
Passenger Seat	–	–	–	●	●	●	–
2" Receiver	●	●	●	●	●	●	●
Hand Guards	○	○	●	●	●	●	●
Windshield	○	○	○	○	○	○	●
Fender Flares	–	–	–	–	●	●	●
Front Bumpers	●	●	●	●	●	●	●
Aluminum Bash Plate and HDPE Skid Plates	–	–	–	–	–	–	●
12V Outlet and USB Port	●	●	●	●	●	●	●
Engine Braking	●	●	●	●	–	–	–
Downhill Assist Control	–	–	–	–	●	●	●

● Standard ○ Accessory

CFORCE SPECIFICATIONS

	400	500	600	600 TOURING	800 TOURING	1000 TOURING	1000 OVERLAND
Engine Type	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
Displacement	400cc	500cc	580cc	580cc	800cc	963cc	963cc
Max Power	30 HP @ 7200 RPM	34 HP @ 6800 RPM	44 HP @ 6500 RPM	44 HP @ 6500 RPM	70 HP @ 7500 RPM	84 HP @ 7500 RPM	84 HP @ 7500 RPM
Max Torque	22 LB-FT @ 6000 RPM	29 LB-FT @ 6000 RPM	37 LB-FT @ 6000 RPM	37 LB-FT @ 6000 RPM	51 LB-FT @ 5500 RPM	62 LB-FT @ 5500 RPM	62 LB-FT @ 5500 RPM
Fuel System	EFI	EFI	EFI	EFI	EFI	EFI	EFI
Drive	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
Transmission	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	CVTech® Automatic P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L	OmniDrive™ CVT P/R/N/H/L
LxWxH	80" x 44" x 45"	80" x 44" x 45"	80" x 46.5" x 48"	88" x 46.5" x 55"	92" x 50" x 57.1"	92" x 50" x 57.7"	92" x 50" x 53"
Wheelbase	50"	50"	50.5"	58.5"	58"	58"	58"
Dry Weight	730 lbs.	713 lbs.	753 lbs.	863 lbs.	960 lbs.	975 lbs.	975 lbs.
Ground Clearance	9.8"	10.3"	10.6"	10.6"	11.4"	12"	12"
Fuel Capacity	4.5 gal.	4.5 gal.	4.75 gal.	4.75 gal.	6.9 gal.	6.9 gal.	6.9 gal.
Rack Capacity	Front: 75 lbs./Rear: 132 lbs.	Front: 75 lbs./Rear: 132 lbs.	Front: 75 lbs./Rear: 100 lbs.	Front: 100 lbs./Rear: 75 lbs.	Front: 99 lbs./Rear: 198 lbs.	Front: 99 lbs./Rear: 198 lbs.	Front: 99 lbs./Rear: 198 lbs.
Seat Height	20"	20"	21"	21"	22"	22"	22"
Suspension	Front/Rear: Double A-arm independent	Front/Rear: Double A-arm independent	Front/Rear: Double A-arm independent	Front/Rear: Double A-arm independent	Front: High clearance A-arm, independent/Rear: Trailing arm independent	Front: High clearance A-arm, independent/Rear: Trailing arm independent	Front: High clearance A-arm, independent/Rear: Trailing arm independent
Wheels	Front/Rear: 12" Steel	Front/Rear: 12" Cast aluminum alloy	Front/Rear: 12" Cast aluminum alloy	Front/Rear: 12" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy	Front/Rear: 14" Cast aluminum alloy w/bead lock
Tires	Front: 24" x 8" x R12 Rear: 24" x 10" x R12	Front: 25" x 8" x R12 Rear: 25" x 10" x R12	Front: 26" x 8" x R12 Rear: 26" x 10" x R12	Front: 26" x 8" x R12 Rear: 26" x 10" x R12	Front: 26" x 8" x R14 Rear: 26" x 10" x R14	Front: 27" x 9" x R14 Rear: 27" x 11" x R14	Front: 27" x 9" x R14 CST Clincher /Rear: 27" x 11" x R14 CST Clincher
Shocks	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: Spring pre-load adjustable, oil damped	Front/Rear: High pressure gas w/ piggyback reservoir, compression and rebound adjustable	Front/Rear: High pressure gas w/ piggyback reservoir, compression and rebound adjustable
Brakes	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake	Front/Rear: Hydraulic disc with parking brake
Wheel Travel	Front: 7.5"/Rear: 8.9"	Front: 7.5"/Rear: 8.9"	Front: 6.3"/Rear: 8.3"	Front: 6.3"/Rear: 8.3"	Front: 9"/Rear: 9"	Front: 9"/Rear: 9"	Front: 9"/Rear: 9"
Towing Capacity	1350 lbs.	1350 lbs.	1500 lbs.	1500 lbs.	1800 lbs.	1800 lbs.	1800 lbs.
Colors	Jet Black (injected), Hunter Green (injected)	Pearl White, Magma Red, TrueTimber® Camo	Nebula Black, Twilight Blue, TrueTimber® Camo	Nebula Black, Twilight Blue, TrueTimber® Camo	Lava Orange, Tundra Gray, TrueTimber® Camo	Zircon Black, Tundra Gray, TrueTimber® Camo	Desert Tan, Forest Green



CRAFTED

CFMOTO Accessories



You asked. We crafted.

Dive into the hardcore, no-compromise world of CFMOTO CRAFTED. From battle-ready bumpers and armor-tough skid plates to versatile rack accessories, fortress-like cargo boxes, snug cabs, relentless snowplows, and powerhouse generators—every single piece is crafted with precision to fit perfectly and crank up the performance of your favorite ZFORCE, UFORCE, and CFORCE models.

CFMOTO CRAFTED
PARTS AND ACCESSORIES

CARGO

TECHNOLOGY

PROTECTION

PERFORMANCE

COMFORT

APPAREL



5005 Nathan Lane N., Plymouth, MN 55442 | 763-398-2690 | info@cfmotousa.com | cfmotousa.com

Copyright 2025 Zhejiang CFMOTO Power Co., Ltd. All rights reserved. CFMOTO®, CFORCE®, UFORCE®, ZFORCE® and CFMOTO CF logo are trademarks of Zhejiang CFMOTO Power Co., Ltd. BOSCH® is a registered trademark of Robert Bosch GmbH. Delphi® is a registered trademark of Delphi Automotive PLC. CVTech® is a registered trademark of CVTech-AAB. All ZFORCE, CFORCE and UFORCE models feature a standard 12-month Limited Warranty. WARNING: CFMOTO recreational vehicles are intended for off-road use only and can be hazardous to operate. Read Owner's Manual and all product labels before operating. Never operate on paved roads. Operators and passengers must wear a helmet, eye protection and protective clothing. Operators must be at least 16 years old with a valid driver's license. Passengers, if permitted, must be at least 12 years old. Always use seat belts, cab netting and doors (if equipped). Never operate under the influence of alcohol or drugs. Avoid excessive speed and sharp turns, and never engage in stunt driving. Check state and local laws before operating on trails. Take a safety training course before operating. Contact your CFMOTO dealer for more information, call the ATV Safety Institute at 1-800-887-2887, or go to www.atvsafety.org. ©2025 Zhejiang CFMOTO Power Co., Ltd.