

TECHNICAL SPECIFICATIONS

2026 KTM 990 RC R TRACK

ENGINE

Design	2 CYLINDER, 4 STROKE, DOHC PARALLEL TWIN (EURO 5+)
Displacement	947 CM ³
Power	135 PS
Torque	105 NM
Transmission	6-SPEED
Cooling	LIQUID COOLED WITH WATER/OIL HEAT EXCHANGER
Engine cylinder	TWIN CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX POWER SYNTH SAE 10W-50
Engine stroke	4-STROKE
Silencer	STAINLESS STEEL PRIMARY AND SECONDARY SILENCER

CHASSIS

Front brake disc diameter **320 MM**

Rear brake disc diameter **240 MM**

Front brake **2X RADIALLY MOUNTED 4 PISTON CALIPER, BRAKE DISC**

Rear brake **1 PISTON CALIPER, BRAKE DISC**

Chain **520 X-RING**

Frame design **CHROMIUM-MOLYBDENUM-STEEL FRAME USING THE ENGINE AS STRESSED ELEMENT, POWDER COATED**

Steering head angle **65.8 °**

Rear subframe design **ALUMINIUM, POWDER-COATED**

Trail **98.5 MM**

Wheelbase **1.481 MM**

SUSPENSION

Front suspension

WP APEX 48 OPEN CARTRIDGE

Rear suspension

WP APEX

Suspension travel (front)

130 MM

Suspension travel (rear)

130 MM

Front suspension addition

COMPRESSION AND REBOUND (30 CLICK), PRELOAD (± 3 CLICKS)

Rear suspension
addition

**COMPRESSION HIGH SPEED (3 TURNS) LOW SPEED (30 CLICKS), REBOUND
(30 CLICKS), PRELOAD (10 TURNS)**

DIMENSIONS

Seat height	857 MM
-------------	---------------

Tank capacity (approx.)	15.7 L
-------------------------	---------------

Ground clearance	163 MM
------------------	---------------

Weight (without fuel)	170 KG
-----------------------	---------------

Weight fully fueled	181 KG
---------------------	---------------

Front wheel diameter	17 "
----------------------	-------------

Rear wheel diameter	17 "
---------------------	-------------

Front wheel width	3.5 "
-------------------	--------------

Rear wheel width	5.5 "
------------------	--------------

Wheels	3.5 X 17"; 5.5 X 17"
--------	-----------------------------

Wheels	CAST ALUMINIUM WHEELS
--------	------------------------------