

TECHNICAL SPECIFICATIONS

2027 KTM 990 DUKE

ENGINE

Design	2-CYLINDER, 4-STROKE, PARALLEL TWIN
Displacement	947 CM³
Power	123 PS
Torque	103 NM
Transmission	6-SPEED
CO2 emissions	110 G/KM
Cooling	LIQUID COOLED WITH WATER/OIL HEAT EXCHANGER
Engine cylinder	TWIN CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX POWER SYNTH SAE 10W-50
Engine stroke	4-STROKE
Drive type	COMBUSTION
Silencer	STAINLESS STEEL PRIMARY AND SECONDARY SILENCER

CHASSIS

Front brake disc diameter	300 MM
Rear brake disc diameter	240 MM
Front brake	2X RADIALLY MOUNTED 4 PISTON CALIPER
Rear brake	SINGLE-PISTON FLOATING CALLIPER, BRAKE DISC
Chain	520 X-RING
Frame design	CHROMIUM-MOLYBDENUM-STEEL FRAME USING THE ENGINE AS STRESSED ELEMENT, POWDER COATED
Steering head angle	65.8 °
Rear subframe design	ALUMINIUM, POWDER-COATED
Trail	100 MM
Wheelbase	1476 MM

SUSPENSION

Front suspension	WP APEX 43
Rear suspension	WP APEX - MONOSHOCK
Suspension travel (front)	140 MM
Suspension travel (rear)	150 MM

DIMENSIONS

Seat height	825 MM
Tank capacity (approx.)	14.8 L
Ground clearance	195 MM
Weight (without fuel)	179 KG
Wheels	CAST ALUMINIUM WHEELS