

coachmen Clipper

Now It's Time for Family Fun.





Difference.

Construction & Features Competitors Can't Match

Warmest Folding Camper in the Industry

What would you rather sleep on?

Clipper Standard

4" E-Z Rest Reversible Mattress™


1-1/4" Laminated Insulated Bunkend



Competitors

3" Mattress

5/8" Plywood or 1/2" Chipboard



Cold Outside Air





1-1/4" laminated insulated bunkend

- Double the industry standard thickness
- Solid wood, steel reinforced frame filled with 1" thick high density foam and laminated with wood panel on top and bottom
- Yields a more stable bedend vs. chipboard or spliced plywood used by other brands
- Insulation improves comfort and warmth

E-Z Rest Reversible Mattresses™

- Softer on one side, firmer on the other. Now you have a choice!
- A higher level of comfort over standard foam or cheap innerspring mattresses used by the competition.



Optional 20M BTU Suburban® Furnace with forced air, electronic ignition and thermostat control.

Largest heating capacity of any folding camper.



Optional 12V mattress heater.

Roof Side Z-Rail


Channels water away.

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



Dura Tuff Roof

- No one else includes the extra wood layer between the top Filon and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.
- The roof is framed with steel supports to accept A/C on all models without extra reinforcement.
- Covered with a seamless Filon exterior.
- A. Ceiling Board
- B. Wood Frame & Foam Roof Structure
- C. Dura Tuff Wood Protective Layer
- D. One Piece Seamless Filon Skin



SST & Coleman® Stove & Stand



Super Sliding Storage Trunk (SST)

- Rugged 25 cu.ft. rotocast plastic trunk has enough space to take it all with you.
- Trunk slides in both directions on a patented mechanism that provides full access to the trunk interior with the front bed pulled out.
- Trunk lids also flip over to serve as additional shelves/table tops complete with cup holders.



Lakeside Maple Wood with Natural Touch Finish on Paneling and Cabinet Doors

- Special durable coating resists scratches, moisture and marking
- Feel the difference



Coleman® Grill Stove with Electronic Ignition and Multipurpose Portable Stand

- True high pressure cooking fast and efficient
- 25 ft. long grill hose in the Camp Rite package connects the Grill Stove directly to the camper's front gas bottle.
- Portable stand provides stable footing for the Grill Stove, a cooler, garbage bag, etc.; yet it folds up to a compact size that's easy to store.








Improved Entry Doors

- Redesigned upper screen door makes installation easy and improves alignment and function on 2-piece door models.
- Removable travel door stores out of the way on one-piece door models.




Wide Trac Suspension

Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with automotive
 E-coat finish. E-Coat is a 12 step
 cleaning and finishing process
 that applies multiple layers of
 protection to fully penetrate and
 coat INSIDE and OUT. Powder
 coating used by some competitors
 cannot cover inside surfaces.

Coachmen Clipper Slide-Outs

Slide into family fun with the Clipper Classic Slide-Outs. Incredibly spacious, these slide-out campers have room for everyone. Our slide-out models come in three popular floor plans – each one loaded with exclusive features you won't find in other folding campers.









Abundant storage capacity is found in this sliding storage compartment. It slides out for convenient, easy access and features a lid that flips open for use as an outside table top or counter space.




Roomy interior space and large king size bunks make the Classic Slide-Out models ideally suited for family camping. Let the kids bring their friends along. There's room for everyone!













Lots of choices from floor plans to features make the Clipper Sport an outstanding family value. The Clipper Sport comes in 10 family-friendly models loaded with standard features and storage galore, making it easy to bring along everything you need for fun and convenience.





Camp Rite package)


improved safety.


and stores crankhandle


for availability)


Coachmen Clipper Floor Plans



























Off-IR-Coachmen Clipper Coachmen Clipper Clipper Coachmen Clipper Clipper

No place is off limits with Clipper Off-Road Trailers. Their rugged suspension system, heavy-duty 6" I-beam frame, and extra ground clearance let you go where other campers can't. The 60" x 83" diamond plate front platform on the 1175 SC lets you take the power toys along whereas the high sidewall 1465 O/R SST gives you roomy travel trailer-type comforts with back road ruggedness.











This innovative Swing-Over Galley with built-in drawer provides convenient kitchen and storage facilities while in camp. When it's time to break camp, it easily moves from camping to travel position. All your cooking utensils stay safely in place during travel.



	Off-H		Slide-Outs			
			.eff			
Classic	چ ر	OFF	ST	. Segr	TH.	
Specifications	117550	1.465 OK	1265 551	1285 551	1475 मा	
Interior Box Size	11'	14'	12'	12'	14'	
Travel Length	21' 4"	21' 4"	18' 5"	18' 5"	21' 4"	
Travel Width	85"	85"	85"	85"	85"	
Travel Height	60"	72"	55"	55"	69"	
Front Storage Cargo Platform	60 X 83	001.01	0.41.51	04151	001.01	
Interior Open Length	22' 2"	26' 2" 7' 6"	24' 5" 6' 10"	24' 5"	26' 2" 7' 6"	
Interior Open Height Sleeping Capacity	6' 10" 6	6	6	6' 10" 8	6	
Front Sleeping Area	70 X 80	70 X 80	70 X 80	70 X 80	70 X 80	
Rear Sleeping Area	58 X 80	70 X 80	70 X 80	70 X 80	70 X 80	
Dinette Area	39 X 70	45 x 73	45 X 73	45 X 73	45 x 73	
"U" Dinette	N/A	N/A	N/A	N/A	N/A	
Sofa Bed	N/A	N/A	N/A	34 X 76	N/A	
Tire Size	ST225/75D15	ST225/75D15	ST175/80D13	ST175/80D13	ST225/75D15	
Tire Load Range	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt D	
Hitch Weight # (approx.), (lbs./Kg)	378/171	480/218	287/130	288/104	505/229	
Axle Weight # (approx.), (lbs./Kg)	2401/1089	3160/1433	2383/1081	2332/1058	3234/1467	
Dry Weight # (approx.), (lbs./Kg) Cargo Capacity # (approx.), (lbs./Kg)	2779/1261 2679/1215	3640/1651 1920/871	2670/1211 837/380	2620/1188 888/403	3739/1696 1846/837	
Gross Vehicle Weight Rating (GVWR), (lbs./Kg)	5458/2476	5560/2521	3507/1591	3508/1591	5585/2533	
Coupler Ball Size	2-5/16"	2"	2"	2"	2"	
Standard & Optional Equip	ment					
Goshen Lift System w/Double Lift Arms	STD	STD	STD	STD	STD	
Coleman® Propane Grill Stove w/Stand	STD	STD	STD	STD	STD	
4 Layer Seamless Filon Roof - A/C Ready	STD	STD	STD	STD	STD	
Laminated Exterior Surface	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	
VRX-14 Cleanable Tent w/Storm Cuff 1-1/4" Laminated / Insulated Bed	STD	STD STD	STD STD	STD STD	STD STD	
E-Z Glide Rollout Bunk System	STD	STD	STD	STD	STD	
E-Z Rest Reversible Mattress™	4"	4"	4"	4"	4"	
Cushions	4"	4"	4"	4"	4"	
Lined Side Drapes	STD	STD	STD	STD	STD	
Lined Bedend Privacy Curtains & Valances	STD	STD	STD	STD	STD	
E-Z Swing Over Galley w/Drawer	STD	N/A	STD	STD	N/A	
Wedgewood Range	3 Burner	3 Burner-Opt Oven	3 Burner	3 Burner	3 Burner-Opt Ove	
Stainless Steel Sink	STD	STD-Double Bowl	STD	STD	STD-Double Bow	
Kitchen Faucet w/12 Volt Water Pump Hot Water System w/Built-In Shower	STD N/A	STD STD	STD STD	STD N/A	STD STD	
Hot Water System w/Outside Shower	STD	STD	N/A	STD	STD	
Built-In Water Tank - 16 Gal	N/A	N/A	N/A	N/A	N/A	
Under Floor Water Tank - 23/30 Gal	STD	STD	STD	STD	STD	
Radius Edge Hi-Pressure Countertop	STD	STD	STD	STD	STD	
Inside/Outside Table	STD	STD	STD	STD	STD	
Outside Utility Shelf	STD	STD	STD	STD	STD	
Converter w/Battery Charger	35 AMP	35 AMP	25 AMP	25 AMP	35 AMP	
12 Volt Ceiling Lights	6	8	7	7	8	
120 Volt Electrical Outlets	4	4	4	3	4	
Exterior 120 Volt GFI Protected Outlet	STD	STD	STD 1 - STD	STD 1 - STD	STD	
Bedend Light w/Fan Patio Light	2-STD 2-STD	2-STD STD	STD	STD	2-STD STD	
Modular Storage Cabinet	STD	N/A	STD	STD	N/A	
One Piece Screen Door w/Removable Lower Door	STD	STD	STD	STD	STD	
Front Storage Compartment w/Light	N/A	N/A	N/A	N/A	N/A	
SST - Super Sliding Storage Compartment	N/A	STD	STD	STD	STD	
Fantastic Fan™ Power Roof Vent	STD	STD	STD	STD	STD	
Clothes Hanger Bar	STD	STD	STD	STD	STD	
Wide Trac E-Z Lube Heavy Duty Suspension	5,200# - Torflex	5,200# - Torflex	3,500# - Torflex	3,500# - Torflex	5,200# - Torflex	
Seamless HD Polyethylene Wheel Wells	STD Fixed Delly Wheel	STD Fixed Delly Wheel	STD	STD	STD Fixed Dally Whee	
Removable Tongue Jack w/Rubber Wheel Durable 7 Wire Trailer Connection	Fixed Dolly Wheel STD	Fixed Dolly Wheel STD	STD STD	STD STD	Fixed Dolly Whee STD	
Tubular Steel Frame w/E-Coat Finish	6" I-Beam Main	6" I-Beam Main	4"	4"	4"	
Crank Down B.A.L. Jacks	4 Type C- STD	4 Type C- STD	4 4 - STD	4 4 - STD	4 Type C- STD	
Spare Tire, Bracket, Cover & Entrance Step	STD	STD	STD	STD	STD	
3-Way Dometic Refrigerator	2.5 CF-OPT	3 CF-OPT	2.5 CF-OPT	2.5 CF-OPT	3 CF-OPT	
20,000 BTU Suburban Furnace	OPT	OPT	OPT	OPT	OPT	
Carefree Awning - Silver Fade	10' - OPT	12' - OPT	11' - OPT	11' - OPT	12' - OPT	
Screenroom w/Privacy Flaps	10' - OPT	12' - OPT	11' - OPT	11' - OPT	12' - OPT	
	ODT	STD	OPT	OPT	STD	
Modular Cassette Potti	OPT			OTD	STD	
Electric Brakes	STD	STD	STD	STD		
Electric Brakes Sand Pads, Grill Hose & Battery Box, GB Ring	STD OPT-Camp PK	STD OPT-Camp PK	OPT-Camp PK	OPT-Camp PK	OPT-Camp PK	
Electric Brakes Sand Pads, Grill Hose & Battery Box, GB Ring Double Gas Bottle & Cover	STD OPT-Camp PK STD	STD OPT-Camp PK STD	OPT-Camp PK OPT	OPT-Camp PK OPT	OPT-Camp PK STD	
Electric Brakes Sand Pads, Grill Hose & Battery Box, GB Ring Double Gas Bottle & Cover Bike Rack-Roof Mount	STD OPT-Camp PK STD OPT	STD OPT-Camp PK STD OPT	OPT-Camp PK OPT OPT	OPT-Camp PK OPT OPT	OPT-Camp PK STD OPT	
Electric Brakes Sand Pads, Grill Hose & Battery Box, GB Ring Double Gas Bottle & Cover	STD OPT-Camp PK STD	STD OPT-Camp PK STD	OPT-Camp PK OPT	OPT-Camp PK OPT	OPT-Camp PK STD	

Sport

Specifications

Interior Box Size

Travel Length Travel Width Travel Height Front Storage Cargo Platform Interior Open Length Interior Open Height Sleeping Capacity Front Sleeping Area Rear Sleeping Area Dinette Area "U" Dinette Sofa Bed Tire Size Tire Load Range

Hitch Weight # (approx.), (lbs./Kg) Axle Weight # (approx.), (lbs./Kg) Dry Weight # (approx.), (lbs./Kg) Cargo Capacity # (approx.), (lbs./Kg) Gross Vehicle Weight Rating (GVWR), (lbs./Kg) Coupler Ball Size

Standard & Optional Equipment

Goshen Lift System w/Double Lift Arms

Coleman® Propane Grill Stove w/Stand 4 Layer Seamless Filon Roof - A/C Ready Laminated Exterior Surface

VRX-14 Cleanable Tent w/Storm Cuff

1-1/4" Laminated / Insulated Bed E-Z Glide Rollout Bunk System E-Z Rest Reversible Mattress™

Lined Side Drapes Lined Bedend Privacy Curtains & Valances E-Z Swing Over Galley w/Drawer Wedgewood Range Stainless Steel Sink Kitchen Faucet w/12 Volt Water Pump

Cushions

Hot Water System w/Built-In Shower Hot Water System w/Outside Shower Built-In Water Tank - 16 Gal

Under Floor Water Tank - 23/30 Gal Radius Edge Hi-Pressure Countertop

Inside/Outside Table Outside Utility Shelf Converter w/Battery Charger 12 Volt Ceiling Lights 120 Volt Electrical Outlets

Exterior 120 Volt GFI Protected Outlet Bedend Light w/Fan

Patio Light Modular Storage Cabinet

One Piece Screen Door w/Removable Lower Door Front Storage Compartment w/Light

SST - Super Sliding Storage Compartment

Fantastic Fan™ Power Roof Vent Clothes Hanger Bar

Wide Trac E-Z Lube Heavy Duty Suspension Seamless HD Polyethylene Wheel Wells Removable Tongue Jack w/Rubber Wheel

Durable 7 Wire Trailer Connection Tubular Steel Frame w/E-Coat Finish

Crank Down B.A.L. Jacks

Spare Tire, Bracket, Cover & Entrance Step 3-Way Dometic Refrigerator

20,000 BTU Suburban Furnace Carefree Awning - Silver Fade Screenroom w/Privacy Flaps

Highwall Standard Build Package

Modular Cassette Potti

Electric Brakes Sand Pads, Grill Hose & Battery Box, GB Ring Double Gas Bottle & Cover Bike Rack-Roof Mount 1 - 12 Volt Outlet & Mattress Heater Carefree Power Lift

c _a	6	106 170	106 517		107 51	108 air		128 511	127 51
206	106	100	106	104	70,	100	126	120	121
8' 12' 2"	8.5' 12' 8"	8.5' 12' 8"	8.5' 14' 10"	10' 14' 2"	10' 16' 4"	10' 16' 4"	12' 16' 0"	12' 18' 3"	12' 18' 3"
85"	85"	85"	85"	85"	85"	85"	85"	85"	85"
54"	54"	54"	54"	56"	56"	55"	56"	56"	55"
16' 11"	17' 11" 6' 10"	17' 11" 6' 10"	17' 11" 6' 10"	20' 5" 6' 10"	20' 5" 6' 10"	20' 9" 6' 10"	23' 5" 6' 10"	23' 5" 6' 10"	24' 5" 6' 10"
6' 10" 6	6	6	6	7	7	7	6	8	7
48 X 76 48 X 76	54 X 80 48 X 80	54 X 80 48 X 80	54 X 80 48 X 80	58 X 80 54 X 80	58 X 80 54 X 80	58 X 80 58 X 80	70 X 80 58 X 80	70 X 80 58 X 80	70 X 80 70 X 80
39 X 64	39 X 64	N/A	39 X 64	39 X 70	39 X 70	39 X 70	39 X 64	39 X 64	39 X 70
N/A N/A	N/A N/A	42 X 80 N/A	N/A N/A	N/A N/A	42 X 80 N/A	N/A 34 X 76	N/A N/A	42 X 80 N/A	N/A 34 X 70
4.80 X 12	4.80 X 12	4.80 X 12	4.80 X 12	5.30 X 12	ST175/80D13	ST175/80D13	ST175/80D13	ST175/80D13	ST175/80D13
4 Bolt C 93/42	4 Bolt C 110/50	4 Bolt C 175/79	4 Bolt C 255/116	4 Bolt C 192/87	5 Bolt D 224/102	5 Bolt D 230/104	5 Bolt D 223/101	5 Bolt D 229/104	5 Bolt D 231/105
1192/541	1315/596	1283/582	1395/663	1445/655	1615/733	1702/772	1653/694	1875/850	1896/860
1275/575 798/362	1425/646 665/302	1458/661 697/316	1650/748 585/265	1637/743 755/342	1839/834 885/401	1932/876 798/362	1876/851 847/384	2104/954 1345/610	2127/965 1324/601
2073/940 2"	2090/948	2155/977	2235/1014 2"	2392/1085	2724/1236	2730/1238	2723/1235	3449/1564	3451/1565 2"
2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
Single Arms	STD	STD	STD	STD STD	STD	STD	STD STD	STD STD	STD
N/A 3-Layer	STD STD	STD STD	STD STD	STD	STD STD	STD STD	STD	STD	STD STD
Aluminum N/A	Aluminum STD								
STD									
STD 4"									
4"	4"	4"	4"	4"	4"	4"	4"	4"	4"
STD STD									
N/A									
2 Burner In/Out STD	2 Burner STD	2 Burner STD	2 Burner STD	3 Burner STD					
STD									
N/A N/A	N/A N/A	N/A N/A	N/A OPT	N/A N/A	N/A OPT	N/A OPT	N/A N/A	N/A OPT	STD N/A
STD N/A	STD N/A	STD N/A	STD N/A	N/A STD	N/A STD	N/A STD	N/A STD	N/A STD	N/A STD
STD									
STD N/A	STD STD								
12 AMP	25 AMP								
1 2	2 2	2 2	2 2	2 2	2 2	2 3	3 4	3 4	3
N/A	STD								
N/A N/A	1 - OPT STD								
N/A	STD	N/A	STD						
N/A N/A	N/A N/A	N/A N/A	N/A STD	N/A N/A	N/A STD	N/A STD	N/A N/A	N/A STD	N/A STD
N/A N/A	N/A STD								
N/A									
2,200# - Spring STD	2,500# - Spring STD	2,500# - Spring STD	2,500# - Spring STD	3,500# - Spring STD	3,500# - Spring STD				
STD									
STD 3"	STD 3"	STD 3"	STD 4"						
2 - STD STD	4 - STD STD								
1.9 CF-OPT									
OPT 7' - OPT	OPT 8' - OPT	OPT 8' - OPT	OPT 8' - OPT	OPT 9' - OPT	OPT 9' - OPT	OPT 9' - OPT	OPT 11' - OPT	OPT 11' - OPT	OPT 11' - OPT
7' - OPT	8' - OPT	8' - OPT	8' - OPT	9' - OPT	9' - OPT	9' - OPT	11' - OPT	11' - OPT	11' - OPT
N/A OPT	OPT OPT	N/A STD	OPT STD						
OPT-Camp PK									
OPT OPT									
OPT OPT	OPT	OPT OPT	OPT OPT	OPT OPT	OPT	OPT	OPT	OPT	OPT
N/A	OPT N/A	N/A	N/A	N/A	OPT N/A	OPT N/A	OPT N/A	OPT N/A	OPT N/A

AT COACHMEN, we're all about easy. Our motorhomes, fifth wheels, travel trailers and folding campers are designed to be easy to use, easy to enjoy, easy to own. And our no hassle warranty keeps them that way.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including changes in prices, colors, materials, equipment and specifications as well as the addition. of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

COA-23 11/07

Printed in U.S.A. V-50-008

Coachmen

Easy to Use. Really.

Pete, the Coachmen mascot, symbolizes our commitment to being your best friend on the road. Like Pete, we're always there to make sure everything about your Coachmen is as easy and uncomplicated as possible, so you can escape from the hassles and worries of everyday life and enjoy RVing.

Your Coachmen will be easy to buy, easy to use and easy to own. That's our promise to you. We accomplish this in big ways through clever designs and superior support after the sale. But the real measure of being "easy" is in the countless thoughtful touches we include throughout your new Coachmen RV. As you

review this brochure please check out many of our easy touches.

Remember, no matter where the road takes you, the going is always easier with Coachmen.

Easy to Enjoy. Honest.

When you go RVing, there's one thing you should always leave behind: worry.

At Coachmen, our no hassle warranty is our commitment to you, to assure your ongoing satisfaction. This no hassle warranty means that we won't refer you back to some supplier you've never heard of. We won't bounce you back and forth between the dealership and the factory.

Also, should you ever need service or repair; it is easy to find one of the hundreds of Coachmen dealers or authorized repair centers nationwide.

We take pride in working with you to keep your RV experience as enjoyable as possible. We're with you every step of the way. Coachmen. You couldn't ask for an easier traveling companion.

Limited Warranty

- Lift System Lifetime
- Vinyl Tent 5 years
- Roll Out System 5 years
- Frame 5 years
- Roof Assembly 5 years
- Dexter® Axle 5 years
- Refrigerator 3 years
- Plumbing System 10/25 year
- Electronic Converter- 2 years
- Filon® Roof Exterior 2 years

To see how Coachmen is making the easy life even easier, visit www.easyRVing.com or call 1.800.368.2829.



VRV, LLC 580 West Burr Oak Street P.O. Box 549 Centreville, MI 49032 269.467.6321 www.coachmenclipper.com

