



GLENDALERV

PARK MODEL

PARK AVENUES
COTTAGERS
12 WIDES

08

58th
Anniversary

**BUYER'S
GUIDE**


www.glendalerv.com

380PA



PARK MODEL 08







OPTIONAL FRONT ROOM LAYOUTS



FRONT DINETTE AND BUNKS



FRONT BUNK ROOM



FRONT DEN



FRONT BED

380PA PARK MODEL • 2008 Model Year

CONSTRUCTION

SIDEWALLS: 2" x 3" sidewall framing. Thick fiberglass batt insulation blankets the sidewall structure. All framework is positioned at 16" O.C. construction standards. Aluminum exterior siding (.025" gauge) includes baked enamel smooth finish with built-in U.V. shielding to provide years of high luster appearance and "easy clean" finish surface.

ROOF: Quiet, durable, and seamless rubber roof membrane is bonded to 3/8" decking. Full 5-1/2" tapered crown roof structure provides outstanding strength and superior water drainage. Tapered bow truss framing. Thick fiberglass batt insulation.

FLOOR: 5/8" decking screwed and glued to 2" x 4" main floor frame. Seamless *Darco* polyethylene moisture barrier between chassis and floor.

CHASSIS: 8" I-beam construction. Specially formulated chassis undercoating provides many years of corrosion protection.

SLIDEOUT SPECIFICATIONS: "No step" flush floor design between main body and slideouts. "Maintenance free" slideout system self supports.

INTERIOR CABINET DOORS: Raised panel beech cabinet doors with antique brass hardware. T&G interlocking cabinet door miters. Many cabinets feature center shelves for stacking convenience. "Easy Glide" metal roller system on all drawers.

WINDOWS: "Awning Style" window openings provide "protected ventilation" in rainy weather. Opening the vent creates an awning, so the window can be opened for fresh air while channeling water outward from the vehicle walls. Screens are removable. Day/Night shades.

APPLIANCES

REFRIGERATOR: Large double door, residential style 18.2 cubic foot capacity.

RANGE: Premiere 30" free standing residential style range, white finish, black glass oven door.

FURNACE: Hydro-Flame auto ignition 40,000 BTU ducted in-floor heat system.

MICROWAVE OVEN: 30" programmable microwave includes turntable, and built-in range hood vent.

AIR CONDITIONER: *Dometic* 15,000 BTU thermal insulated, ducted in ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/tuner with 2 speakers and subwoofer (*FRONT DEN ONLY*).

TV HOOKUP: Coax cable hookup in bedroom and living area.

TELEPHONE JACK: 3 standard equipment.

SATELLITE HOOKUP: Park model is pre-wired for quick dish connection.

PLUMBING

Traveler Lite foot pedal china toilet with hand sprayer, Large white double sink in kitchen (*includes cover*), with single lever white faucet and sprayer. Corian look bath vanity with antique brass sink and single lever faucet.

WATER HEATER: *Atwood* fast recovery 10 gallon LP/Electric operation.

HOLDING TANK CAPACITY: Sewage Tank: 49 gallon

ELECTRICAL

Exterior courtesy light and switch at patio door.

Exterior and interior G.F.I. circuits.

HOOKUP: 30 Amp.

OTHER STANDARD FEATURES

Flush floors between slideouts and main floor of park model, wire rack wardrobe shelving, 110V lighting, antique brass hardware, plush carpeting with premium underpad in livingroom and bedroom, detachable hitch assembly, sliding wardrobe doors, 2 x 30 lb. propane bottles, 60" x 80" orthopedic quality coil inner spring queen bed, washer/dryer ready, Sleep & Store Inflatable Sofa System sofa bed, 15,000 BTU air conditioner, bar stools, day/night shades, recliner, glass sliding door into den option.

OPTIONAL EQUIPMENT

Electric fireplace insert (*front den only*), oak flooring, TV antenna with booster, house-type toilet, ceiling fan, central vacuum, 22" A&E pewter/white awning with center rafter.

OVERALL LENGTH	LENGTH WITH HITCH REMOVED	MAIN BODY WIDTH	OVERALL HEIGHT	INTERIOR HEIGHT
39' 9-1/2"	37' 4-1/2"	102"	12' 4"	94"

Preliminary Specifications only!


All specifications subject to change without notice or obligation 01/05/2008.

382 PA



PARK MODEL 08





382PA PARK MODEL • 2008 Model Year

CONSTRUCTION

SIDEWALLS: 2" x 3" sidewall framing. Thick fiberglass batt insulation blankets the sidewall structure. All framework is positioned at 16" O.C. construction standards. Aluminum exterior siding (.025" gauge) includes baked enamel smooth finish with built-in U.V. shielding to provide years of high luster appearance and "easy clean" finish surface.

ROOF: Quiet, durable, and seamless rubber roof membrane is bonded to 3/8" decking. Full 5-1/2" tapered crown roof structure provides outstanding strength and superior water drainage. Tapered bow truss framing. Thick fiberglass batt insulation.

FLOOR: 5/8" decking screwed and glued to 2" x 4" main floor frame. Seamless *Darco* polyethylene moisture barrier between chassis and floor.

CHASSIS: 8" I-beam construction. Specially formulated chassis undercoating provides many years of corrosion protection.

SLIDEOUT SPECIFICATIONS: "No step" flush floor design between main body and slideouts. "Maintenance free" slideout system self supports.

INTERIOR CABINET DOORS: Raised panel beech colored style cabinet doors with antique brass hardware. T&G interlocking cabinet door miters. Many cabinets feature center shelves for stacking convenience. "Easy Glide" metal roller system on all drawers.

WINDOWS & EXTERIOR DOORS: "Awning Style" window openings provide "protected ventilation" in rainy weather. Opening the vent creates an awning, so the window can be opened for fresh air while channeling water outward from the vehicle walls. Screens are removable. Day/Night shades.

APPLIANCES

REFRIGERATOR: Large double door residential 18.2 cubic foot capacity.

RANGE: Premiere 30" free standing residential style range, white finish, black glass oven door.

FURNACE: Hydro-Flame auto ignition 40,000 BTU ducted in-floor heat system.

MICROWAVE OVEN: 30" programmable microwave includes turntable, and built-in range hood vent.

AIR CONDITIONER: *Dometic* 15,000 BTU thermal insulated ducted in ceiling cool air system.

ENTERTAINMENT

STEREO: DVD/tuner with 2 satellite speakers and subwoofer (*FRONT DEN ONLY*).

TV HOOKUP: Coax cable hookup in bedroom and living area.

TELEPHONE JACK: 3 standard equipment.

SATELLITE HOOKUP: Park model is pre-wired for quick dish connection.

PLUMBING

Traveler Lite foot pedal china toilet with hand sprayer. Large, white double sink in kitchen (*includes cover*), with single lever white faucet and sprayer. Bath vanity has white china sink with single lever antique brass faucet.

WATER HEATER: *Atwood* fast recovery 10 gallon LP/Electric operation.

HOLDING TANK CAPACITY: Sewage Tank: 49 gallon

ELECTRICAL

Exterior courtesy light and switch at patio door.

Exterior and interior G.F.I. circuits.

HOOKUP: 30 Amp.


OTHER STANDARD FEATURES

Flush floors between slideouts and main floor of park model, free-standing square pedestal dinette, wire rack wardrobe shelving, 110V lighting, antique brass hardware, plush carpeting with premium underpad in livingroom and bedroom, detachable hitch assembly, sliding wardrobe doors, ceiling trim beech coloured crown molding, 2 x 30 lb. propane bottles, recliner, day/night shades, 60" x 80" orthopedic quality coil inner spring queen bed, Sleep & Store Inflatable Sofa System sofa bed.

OPTIONAL EQUIPMENT

Electric fireplace beech wood colour mantle (*FRONT DEN ONLY*), natural oak flooring, TV antenna with booster, house type toilet, ceiling fan, glass shower doors, central vacuum., 22' A&E pewter/white awning with center rafter, washer/dryer ready in kitchen area.


OPTIONAL FRONT ROOM LAYOUTS



FRONT DINETTE AND BUNKS



FRONT BUNK ROOM



FRONT DEN



FRONT BED

OVERALL LENGTH	LENGTH WITH HITCH REMOVED	MAIN BODY WIDTH	OVERALL HEIGHT	INTERIOR HEIGHT
41' 11"	39' 5-1/2"	102"	12' 4"	94"

All specifications subject to change without notice or obligation 01/05/2008.


390C

PARK MODEL 08

Floorplan 1

Floorplan 2





FLOORPLAN 1:
FRONT DEN
REAR BEDROOM

390C PARK MODEL • 2008 Model Year

CONSTRUCTION

SIDEWALLS: 2" x 2" sidewall framing. Thick fiberglass batt insulation blankets the sidewall structure. All framework is positioned at 16" O.C. construction standards. Aluminum exterior siding (.025" gauge) includes baked enamel smooth finish with built-in U.V. shielding to provide years of high luster appearance and "easy clean" finish surface.

ROOF: Quiet, durable, and seamless rubber roof membrane is bonded to 3/8" decking. Full 5-1/2" tapered crown roof structure provides outstanding strength and superior water drainage. Tapered bow truss framing. Thick fiberglass batt insulation.

FLOOR: Seamless 5/8" decking under vinyl floor covering, screwed and glued to 2" x 4" main floor frame. Seamless Darco polyethylene moisture barrier between chassis and floor.

CHASSIS: Removeable hitch assembly. 8" I-Beam construction. Specially formulated chassis undercoating provides many years of corrosion protection.

SLIDEOUT SPECIFICATIONS: "No step" flush floor design between main body and slideouts. "Maintenance free" slide-out system self supports.

INTERIOR CABINET DOORS: Raised panel beech cabinet doors with antique brass hardware. T&G interlocking cabinet door miters. Many cabinets feature center shelves for stacking convenience. "Easy Glide" metal roller system on all drawers.

WINDOWS: "Awning Style" window openings provide "protected ventilation" in rainy weather. Opening the vent creates an awning, so the window can be opened for fresh air while channeling water outward from the vehicle wall. Screens are removable. Day/Night shades.

APPLIANCES

Kitchen Upgrade Package (*Mandatory*)

REFRIGERATOR: Large double door residential 18.2 cubic foot capacity.

RANGE: Premiere 24" free standing residential style range, white finish, black glass oven door.

FURNACE: Hydro-Flame auto ignition 40,000 BTU ducted in-floor heat system.

MICROWAVE OVEN: 30" programmable microwave includes turntable, and built-in range hood vent.

AIR CONDITIONER: Dometic 15,000 BTU thermal insulated ducted in ceiling cool air system.

ENTERTAINMENT

TV HOOKUP: Coax cable hookup in main living and den area (*Floorplan 1*).

Coax cable hookup in bunkroom and main living area (*Floorplan 2*).

PLUMBING

Traveler Lite foot pedal toilet with hand sprayer. Large, double white fiberglass sink in kitchen, with a white single lever swing faucet. Bathroom vanity includes an antique brass single lever faucet, with single white oval sink.

WATER HEATER: Atwood fast recovery 10 gallon LP operation.

HOLDING TANK CAPACITY: Sewage Tank: 49 gallon

ELECTRICAL

Exterior courtesy light and switch at patio door.

Exterior and interior G.F.I. circuits.

HOOKUP: 30 Amp.

OTHER STANDARD FEATURES

Flush floors between slideouts and main floor of park model, free-standing square pedestal dinette, loveseat sofa bed, Sleep & Store Inflatable Sofa System (*Floorplan #1 only*), wire rack wardrobe shelving, smoke detector, 110V lighting, antique brass hardware, plush carpeting with premium underpad in livingroom and bedroom, detachable hitch assembly, sliding wardrobe doors, 2 x 30 lb. propane bottles, 60" x 74" orthopedic quality coil inner spring queen bed, 15,000 BTU air conditioner, recliner, day/night shades.

OPTIONAL EQUIPMENT

TV antenna with booster, house type toilet, 22' pewter/ white awning with center rafter.

FLOORPLAN 2: FRONT BEDROOM/REAR BUNKS



www.glendalery.com

OVERALL LENGTH	LENGTH WITH HITCH REMOVED	MAIN BODY WIDTH	OVERALL HEIGHT	INTERIOR HEIGHT
41'	38' 2-1/2"	102"	12' 4"	94"


NOTE: Entry closet area will also accommodate a 20" LCD TV.

All specifications subject to change without notice or obligation 01/05/2008.

40-2BDRM



PARK MODEL 08



40-2BDRM PARK MODEL • 2008 Model Year

CONSTRUCTION

SIDEWALLS: 2" x 4" sidewall framing. Thick (R12) fiberglass batt insulation and 6 mil. vapor barrier blankets the sidewall structure. All framework is positioned at 16" O.C. construction standards. Vinyl exterior siding with a double 4-1/2" Dutchlap. Easy clean finish surface.

ROOF: Brown colored roof shingles. Scissor truss residential style roof construction. (R20) fiberglass batt insulation and 6 mil. polyethylene vapor barrier 3/8" decking.

FLOOR: 5/8" decking screwed and glued to 2" x 6" main floor frame. Seamless *Seal-Tite* polyethylene moisture barrier between chassis and floor. (R20) Fiberglass batt insulation.

CHASSIS: Removable hitch assembly. 10" steel I-Beam construction. Specially formulated chassis undercoating provides many years of corrosion protection.

INTERIOR CABINET DOORS: Raised panel beech cabinet doors with antique brass hardware. "Easy-Glide" metal roller system on all drawers.

WINDOWS & EXTERIOR DOORS: White, vinyl trimmed residential style thermopane windows. 6' thermopane patio door with screen and night latch lock assembly, 34" wide combination white metal residential style entry door. Skylight included in shower area. 80" full height entrance doors.

APPLIANCES

REFRIGERATOR: Large double-door, freezer top, residential style 18.2 cubic foot capacity.

RANGE: Premiere 30" free standing residential style range, white finish, black glass oven door.

FURNACE: Auto-ignition 56,000 BTU ducted in-floor heat system.

MICROWAVE OVEN: 30" white programmable microwave includes turntable and built-in hood fan.

AIR CONDITIONER: *Dometic* Duo Therm 15,000 BTU thermal insulated ducted cool air system (basement mounted).

SAFETY

Smoke detector, fire extinguisher, G.F.I. protected exterior weather receptacle and G.F.I. protected bathroom vanity area receptacle.

ENTERTAINMENT

TV HOOKUP: Bedroom and living area coax hookups.

TELEPHONE JACK: Bedroom and living room hookups.

PLUMBING

Residential style china toilet, large white deep double sinks in kitchen, single lever antique brass faucet and sprayer. Water filtration system, bath vanity has white sink with single lever antique brass faucet.

WATER HEATER: *Atwood* fast recovery 10 gallon LP/Electric operation.

ELECTRICAL

Exterior courtesy light and switch at patio door.

Exterior and interior G.F.I. circuits.

HOOKUP: 50 Amp.

OTHER STANDARD FEATURES

Coil inner spring 60"x 80" pillow top queen mattress with shams and bedspread, square pedestal free standing dinette, Sleep & Store Inflatable Sofa System residential style sofa bed, 110V lighting, day/night shades, antique brass hardware, coffee table, end tables, recliner, night tables, exterior porch light, exterior window shutters, thermopane windows, wardrobe wire shelf, master bedroom ceiling fan, washer/dryer ready.

OPTIONAL EQUIPMENT

Trapezoid style windows, ceiling fan with lights, 32" LCD TV, mattress and box spring upgrade, RV toilet with septic tank, Clean Steel Appliance Package, second recliner.

www.glendalerv.com

OVERALL LENGTH

40'

LENGTH WITH HITCH REMOVED

40'

MAIN BODY WIDTH

12'

OVERALL HEIGHT

12'-11"

INTERIOR HEIGHT

8'-11"

Overall length dimensions excludes front bay window area.


All specifications subject to change without notice or obligation 01/05/2008.

40FD



PARK MODEL 08





40FD PARK MODEL • 2008 Model Year

CONSTRUCTION

SIDEWALLS: 2" x 4" sidewall framing. Thick (R12) fiberglass batt insulation and 6 mil. vapor barrier blankets the sidewall structure. All framework is positioned at 16" O.C. construction standards. Vinyl exterior siding with a double 4-1/2" Dutchlap. Easy clean finish surface.

ROOF: Brown colored roof shingles. Scissor truss residential style roof construction. (R20) fiberglass batt insulation and 6 mil. polyethylene vapor barrier 3/8" decking.

FLOOR: 5/8" decking screwed and glued to 2" x 6" main floor frame. Seamless Seal-Tite polyethylene moisture barrier between chassis and floor. (R20) Fiberglass batt insulation.

CHASSIS: Removable hitch assembly. 10" steel I-beam construction. Specially formulated chassis undercoating provides many years of corrosion protection.

INTERIOR CABINET DOORS: Raised panel beech cabinet doors with antique brass hardware. "Easy-Glide" metal roller system on all drawers.

WINDOWS & EXTERIOR DOORS: White, vinyl trimmed residential style thermopane windows. 6' thermopane patio door with screen and night latch lock assembly, 34" wide combination white metal residential style entry door. Skylight included in shower area. 80" full height entrance doors.

APPLIANCES

REFRIGERATOR: Large, double-door, freezer top, residential style 18.2 cubic foot capacity.

RANGE: Premiere 30" free standing residential style range, white finish, black glass oven door.

FURNACE: Auto-ignition 56,000 BTU ducted in-floor heat system.

MICROWAVE OVEN: 30" white programmable microwave includes turntable and built-in hood fan.

AIR CONDITIONER: Dometic Duo Therm 15,000 BTU thermal insulated ducted cool air system (basement mounted).

SAFETY

Smoke detector, fire extinguisher, G.F.I. protected exterior weather receptacle and G.F.I. protected bathroom vanity area receptacle.

ENTERTAINMENT

TV HOOKUP: Bedroom and Living area coax hookups.

TELEPHONE JACK: Bedroom and Living room hookups.

PLUMBING

Residential style china toilet, large white deep double sinks in kitchen, single lever antique brass faucet and sprayer. Water filtration system, bath vanity has white sink and single lever antique brass faucet.

WATER HEATER: Atwood fast recovery 10 gallon LP/Electric operation.

ELECTRICAL

Exterior courtesy light and switch at patio door.

Exterior and interior G.F.I. circuits.

HOOKUP: 50 Amp.

OTHER STANDARD FEATURES

Coil inner spring 60" x 80" pillow top queen mattress with shams and bedspread, square pedestal free-standing dinette, Sleep & Store Inflatable Sofa System loveseat/sofa bed, 110V lighting, day/night shades, antique brass hardware, coffee table, thermopane windows, recliners, wardrobe wire shelf, exterior porch light, night tables, exterior window shutters, washer/dryer ready, master bedroom ceiling fan.

OPTIONAL EQUIPMENT

Electric fireplace insert, trapezoid style windows, ceiling fan with lights, mattress and box spring upgrade Clean Steel Appliance Package, RV toilet with septic tank.

www.glendalerv.com

OVERALL LENGTH

40'

LENGTH WITH HITCH REMOVED

39'- 5 1/2"

MAIN BODY WIDTH

12'

OVERALL HEIGHT

12'-11"

INTERIOR HEIGHT

8'-11"

Overall length dimensions excludes front bay window area.

All specifications subject to change without notice or obligation 01/05/2008.



To view our Virtual Tours on these models visit our website at

www.glendalerv.com

GLENDALER RV



145 Queen St. Strathroy, ON N7G 3J6

DEALER

Please contact your dealer for specific warranty coverage.

All photographs and specifications contained in this brochure are based on the latest product information at the time of publication approval. Some equipment shown or described throughout this guide may be available as an option only. Glendale has the right to add or discontinue models without prior notice, and to make changes at any time without notice in colors, materials, equipment, specifications, and models.