

TRAVEL TRAILERS AND FIFTH WHEELS

2001

ALUMASCAPE®

Adventure at a Friendly Price.



2001 ALUMASCAPE[®] SPECIFICATIONS

TRAVEL TRAILERS

WEIGHTS	25RKS	26SKS	27SKS	29FKS	30FK	30SKD	31SKS	31CKS
Gross Vehicle Weight Rating	7,500	10,000	10,000	10,000	7,500	10,000	10,000	10,000
Hitch Weight	615	N/A	860	1,015	800	1,200	911	700
Axle(s) Weight	3,500	5,200	5,200	5,200	3,500	5,200	5,200	5,200
Unloaded Vehicle Weight	5,600	N/A	6,580	7,140	5,860	7,640	6,980	7,360
Net Carrying Capacity (NCC)	1,900	N/A	3,420	2,860	1,640	2,360	3,020	2,640
Tire Size	15"	15"	15"	15"	15"	15"	15"	15"
Tire Load Range	C	D	D	D	C	D	D	D
Heavy Duty Steel Frame	2X6 Box	8" I-beam	8" I-beam	8" I-beam	2X6 box	8" I-beam	8" I-beam	8" I-beam

MEASUREMENTS

Overall Length	26' 0"	27' 8"	28' 9"	30' 1"	30' 9"	30' 9"	31' 4"	32' 0"
Overall Height* (Including A/C)	9' 11"	10' 8"	10' 8"	10' 8"	10' 8"	10' 8"	10' 8"	10' 8"
Exterior Width	98"	98"	98"	98"	98"	98"	98"	98"

TANK CAPACITIES

All Tank Capacities are Approximate. Actual "Usable Capacity" May Vary as a Result of Variances in Installation and Fabrication of the Tanks.

Water Heater (Gal.)	6	6	6	6	6	6	6	6
Gray Tank (Gal.)	40/40	40/40	40	40/40	40	40/40	40/40	40
Black Tank (Gal.)	40	40	40	40	40	40	40	40
Fresh Tank (Gal.)	40	40	40	40	40	40	40	40
LP Tank (Gal.) (2)	30	30	30	30	30	30	30	30

FIFTH WHEEL

WEIGHTS	26RKS	26RKD	27SKS	29RKS	30SKS	30RKD	32SKS	33SKT	34SKT	34CKT	36SKT
Gross Vehicle Weight Rating	10,000	10,000	10,000	11,500	11,500	11,500	12,000	13,000	13,000	13,000	N/A
Hitch Weight	1,468	1,340	N/A	1,620	1,780	1,980	1,860	2,180	2,400	N/A	N/A
Axle(s) Weight	5,200	5,200	5,200	5,200	5,200	5,200	5,200	5,200	5,200	5,200	5,200
Unloaded Vehicle Weight	7,940	8,100	N/A	8,800	8,940	8,780	9,480	10,460	10,600	N/A	N/A
Net Carrying Capacity (NCC)	2,060	1,900	2,700	2,700	2,560	2,720	2,160	2,540	2,400	N/A	N/A
Tire Size	15"	15"	15"	16"	16"	16"	16"	16"	16"	16"	16"
Tire Load Range	D	D	D	E	E	E	E	E	E	E	E
Heavy Duty Steel Frame	8" I-beam	8" I-beam	8" I-beam	8" I-beam	8" I-beam	8" I-beam	10" I-beam	10" I-beam	10" I-beam	10" I-beam	10" I-beam

MEASUREMENTS

Overall Length	27' 4"	27' 10"	28'	30' 5"	31'	31'	35'	34'	35'	35'	37'
Overall Height (Including A/C)	11' 11"	11' 10"	11' 10"	11' 9"	11' 11"	11' 10"	12' 1"	12' 1"	12' 1"	12' 1"	N/A
Exterior Width	98"	98"	98"	98"	98"	98"	98"	98"	98"	98"	98"

TANK CAPACITIES

All Tank Capacities are Approximate. Actual "Usable Capacity" May Vary as a Result of Variances in Installation and Fabrication of the Tanks.

Water Heater (Gal.)	6	6	6	6	6	6	6	6	6	6	6
Gray Tank (Gal.)	40/40	40/40	40	40/40	40/40	40/40	40	40/40	40/40	40/40	40/40
Black Tank (Gal.)	40	40	40	40	40	40	40	40	40	40	40
Fresh Tank (Gal.)	50	50	50	50	50	50	50	50	50	50	50
LP Tank (Gal.) (2)	30	30	30	30	30	30	30	30	30	30	30

*Heights are Based on Static Load Equal to Gross Vehicle Weight Rating.

Due to the large variety of options and floor plan arrangements available to our customers, actual weights for each unit can differ significantly. Holiday Rambler provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Holiday Rambler dealer for unit availability and further information.

The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only

be available in selected floor plans. Photographs may show props or decorations that are not standard equipment on Holiday Rambler models. Holiday Rambler, the HR logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders.

While the color of the towable exteriors and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order.

2001 TRAVEL TRAILER FLOOR PLANS



TRAVEL TRAILER OPTIONS

Carpet
 Linoleum



2001 TRAVEL TRAILER FLOOR PLANS



TRAVEL TRAILER OPTIONS



BODY AND FRAME CONSTRUCTION

Standard Features

- Alumaframe® Superstructure
- Vinyl Exterior Graphics
- Smooth Metal Sidewalls
- Fiberglass Front and Rear Caps with Integrated Rear Bumper
- Large Rear Storage Door in Rear Cap (TT Only: 29FKS)
- Two Tone Color Fender Painted Skirts
- 3/8-inch Foam Core, Thermal Barrier and Sidewall Structure
- Steel Frame Sub-Floor
- Steel Frame Bath Deck (FW Only)
- 5/8-inch Structurewood Flooring
- Rear Bay Cap with Three Windows
(FW: 30SKS, 32SKS, 33SKT, 34CKT, 34SKT, 36SKT) (TT: 31CKS)
- Prep for Spare Tire (FW Only)
- Nine-Layer Aluminum Roof Structure with RV 2000 Roofing Materials
- Vapor Barrier in Roof
- Hard Board Vinyl Ceiling
- Flat Floor Slide-Out (TT N/A: 30FK)
- Enclosed Underbelly (FW Only)
- Triple Step (FW Only)
- Large Trunk Storage Area (FW Only)
- Tandem Axles with Electric Brakes
- Radial Tires
- Stylized 15-inch Sport Wheels with Chrome Center Hub (TT: All Models)
(FW: 16-inch Tires on 29-foot Models and Up)



Options

- Rear Ladder
- Gel Coat Fiberglass Sidewalls
- Adjustable Suspension System (FW Only)
(26-foot to 30-foot models)
- Enclosed Underbelly (TT Only)
- Stabilizer Jacks
- Power Landing Jacks (FW Only)
- Lighted Power Hitch Jack (TT Only)
- Shock Absorbers
- Chrome Wheels**
- Spare Tire with Sport Wheel
- Wrap Storage Doors (FW: Only One Door in 26-foot and 27-foot Models) (Two Doors in 29-foot Models and Above) (TT: One Door on 30SKD, Two Doors on All Others)



APPLIANCES

Standard Features

- Double-Door Refrigerator
- High Output Three-Burner Range/Oven
- Systems Monitor Panel on Range Hood with 12 Volt Fan (Except 33SKT)
- Cable TV/DSS/VCR Ready with Video Box
- Telephone Jacks in Kitchen and Bedroom Area
- TV Antenna and Booster with One-12V Recept and TV Jack(s)

Options

- Large Double-Door Refrigerator
- Microwave with Touch Control**
- DSS Dish with Stand
- AM/FM Electronic Tune Stereo with CD and Cassette (Four Speakers)**
- Bi-Fold Range Cover
- 13-inch Color TV with Remote Control (Living Area) (TT: 25RKS Only)



APPLIANCES (cont.)

Options

- 13-inch Color TV with Remote Control (Bedroom)
- 20-inch Color TV with Remote Control (Living Area) (TT N/A: 25RKS) (Requires TV Swivel Base in TT: 29FKS, 30SKD; FW: TV Swivel Base Required Except in 26RKS and 29RKS)
- 27-inch Color TV with Remote Control (Living Area) (FW Only) (N/A: 26RKD, 26RKS, 27SKS, 29RKS, 34CKT, 34SKT, 36SKT) (TV Swivel Base Required)
- TV Swivel Base (TT: 29FKS,30SKD) (FW N/A: 26RKS, 29RKS) (Required Option for 20- and 27-inch TV Option)
- Washer/Dryer Prep with 50 amp Service (Requires 10 Gal. Water Heater) (FW N/A: 26RKD, 26RKS, 27SKS, 29RKS)

INTERIORS

Standard Features

- Western Oak Cabinets
- Flat Panel Doors on All Cabinets
- Slide-Out Room with Wood Fascia Trim Cap (Living Area Only)
- Flat Floor Slide-Out**
- Smoked Acrylic Refrigerator Door Panels
- Laminate Table Top
- Laminate Kitchen Countertops with Permeated Edge
- Laminate Bathroom and Bedroom Countertops
- Color Matched Kitchen Sink Cover
- Decorative Clock
- Work Station with Keyboard Drawer with Window (FW Only: 34SKT, 36SKT)
- TV Shelf in Bedroom**
- Designer Picture (TT N/A: 25RKS, 30FK, 31SKS) (FW: 26RKS, 29RKS)
- Toilet Tissue Holders
- Carpeting and Pad in Living Area, Hallway and Bedroom
- Linoleum in the Bathroom, Kitchen and Entry
- Decor Mirrors/Decor Glass Doors in Bedroom and Living Room



Lighted Medicine Cabinet in Bathroom

Options

- Colony Oak or Walnut Cabinetry
- Raised Panel Cabinet Doors
- Vinyl Plank Kitchen Floor and Main Entry
- Raised Panel Refrigerator Door Insert
- Kitchen Countertop Extension (TT N/A: 25RKS, 29FKS, 30FK, 31SKS) (FW N/A: 26RKD, 26RKS, 29RKS, 30RKD, 30SKS) (FW: N/A with Hide-A-Bed Option in 32SKS)



FURNITURE

Standard Features

- Queen Bed with Shirt Closets, Wardrobe (FW Only) or Nightstands (TT Only) (N/A: 30SKD)
- Bedroom Slide-Out with Vanity (FW Only: 33SKT, 34CKT, 34SKT, 36SKT)
- Bunk Beds (TT Only: 26SKS, 31SKS)
- Wardrobe Slide-Out (FW Only: 30RKD)
- Bedspread
- Headboard
- Jack Knife Sleeper Sofa with Bolsters
- Bar Stools (TT: 31SKS) (FW: 30SKS, 33SKT, 36SKT)
- Booth Dinette with End Door for Storage (FW N/A: 33SKT)
- Freestanding Dinette (FW: 33SKT only)

FURNITURE (cont.)

Options

- Hide-A-Bed Sofa (TT N/A: 25RKS, 26SKS, 30FK, 31SKS) (FW N/A: 26RKD, 27SKS, 30SKS, 33SKT) (FW: N/A with Kitchen Countertop Extension in 32SKS)
- Swivel Barrel Chair (TT N/A: 25RKS, 26SKS) (TT: Two in 31CKS) (FW: Two in 30SKS, 32SKS, 33SKT, 34CKT, 34SKT, 36SKT)
- Fabric Recliner (TT N/A: 25RKS, 26SKS) (TT: Two in 31CKS) (FW: Two in 30SKS, 32SKS, 33SKT, 34SKT, 34CKT, 36SKT)
- Ultra Vinyl Recliner Chair (TT N/A: 25RKS, 26SKS) (TT: Two in 31CKS) (FW: Two in 30SKS, 32SKS, 33SKT, 34SKT, 34CKT, 36SKT)
- Free-Standing Dinette with Four Wood Chairs (Non-Folding) (TT N/A: 25RKS) (FW: Standard in 33SKT Only)
- Twin Beds with Nightstand (TT N/A: 26SKS, 30SKD) (FW N/A: 30RKD, 33SKT, 34CKT, 34SKT, 36SKT)
- Bedroom Slide-Out (TT: 30SKD) (FW: 33SKT, 34CKT, 34SKT, 36SKT)
- Bedroom Wardrobe Slide-Out (26RKS, 26RKD, 27SKS, 30SKS)

ELECTRICAL SYSTEMS AND LIGHTS

Standard Features

- Electrical Management System (30 amp/12V with 60 amp Conv.)
- Porch Light
- 120V Exterior Receptacle
- Hitch Light
- Battery Box (FW Only)
- Trunk Light
- Bath Bar Light (FW Only)
- 12V Incandescent Ceiling Lights

Options

- One 12V Deep Cycle Battery with Disconnect (TT: Battery Box Comes with Option)
- Two 12V Deep Cycle Batteries with Disconnect (TT: Battery Box Comes with Option)
- Solar Energy System Prep

PLUMBING AND LP SYSTEMS

Standard Features

- White Kitchen Sink with Single Handle Faucet (Dual Deep Basin)
- Demand Water System with Water Pump
- Six Gallon LP Gas Water Heater with Electronic Ignition (DSI) (Gas)
- Bathroom Sink with Double Handle Faucet
- ABS Tub/Shower (FW: 26RKD, 26RKS, 27SKS, 29RKS, 32SKS)
- Accordion Shower Door (FW N/A: 30RKD, 30SKS, 34CKT, 34SKT, 36SKT)
- Fiberglass Shower with Glass Door (FW: 30RKD, 30SKS, 34CKT, 34SKT, 36SKT)
- Toilet

- Two 30 Lb. LP Tanks with Automatic Changeover and Cover

Options

- Fold Down Shower Seat
- Water Heater By-Pass Kit
- Six Gallon LP Gas/Electric Water Heater with Electronic Ignition (DSI)
- 10 Gallon LP Gas/Electric Water Heater with Electronic Ignition (DSI) (TT: 29FKS, 31CKS) (FW N/A: 27SKS)
- Upgrade LP Bottle Cover (TT Only)
- Outside Shower
- No Fuss Flush System

SAFETY

Standard Features

- Fire Extinguisher
- Deadbolt Lock(s) on Entrance Door(s)

SAFETY (cont.)

Standard Features

- 120V GFI Protected Outlets (Kitchen, Bathroom, Exterior)
- Breakaway Switch
- Safety Chains (TT Only)
- LP Gas Detector
- Smoke Detector
- Egress Window(s)
- Safety Glass

WINDOWS AND DOORS

Standard Features

- Tinted Radius Windows with Flush Cranks and Clamp Rings
- 30-inch Radius Main Entrance Door with Anti-Skid Steps (TT N/A: 25RKS, 26SKS, 27SKS)
- 26-inch Radius Main Entrance Door with Anti-Skid Steps (TT: 25RKS, 26SKS, 27SKS)
- 26-inch Rear Entrance Door with Anti-Skid Steps N/A with Twin Beds (TT: 29FKS, 30FK, 31CKS)
- Semi-Flush Travel Awning (Front) (TT Only)

Options

- Tinted Skylight in Bathroom
- Dual Pane Windows
- Color Coordinated Vinyl Patio Awning with Polar White Arms
- Carefree Automatic Patio Awning (FW Only) (FW N/A: 26RKD, 33SKT, 34CKT)
- Main Slide-Out Awning (TT N/A: 30FK)
- 26-inch Bedroom Entrance Door with Anti-Skid Steps (N/A with Twin Beds) (TT: 25RKS)

HEATING, VENTS AND AIR CONDITIONING

Standard Features

- 25M BTU Hydroflame Electronic Ignition Furnace (TT: 25RKS, 26SKS, 27SKS, 30FK)
- 30M BTU Hydroflame Electronic Ignition Furnace (TT N/A: 25RKS, 26SKS, 27SKS, 30FK) (FW N/A: 32SKS, 33SKT, 34CKT, 34SKT, 36SKT)
- 35M BTU Hydroflame Electronic Ignition Furnace (FW only: 32SKS, 33SKT, 34CKT, 34SKT, 36SKT)
- In-Floor Ducted Heating System
- Manual Roof Vent
- 12V Roof Vent Fan in Bathroom

Options

- One 13.5M BTU Air Conditioner with Ducted Air and Wall Thermostat
- One 15.0M Air Conditioner ILO 13.5M
- Second 13.5M BTU Air Conditioner (with Automatic Selector Switch with 30 amp Service) (FW Only: 32SKS, 33SKT, 34CKT, 34SKT, 36SKT)
- 12V Attic Fan with Wall Switch
- Ceiling Fan (FW Only)**



WINDOW TREATMENTS

Standard Features

- Living Room: Mini Blinds, Padded Valances and Lambrequins
- Rear Bay Window Cap: Vertical Blinds (FW: 30SKS, 32SKS, 33SKT, 34CKT, 34SKT, 36SKT) (TT: 31CKS)
- Kitchen: Mini Blinds and Valance
- Bedroom: Mini Blinds, Valances and Decorative Drapery Panels
- Options**
- Pleated Day/Night Shades in Living Room and Bedroom

